	Reviewed on 09/26/20.
1 Identification	
· Product identifier	
• Trade name: <u>Sulfuric Acid 1.00 Normal</u> NIST Traceable Solution	
· Article number: 9090	
<ul> <li>Details of the supplier of the safety data sheet</li> <li>Manufacturer/Supplier: Aqua Solutions, Inc.</li> <li>6913 Highway 225 DEER PARK, TX 77536 USA</li> <li>800-256-2586</li> </ul>	AQUA SOLUTIONS
· Information department:	
Technical Coordinator Sherman Nelson sherman@aquasolutions.org · <b>Emergency telephone number:</b>	
Chemtrec: 800-424-9300	
Canutec: 613-996-6666	
2 Hazard(s) identification	
· Classification of the substance or mixture	
GHS08 Health hazard	
Carc. 1A H350 May cause cancer.	
$\wedge$	
GHS05 Corrosion	
<i>GHS05 Corrosion</i> <i>Skin Corr. 1A H314 Causes severe skin burns and eye damage.</i> <i>Eye Dam. 1 H318 Causes serious eye damage.</i>	
Skin Corr. 1A H314 Causes severe skin burns and eye damage.	to the Globally Harmonized System (GHS).
Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. • Label elements • GHS label elements The product is classified and labeled according	to the Globally Harmonized System (GHS).
Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. • Label elements • GHS label elements The product is classified and labeled according	to the Globally Harmonized System (GHS).
Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. • Label elements • GHS label elements The product is classified and labeled according • Hazard pictograms	to the Globally Harmonized System (GHS).
Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. • Label elements • GHS label elements The product is classified and labeled according • Hazard pictograms GHS05 GHS08	to the Globally Harmonized System (GHS).
<ul> <li>Skin Corr. 1A H314 Causes severe skin burns and eye damage.</li> <li>Eye Dam. 1 H318 Causes serious eye damage.</li> <li>Label elements</li> <li>GHS label elements The product is classified and labeled according</li> <li>Hazard pictograms</li> <li>GHS05 GHS08</li> <li>Signal word Danger</li> <li>Hazard-determining components of labeling: Sulfuric Acid 96 - 98%</li> <li>Hazard statements</li> </ul>	to the Globally Harmonized System (GHS).
<ul> <li>Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage.</li> <li>Label elements <ul> <li>GHS label elements The product is classified and labeled according</li> <li>Hazard pictograms</li> </ul> </li> <li>GHS05 GHS08</li> </ul> <li>Signal word Danger <ul> <li>Hazard-determining components of labeling: Sulfuric Acid 96 - 98%</li> <li>Hazard statements Causes severe skin burns and eye damage.</li> </ul> </li>	to the Globally Harmonized System (GHS).
<ul> <li>Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage.</li> <li>Label elements <ul> <li>GHS label elements The product is classified and labeled according</li> <li>Hazard pictograms</li> </ul> </li> <li>Kappendic Constraints of the product of the pr</li></ul>	to the Globally Harmonized System (GHS).
<ul> <li>Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage.</li> <li>Label elements <ul> <li>GHS label elements The product is classified and labeled according</li> <li>Hazard pictograms</li> </ul> </li> <li>GHS05 GHS08</li> </ul> <li>Signal word Danger <ul> <li>Hazard-determining components of labeling: Sulfuric Acid 96 - 98%</li> <li>Hazard statements Causes severe skin burns and eye damage.</li> </ul> </li>	to the Globally Harmonized System (GHS).
<ul> <li>Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage.</li> <li>Label elements</li> <li>GHS label elements The product is classified and labeled according</li> <li>Hazard pictograms</li> <li>GHS05 GHS08</li> <li>Signal word Danger</li> <li>Hazard-determining components of labeling: Sulfuric Acid 96 - 98%</li> <li>Hazard statements Causes severe skin burns and eye damage. May cause cancer.</li> <li>Precautionary statements</li> </ul>	

US -

Printing date 09/26/2017

Reviewed on 09/26/2017

Trade name: Sulfuric Acid 1.00 Normal NIST Traceable Solution

Wash thoroughly after handling.	(Contd. of page 1)
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with	ı water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact len	ses, if present and easy to do.
Continue rinsing.	
IF exposed or concerned: Get medical advice/attention.	
Immediately call a POISON CENTER/doctor.	
Specific treatment (see on this label).	
Wash contaminated clothing before reuse.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international/	onal regulations.
• Classification system:	
$\cdot$ NFPA ratings (scale 0 - 4)	
Health = 3	
Fire = 0	
3 Reactivity = 0	
· HMIS-ratings (scale 0 - 4)	
$\frac{\text{HEALTH}}{3} Health = 3$	
FIRE 0 $Fire = 0$	
<b>REACTIVITY</b> Reactivity = $0$	
· Other hazards	
· Results of PBT and vPvB assessment	
• <b>PBT:</b> Not applicable.	
• vPvB: Not applicable.	
3 Composition/information on ingredients	
· Chemical characterization: Mixtures	
• <b>Description:</b> Mixture of the substances listed below with nonhazardous additions.	
· Dangerous components:	
0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

• Table of Nonhazardous Ingredients

CAS: 7732-18-5 Water

# 4 First-aid measures

 $\cdot$  Description of first aid measures

• General information: Immediately remove any clothing soiled by the product.

• After inhalation: In case of unconsciousness place patient stably in side position for transportation.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

• After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.

• Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

5.051%

94.949%

Printing date 09/26/2017

Trade name: Sulfuric Acid 1.00 Normal NIST Traceable Solution

• *Indication of any immediate medical attention and special treatment needed No further relevant information available.* 

# **5** *Fire-fighting measures*

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

## **6** Accidental release measures

Wear protective equipment. Kee Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ su Methods and material for conta	urface or ground water.	
Dispose contaminated material	as waste according to item 13.	
Ensure adequate ventilation.		
• Reference to other sections		
See Section 7 for information on	n safe handling.	
See Section 8 for information on	n personal protection equipment.	
See Section 13 for disposal info	rmation.	
• Protective Action Criteria for C	Themicals	
· PAC-1:		
CAS: 7664-93-9 Sulfuric Acid 9	96 - 98%	0.20 mg/m3
· PAC-2:		
CAS: 7664-93-9 Sulfuric Acid 9	96 - 98%	8.7 mg/m3
· PAC-3:		
CAS: 7664-93-9 Sulfuric Acid 9	96 - 98%	160 mg/m3

# 7 Handling and storage

· Handling:

- Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- $\cdot$  Specific end use(s) No further relevant information available.

(Contd. on page 4)

1 I S

(Contd. of page 2)

Reviewed on 09/26/2017

Printing date 09/26/2017

Reviewed on 09/26/2017

Trade name: Sulfuric Acid 1.00 Normal NIST Traceable Solution

(Contd. of page 3)

# 8 Exposure controls/personal protection · Additional information about design of technical systems: No further data; see item 7. · Control parameters · Components with limit values that require monitoring at the workplace: CAS: 7664-93-9 Sulfuric Acid 96 - 98% PEL Long-term value: 1 mg/m<sup>3</sup> REL Long-term value: 1 mg/m<sup>3</sup> TLV Long-term value: 0.2\* mg/m<sup>3</sup> \*as thoracic fraction • Additional information: The lists that were valid during the creation were used as basis. · Exposure controls · Personal protective equipment: • General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes. Avoid contact with the eyes and skin. · Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. · Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. · Eye protection: Tightly sealed goggles

· Body protection: Protective work clothing

(Contd. on page 5)

Printing date 09/26/2017

Reviewed on 09/26/2017

Trade name: Sulfuric Acid 1.00 Normal NIST Traceable Solution

(Contd. of page 4)

Physical and chemical properties		
· Information on basic physical and c	chemical properties	
· General Information	shemicul properties	
· Appearance:		
Form:	Liquid	
Color:	Colorless	
· Odor:	Odorless	
· Odor threshold:	Not determined.	
· pH-value at 20 °C (68 °F):	<2	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:		
Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
• Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17 mm Hg)	
· Density at 20 °C (68 °F):	1.0236 g/cm <sup>3</sup> (8.542 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
• Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wate	er): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	0.0~%	
Water:	94.9 %	
VOC content:	0.0 g/l / 0.00 lb/gl	
• Other information	No further relevant information available.	

# **10** Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

(Contd. on page 6)

US

Printing date 09/26/2017

Reviewed on 09/26/2017

Trade name: Sulfuric Acid 1.00 Normal NIST Traceable Solution

(Contd. of page 5)

1

Κ

- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- $\cdot$  on the eye:
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

#### · Carcinogenic categories

IARC (International Agency for Research on Cancer)
 CAS: 7664-93-9 Sulfuric Acid 96 - 98%
 NTP (National Toxicology Program)
 CAS: 7664-93-9 Sulfuric Acid 96 - 98%
 OSHA-Ca (Occupational Safety & Health Administration)
 None of the ingredients is listed.

## **12** Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

*Water hazard class 1 (Self-assessment): slightly hazardous for water* 

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

(Contd. on page 7)

Printing date 09/26/2017

Reviewed on 09/26/2017

## Trade name: Sulfuric Acid 1.00 Normal NIST Traceable Solution

(Contd. of page 6)

# **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number DOT, IMDG, IATA	UN2796	
UN proper shipping name	0	
DOT	Sulfuric acid solution	
IMDG, IATA	SULPHURIC ACID solution	
Transport hazard class(es)		
DOT		
~		
the second se		
CORROSIVE		
Class	8 Corrosive substances	
Label	8	
IMDG, IATA		
Â		
Pa		
8		
Class	8 Corrosive substances	
Label	8	
Packing group		
DOT, IMDG, IATA	II	
Environmental hazards:	۸ <i>۲</i>	
Marine pollutant:	No	
Special precautions for user	Warning: Corrosive substances	
Danger code (Kemler):	80	
EMS Number:	F- $A$ , $S$ - $B$	
Segregation groups	Acids	
Stowage Category	В	
Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	

Printing date 09/26/2017

Reviewed on 09/26/2017

## Trade name: Sulfuric Acid 1.00 Normal NIST Traceable Solution

Transport/Additional information:	(Contd. of page '
DOT Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L
IMDG Limited quantities (LQ)	1L
Excepted quantities $(\widetilde{EQ})$	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 2796 SULFURIC ACID SOLUTION, 8, II

# **15 Regulatory information**

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

· Section 355 (extremely hazardous substances):

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

• Section 313 (Specific toxic chemical listings): CAS: 7664-93-9 Sulfuric Acid 96 - 98%

ens. 7004 75 7 Sugare new 70 70 /

• TSCA (Toxic Substances Control Act): All ingredients are listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

 $\cdot$  EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 9)

A2

Printing date 09/26/2017

Reviewed on 09/26/2017

Trade name: Sulfuric Acid 1.00 Normal NIST Traceable Solution

(Contd. of page 8) · Hazard pictograms GHS05 GHS08 · Signal word Danger · Hazard-determining components of labeling: Sulfuric Acid 96 - 98% · Hazard statements Causes severe skin burns and eye damage. May cause cancer. · Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dusts or mists. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. Immediately call a POISON CENTER/doctor. Specific treatment (see on this label). Wash contaminated clothing before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · National regulations: · Additional classification according to Decree on Hazardous Materials: Carcinogenic hazardous material group III (dangerous).

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. *Exceptions can be made by the authorities in certain cases.* 

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- Date of preparation / last revision 09-26-2017: review SDS for accuracy. STN Revision 0.0 07-19-2016: Creation date for SDS. STN 09/26/2017 / -
- Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 10)

Printing date 09/26/2017

Reviewed on 09/26/2017

### Trade name: Sulfuric Acid 1.00 Normal NIST Traceable Solution

(Contd. of page 9)

US

DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Corr. 1A: Skin corrosion/irritation - Category 1A Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Carc. 1A: Carcinogenicity - Category 1A