according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Revision Date 01/26/2015

Version1.2

SECTION 1.Identification

Product identifier

Catalog No. 108028

Product name Formaldehyde Test Method: colorimetric with color card and sliding

comparator 0.1 - 0.25 - 0.4 - 0.6 - 0.8 - 1.0 - 1.5 mg/l HCHO

MColortest™

Fo-1

Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis

Details of the supplier of the safety data sheet

Company EMD Millipore Corporation | 290 Concord Road, Billerica, MA 01821,

United States of America | General Inquiries: +1-978-715-4321 | Monday to Friday, 9:00 AM to 4:00 PM Eastern Time (GMT-5)

Emergency telephone 800-424-9300 CHEMTREC (USA)

+1-703-527-3887 CHEMTREC (International)

24 Hours/day; 7 Days/week

SECTION 2. Hazards identification

GHS Classification

Corrosive to Metals, Category 1, H290 Skin corrosion, Category 1A, H314 Serious eye damage, Category 1, H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

GHS-Labeling

Hazard pictograms



Signal Word
Danger

Hazard Statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 108028 Version1.2

Product name Formaldehyde Test Method: colorimetric with color card and sliding comparator

 $0.1 - 0.25 - 0.4 - 0.6 - 0.8 - 1.0 - 1.5 \text{ mg/l} HCHO MColortest}^{TM}$

Fo-1

Precautionary Statements

P234 Keep only in original container.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing.

Rinse skin with water/ shower.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/ physician.

P321 Specific treatment (see supplemental first aid instructions on this label).

P363 Wash contaminated clothing before reuse.

P390 Absorb spillage to prevent material damage.

P405 Store locked up.

P406 Store in corrosive resistant stainless steel container with a resistant inliner.

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. Composition/information on ingredients

Chemical nature Aqueous solution

Hazardous ingredients

Chemical Name (Concentration)

CAS-No.

sodium hydroxide (>= 30 % - < 50 %)

1310-73-2

Exact percentages are being wihtheld as a trade secret.

SECTION 4. First aid measures

Description of first-aid measures

General advice

First aider needs to protect himself.

Inhalation

After inhalation: fresh air. Call in physician.

Skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician immediately.

Eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 108028 Version1.2

Product name Formaldehyde Test Method: colorimetric with color card and sliding comparator

0.1 - 0.25 - 0.4 - 0.6 - 0.8 - 1.0 - 1.5 mg/l HCHO MColortest™

Fo-1

Ingestion

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation!). Call a physician immediately. Do not attempt to neutralize.

Most important symptoms and effects, both acute and delayed

Irritation and corrosion, Cough, Shortness of breath, collapse, death, Risk of blindness!

Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapors.

Advice for firefighters

Special protective equipment for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid substance contact. Do not breathe vapors, aerosols. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

Environmental precautions

Do not empty into drains.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7 and 10).

Take up with liquid-absorbent and neutralizing material (e.g. Chemizorb® OH-, Art. No. 101596).

Dispose of properly. Clean up affected area.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 108028 Version1.2

Product name Formaldehyde Test Method: colorimetric with color card and sliding comparator

 $0.1 - 0.25 - 0.4 - 0.6 - 0.8 - 1.0 - 1.5 \text{ mg/l HCHO MColortest}^{TM}$

Fo-1

SECTION 7. Handling and storage

Precautions for safe handling

Observe label precautions.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

No aluminum, tin, or zinc containers.

Tightly closed. Dry. Keep away from heat and sources of ignition.

Store at +15°C to +25°C (+59°F to +77°F).

The data applies to the entire pack.

SECTION 8. Exposure controls/personal protection

Exposure limit(s)

Ingredients

Basis Threshold Remarks Value

limits

2 mg/m³

sodium hydroxide (1310-73-2)

ACGIH Ceiling Limit Value: 2 mg/m³

NIOSH/GUIDE Ceiling Limit Value and

Time Period (if

specified):

OSHA_TRANS PFI · 2 mg/m³

Z1A Ceiling Limit Value: 2 mg/m³

Engineering measures

Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

Hygiene measures

Immediately change contaminated clothing. Apply skin- protective barrier cream. Wash hands and face after working with substance.

Eye/face protection

Tightly fitting safety goggles

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Other protective equipment:

protective clothing

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 108028 Version1.2

Product name Formaldehyde Test Method: colorimetric with color card and sliding comparator

0.1 - 0.25 - 0.4 - 0.6 - 0.8 - 1.0 - 1.5 mg/l HCHO MColortest™

Fo-1

Respiratory protection

required when vapors/aerosols are generated.

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

SECTION 9. Physical and chemical properties

Physical state liquid

Color colorless

Odor odorless

Odor Threshold Not applicable

pH 14

at 68 °F (20 °C)

Melting point 48 °F (9 °C)

Boiling point No information available.

Flash point Not applicable

Evaporation rate No information available.

Flammability (solid, gas) No information available.

Lower explosion limit Not applicable

Upper explosion limit Not applicable

Vapor pressure ca.8 hPa

at 68 °F (20 °C)

Relative vapor density No information available.

Density 1.35 g/cm³

at 68 °F (20 °C)

Relative density No information available.

Water solubility at 68 °F (20 °C)

soluble

Partition coefficient: n-

octanol/water

No information available.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 108028 Version1.2

Product name Formaldehyde Test Method: colorimetric with color card and sliding comparator

 $0.1 - 0.25 - 0.4 - 0.6 - 0.8 - 1.0 - 1.5 \text{ mg/l} HCHO MColortest}^{TM}$

Fo-1

Autoignition temperature No information available.

Decomposition temperature No information available.

Viscosity, dynamic 19 mPa.s

at 68 °F (20 °C)

Explosive properties Not classified as explosive.

Oxidizing properties none

Ignition temperature Not applicable

Corrosion May be corrosive to metals.

SECTION 10. Stability and reactivity

Reactivity

See below

Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

Possibility of hazardous reactions

Risk of ignition or formation of inflammable gases or vapors with:

Metals, Light metals

Possible formation of:

Hydrogen

Violent reactions possible with:

ammonium compounds, Cyanides, organic nitro compounds, organic combustible substances, phenols, powdered alkaline earth metals, acids, Nitriles, magnesium

Conditions to avoid

no information available

Incompatible materials

Aluminum, various plastics, brass, Metals, metal alloys, Zinc, Tin, Light metals, glass, quartzes/silicate ceramics, animal/vegetable tissues

Hazardous decomposition products

no information available

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 108028 Version1.2

Product name Formaldehyde Test Method: colorimetric with color card and sliding comparator

 $0.1 - 0.25 - 0.4 - 0.6 - 0.8 - 1.0 - 1.5 \text{ mg/l} HCHO MColortest}^{TM}$

Fo-1

SECTION 11. Toxicological information

Information on toxicological effects

Likely route of exposure Inhalation, Eye contact, Skin contact Target Organs

Eyes

Skin

Respiratory system

Lungs

Gastro-intestinal system

head

tongue

trachea

Acute oral toxicity

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach.

Acute inhalation toxicity

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract

Skin irritation

Necrosis

Mixture causes severe burns.

Eye irritation

Mixture causes serious eye damage. Risk of blindness! Necrosis

Specific target organ systemic toxicity - single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

Specific target organ systemic toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

Regarding the available data the classification criteria are not fulfilled.

Carcinogenicity

IARC No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 108028 Version1.2

Product name Formaldehyde Test Method: colorimetric with color card and sliding comparator

 $0.1 - 0.25 - 0.4 - 0.6 - 0.8 - 1.0 - 1.5 \text{ mg/l} HCHO MColortest}^{TM}$

Fo-1

OSHA No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

ACGIH No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by ACGIH.

Further information

Systemic effects: collapse, death

Handle in accordance with good industrial hygiene and safety practice.

Ingredients

sodium hydroxide

Skin irritation

Rabbit

Result: Causes burns.

(RTECS)

Eye irritation

Rabbit

Result: Causes burns.

(RTECS)

Germ cell mutagenicity Genotoxicity in vitro

Mutagenicity (mammal cell test): micronucleus.

Result: negative

(Lit.)

Ames test Result: negative (IUCLID)

SECTION 12. Ecological information

Ecotoxicity

No information available.

Persistence and degradability

Biodegradability

The methods for determining the biological degradability are not applicable to inorganic substances.

Bioaccumulative potential

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 108028 Version1.2

Product name Formaldehyde Test Method: colorimetric with color card and sliding comparator

 $0.1 - 0.25 - 0.4 - 0.6 - 0.8 - 1.0 - 1.5 \text{ mg/l} HCHO MColortest}^{TM}$

Fo-1

No information available.

Mobility in soil

No information available.

Additional ecological information

Harmful effect due to pH shift. Death of fish possible. Does not cause biological oxygen deficit.

Neutralization possible in waste water treatment plants.

Discharge into the environment must be avoided.

Ingredients

sodium hydroxide

Toxicity to fish

LC50 Gambusia affinis (Mosquito fish): 125 mg/l; 96 h (External MSDS)

Toxicity to daphnia and other aquatic invertebrates

EC50 Daphnia magna (Water flea): 76 mg/l; 24 h (External MSDS)

Toxicity to bacteria

EC50 Photobacterium phosphoreum: 22 mg/l; 15 min (External MSDS)

Biodegradability

The methods for determining biodegradability are not applicable to inorganic substances.

Partition coefficient: n-octanol/water

log Pow: -0.467

PBT/vPvB: Not applicable for inorganic substances

SECTION 13. Disposal considerations

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

SECTION 14. Transport information

Land transport (DOT)

UN number UN3316

Proper shipping name CHEMICAL KIT

Class 9
Packing group II
Environmentally hazardous ---

Air transport (IATA)

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 108028 Version1.2

Product name Formaldehyde Test Method: colorimetric with color card and sliding comparator

0.1 - 0.25 - 0.4 - 0.6 - 0.8 - 1.0 - 1.5 mg/l HCHO MColortest™

Fo-1

UN number UN 3316

Proper shipping name CHEMICAL KIT

Class 9
Packing group II
Environmentally hazardous -Special precautions for user no

Sea transport (IMDG)

UN number UN 3316

Proper shipping name CHEMICAL KIT

Class 9
Packing group II
Environmentally hazardous -Special precautions for user yes
EmS F-A S-P

THIS TRANSPORT DATA APPLIES TO THE ENTIRE PACK!

SECTION 15. Regulatory information

United States of America

SARA 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 302

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A: *Ingredients*

sodium hydroxide

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

Ingredients

sodium hydroxide

DEA List I

Not listed

DEA List II

Not listed

US State Regulations

Massachusetts Right To Know

Ingredients

sodium hydroxide

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 108028 Version1.2

Product name Formaldehyde Test Method: colorimetric with color card and sliding comparator

 $0.1 - 0.25 - 0.4 - 0.6 - 0.8 - 1.0 - 1.5 \text{ mg/l} HCHO MColortest}^{TM}$

Fo-1

Pennsylvania Right To Know

Ingredients

sodium hydroxide

New Jersey Right To Know

Ingredients

sodium hydroxide

California Prop 65 Components

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

Notification status

TSCA: All components of the product are listed in the TSCA-inventory.

DSL: All components of this product are on the Canadian DSL.

KOREA: Not in compliance with the inventory

SECTION 16. Other information

Training advice

Provide adequate information, instruction and training for operators.

Labeling

Hazard pictograms



Signal Word

Danger

Hazard Statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Precautionary Statements

Prevention

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 108028 Version1.2

Product name Formaldehyde Test Method: colorimetric with color card and sliding comparator

 $0.1 - 0.25 - 0.4 - 0.6 - 0.8 - 1.0 - 1.5 \text{ mg/l} HCHO MColortest}^{TM}$

Fo-1

Full text of H-Statements referred to under sections 2 and 3.

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Revision Date01/26/2015

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.

All rights reserved. Millipore and the "M" Mark are registered trademarks of Merck KGaA, Darmstadt, Germany.



according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Revision Date 01/26/2015

Version1.2

SECTION 1.Identification

Product identifier

Catalog No. 108028

Product name Formaldehyde Test Method: colorimetric with color card and sliding

comparator 0.1 - 0.25 - 0.4 - 0.6 - 0.8 - 1.0 - 1.5 mg/l HCHO

MColortest™

Fo-2

CAS-No. 1750-12-5

Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis

Details of the supplier of the safety data sheet

Company EMD Millipore Corporation | 290 Concord Road, Billerica, MA 01821,

United States of America | General Inquiries: +1-978-715-4321 | Monday to Friday, 9:00 AM to 4:00 PM Eastern Time (GMT-5)

Emergency telephone 800-424-9300 CHEMTREC (USA)

+1-703-527-3887 CHEMTREC (International)

24 Hours/day; 7 Days/week

SECTION 2. Hazards identification

GHS Classification

Flammable solid, Category 2, H228

For the full text of the H-Statements mentioned in this Section, see Section 16.

GHS-Labeling

Hazard pictograms



Signal Word Warning

Hazard Statements
H228 Flammable solid.

Precautionary Statements

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 108028 Version1.2

Product name Formaldehyde Test Method: colorimetric with color card and sliding comparator

 $0.1 - 0.25 - 0.4 - 0.6 - 0.8 - 1.0 - 1.5 \text{ mg/l} HCHO MColortest}^{TM}$

Fo-2

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

Other hazards

None known.

SECTION 3. Composition/information on ingredients

Formula $C_2H_6N_6S$ (Hill) Molar mass 146.18 g/mol

SECTION 4. First aid measures

Description of first-aid measures

Inhalation

After inhalation: fresh air.

Skin contact

After skin contact: wash off with plenty of water. Remove contaminated clothing.

Eye contact

After eye contact: rinse out with plenty of water.

Ingestion

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

Most important symptoms and effects, both acute and delayed

We have no description of any toxic symptoms.

Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Water, Carbon dioxide (CO2), Foam, Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Special hazards arising from the substance or mixture

Combustible.

Development of hazardous combustion gases or vapors possible in the event of fire.

Fire may cause evolution of:

nitrogen oxides, Sulfur oxides

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 108028 Version1.2

Product name Formaldehyde Test Method: colorimetric with color card and sliding comparator

 $0.1 - 0.25 - 0.4 - 0.6 - 0.8 - 1.0 - 1.5 \text{ mg/l} HCHO MColortest}^{TM}$

Fo-2

Advice for firefighters

Special protective equipment for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid substance contact. Avoid inhalation of dusts.

Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

Environmental precautions

Do not empty into drains.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7 and 10).

Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

SECTION 7. Handling and storage

Precautions for safe handling

Observe label precautions.

Conditions for safe storage, including any incompatibilities

Tightly closed. Dry. Keep away from heat and sources of ignition.

Store at +15°C to +25°C (+59°F to +77°F).

The data applies to the entire pack.

SECTION 8. Exposure controls/personal protection

Exposure limit(s)

Contains no substances with occupational exposure limit values.

Engineering measures

Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

Hygiene measures

Change contaminated clothing. Wash hands after working with substance.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 108028 Version1.2

Product name Formaldehyde Test Method: colorimetric with color card and sliding comparator

0.1 - 0.25 - 0.4 - 0.6 - 0.8 - 1.0 - 1.5 mg/l HCHO MColortestTM

Fo-2

Eye/face protection

Safety glasses

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Respiratory protection

required when dusts are generated.

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

SECTION 9. Physical and chemical properties

Physical state solid

Color light yellow

Odor odorless

Odor Threshold Not applicable

pH No information available.

Melting point 446 - 448 °F (230 - 231 °C)

Boiling point No information available.

Flash point No information available.

Evaporation rate No information available.

Flammability (solid, gas)

The substance or mixture is a flammable solid with the

category 2.

Lower explosion limit No information available.

Upper explosion limit No information available.

Vapor pressure No information available.

Relative vapor density No information available.

Density ca.1.1 g/cm³

at 68 °F (20 °C)

Relative density No information available.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 108028 Version1.2

Product name Formaldehyde Test Method: colorimetric with color card and sliding comparator

0.1 - 0.25 - 0.4 - 0.6 - 0.8 - 1.0 - 1.5 mg/l HCHO MColortest™

Fo-2

Water solubility at 68 °F (20 °C)

insoluble

Partition coefficient: n-

octanol/water

No information available.

Autoignition temperature No information available.

Decomposition temperature 437 °F (225 °C)

Thermal sensitivity, explosion decomposition

Viscosity, dynamic No information available.

Explosive properties No information available.

Oxidizing properties none

Bulk density ca.290 kg/m³

SECTION 10. Stability and reactivity

Reactivity

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

Chemical stability

Sensitivity to light

Possibility of hazardous reactions

Violent reactions possible with:

Strong oxidizing agents

Conditions to avoid

no information available

Incompatible materials

no information available

Hazardous decomposition products

in the event of fire: See section 5.

SECTION 11. Toxicological information

Information on toxicological effects

Likely route of exposure

Eye contact, Skin contact, Ingestion

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 108028 Version1.2

Product name Formaldehyde Test Method: colorimetric with color card and sliding comparator

 $0.1 - 0.25 - 0.4 - 0.6 - 0.8 - 1.0 - 1.5 \text{ mg/l} HCHO MColortest}^{TM}$

Fo-2

Specific target organ systemic toxicity - single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

Specific target organ systemic toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

Regarding the available data the classification criteria are not fulfilled.

Carcinogenicity

IARC No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

ACGIH No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by ACGIH.

Further information

Hazardous properties cannot be excluded but are unlikely when the product is handled appropriately.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

Ecotoxicity

No information available.

Persistence and degradability

No information available.

Bioaccumulative potential

No information available.

Mobility in soil

No information available.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 108028 Version1.2

Product name Formaldehyde Test Method: colorimetric with color card and sliding comparator

0.1 - 0.25 - 0.4 - 0.6 - 0.8 - 1.0 - 1.5 mg/l HCHO MColortest™

Fo-2

SECTION 13. Disposal considerations

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

SECTION 14. Transport information

Land transport (DOT)

UN number UN3316

Proper shipping name CHEMICAL KIT

Class 9
Packing group II
Environmentally hazardous ---

Air transport (IATA)

UN number UN 3316

Proper shipping name CHEMICAL KIT

Class 9
Packing group II
Environmentally hazardous -Special precautions for user no

Sea transport (IMDG)

UN number UN 3316

Proper shipping name CHEMICAL KIT

Class 9
Packing group II
Environmentally hazardous -Special precautions for user yes
EmS F-A S-P

THIS TRANSPORT DATA APPLIES TO THE ENTIRE PACK!

SECTION 15. Regulatory information

United States of America

SARA 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 108028 Version1.2

Product name Formaldehyde Test Method: colorimetric with color card and sliding comparator

 $0.1 - 0.25 - 0.4 - 0.6 - 0.8 - 1.0 - 1.5 \text{ mg/l} HCHO MColortest}^{TM}$

Fo-2

SARA 302

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311,

Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311,

Table 117.3.

DEA List I

Not listed

DEA List II

Not listed

US State Regulations

Massachusetts Right To Know

Remarks

No components are subject to the Massachusetts Right to Know Act.

California Prop 65 Components

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

Notification status

TSCA: All components of the product are listed in the TSCA-inventory.

DSL: This product contains one or several components listed in the

Canadian NDSL.

SECTION 16. Other information

Training advice

Provide adequate information, instruction and training for operators.

Labeling

Hazard pictograms



Signal Word Warning

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 108028 Version1.2

Product name Formaldehyde Test Method: colorimetric with color card and sliding comparator

 $0.1 - 0.25 - 0.4 - 0.6 - 0.8 - 1.0 - 1.5 \text{ mg/l} HCHO MColortest}^{TM}$

Fo-2

Hazard Statements
H228 Flammable solid.

Precautionary Statements

Prevention

P210 Keep away from heat.

Response

P370 + P378 In case of fire: Use powder for extinction.

Full text of H-Statements referred to under sections 2 and 3.

H228 Flammable solid.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Revision Date01/26/2015

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.

All rights reserved. Millipore and the "M" Mark are registered trademarks of Merck KGaA, Darmstadt, Germany.