

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Date of issue: 11/14/2013 Version 1. 0

#### **SECTION 1. Identification**

#### **Product identifier**

Product number 117081
Product code 117081

Product name Eosin Y solution 1%, alcoholic for microscopy

# Relevant identified uses of the substance or mixture and uses advised against

Identified uses In vitro diagnostic reagent

## Details of the supplier of the safety data sheet

Company EMD Millipore Corporation | 290 Concord Road, Billerica, MA 01821,

United States of America | SDS Phone Support: +1-978-715-1335 | General Inquiries: +1-978-715-4321 | Monday to Friday, 9:00 AM to

4:00 PM Eastern Time (GMT-5)

Emergency telephone 800-424-9300 CHEMTREC (USA)

+1-703-527-3887 CHEMTREC (International)

24 Hours/day; 7 Days/week

## SECTION 2. Hazards identification

### **GHS Classification**

Flammable liquid, Category 2, H225

For the full text of the H-Statements mentioned in this Section, see Section 16.

### **GHS-Labeling**

Hazard pictograms



Signal Word
Danger

#### Hazard Statements

H225 Highly flammable liquid and vapor.

## Precautionary Statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

Product number 117081 Version 1.0

Product name Eosin Y solution 1%, alcoholic for microscopy

P403 + P235 Store in a well-ventilated place. Keep cool.

### **OSHA Hazards**

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

This information is based on 29 CFR 1910.1200 criteria prior to adoption of the GHS and may deviate from the GHS information.

#### Other hazards

None known.

### SECTION 3. Composition/information on ingredients

Chemical nature

Mixture of organic compounds

# Hazardous ingredients

```
Chemical Name ( Concentration)
CAS-No.
ethanol ( >= 50 % - < 70 % )
64-17-5
Eosin G ( >= 1 % - < 5 % )
17372-87-1
ethyl methyl ketone ( >= 0.1 % - < 1 % )
78-93-3
```

#### SECTION 4. First aid measures

### Description of first-aid measures

Inhalation

After inhalation: fresh air.

Skin contact

After skin contact: wash off with plenty of water. Remove contaminated clothing.

Eye contact

After eye contact: rinse out with plenty of water.

Ingestion

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

Never give anything by mouth to an unconscious person.

# Most important symptoms and effects, both acute and delayed

irritant effects, respiratory paralysis, Dizziness, narcosis, inebriation, euphoria, Nausea,

Vomitina

Drying-out effect resulting in rough and chapped skin.

#### Indication of any immediate medical attention and special treatment needed

No information available.

### SECTION 5. Fire-fighting measures

### Extinguishing media

Suitable extinguishing media

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 117081 Version 1.0

Product name Eosin Y solution 1%, alcoholic for microscopy

Carbon dioxide (CO2), Foam, Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

## Special hazards arising from the substance or mixture

Combustible.

Vapors are heavier than air and may spread along floors.

Pay attention to flashback.

Forms explosive mixtures with air at ambient temperatures.

Development of hazardous combustion gases or vapors possible in the event of fire.

### Advice for firefighters

Special protective equipment for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

### SECTION 6. Accidental release measures

# Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

# **Environmental precautions**

Do not let product enter drains. Risk of explosion.

## Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

### SECTION 7. Handling and storage

### Precautions for safe handling

Observe label precautions.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

## Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Store at +15°C to +25°C (+59°F to +77°F).

Product number 117081 Version 1.0

Product name Eosin Y solution 1%, alcoholic for microscopy

### SECTION 8. Exposure controls/personal protection

## Exposure limit(s)

Ingredients

Basis Value Threshold Remarks

limits

ethanol 64-17-5

ACGIH Short Term Exposure 1,000 ppm

Limit (STEL):

NIOSH/GUIDE Recommended 1,000 ppm

exposure limit (REL): 1,900 mg/m³

OSHA\_TRANS PEL: 1,000 ppm

1,900 mg/m<sup>3</sup>

Z1A Time Weighted Average 1,000 ppm

(TWA): 1,900 mg/m<sup>3</sup>

### **Engineering measures**

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

### Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

#### Hygiene measures

Change contaminated clothing. Application of skin- protective barrier cream recommended.

Wash hands after working with substance.

Eye/face protection

Safety glasses

## Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

## Other protective equipment:

Flame retardant antistatic protective clothing

#### Respiratory protection

required when vapors/aerosols are generated.

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

## SECTION 9. Physical and chemical properties

Physical state liquid

Color dark red

Odor alcohol-like

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 117081	Version 1.0
-----------------------	-------------

Product name Eosin Y solution 1%, alcoholic for microscopy

Odor Threshold No information available.

pH No information available.

Melting point No information available.

Boiling point No information available.

Flash point 66 °F ( 19 °C)

Evaporation rate No information available.

Flammability (solid, gas) No information available.

Lower explosion limit No information available.

Upper explosion limit No information available.

Vapor pressure No information available.

Relative vapor density No information available.

Relative density 0.892 g/cm<sup>3</sup>

at 68 °F (20 °C)

Water solubility No information available.

Partition coefficient: n-

octanol/water

No information available.

Autoignition temperature No information available.

Decomposition temperature No information available.

Viscosity, dynamic No information available.

Explosive properties Not classified as explosive.

## SECTION 10. Stability and reactivity

#### Reactivity

Vapors may form explosive mixture with air.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

### Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

## Possibility of hazardous reactions

Risk of explosion/exothermic reaction with:

## according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 117081 Version 1.0

Product name Eosin Y solution 1%, alcoholic for microscopy

hydrogen peroxide, perchlorates, perchloric acid, Nitric acid, mercury(II) nitrate, permanganic acid, Nitriles, peroxi compounds, Strong oxidizing agents, nitrosyl compounds, Peroxides, sodium, Potassium, halogen oxides, calcium hypochlorite, nitrogen dioxide, metallic oxides, uranium hexafluoride, iodides, Chlorine, Alkali metals, Alkaline earth metals, alkali oxides, Ethylene oxide

silver, with, Nitric acid

silver compounds, with, Ammonia

potassium permanganate, with, conc. sulfuric acid

Risk of ignition or formation of inflammable gases or vapors with:

halogen-halogen compounds, chromium(VI) oxide, chromyl chloride, Fluorine, hydrides, Oxides of phosphorus, platinum

Nitric acid, with, potassium permanganate

#### Conditions to avoid

Warming.

## Incompatible materials

rubber, various plastics

### Hazardous decomposition products

no information available

# **SECTION 11. Toxicological information**

# Information on toxicological effects

Likely route of exposure Eye contact, Skin contact

Target Organs

Eyes

Skin

Respiratory system

Central nervous system

Liver

Blood

reproductive system

Acute oral toxicity

Symptoms: Nausea, Vomiting

Acute inhalation toxicity

absorption

Symptoms: slight mucosal irritations

Skin irritation

Drying-out effect resulting in rough and chapped skin.

Carcinogenicity

Carcinogen classifications of IARC, NTP, California proposition 65 for Ethanol CAS 64-17-5 apply to beverage use only. This product is NOT intended for this use.

Specific target organ systemic toxicity - single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

Specific target organ systemic toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 117081 Version 1.0

Product name Eosin Y solution 1%, alcoholic for microscopy

Aspiration hazard

Regarding the available data the classification criteria are not fulfilled.

Carcinogenicity

IARC No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

ACGIH No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by ACGIH.

### **Further information**

Systemic effects:

euphoria

After absorption of large quantities:

Dizziness, inebriation, narcosis, respiratory paralysis Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

# Ingredients

ethanol

Acute oral toxicity

LD50 rat: 6,200 mg/kg (IUCLID)

Acute inhalation toxicity

LC50 rat: 95.6 mg/l; 4 h (RTECS)

Skin irritation

rabbit

Result: No irritation OECD Test Guideline 404

Sensitization

Sensitization test (Magnusson and Kligman):

Result: negative

(IUCLID)

Germ cell mutagenicity

Genotoxicity in vitro

Ames test

Salmonella typhimurium

Result: negative

(National Toxicology Program)

# according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 117081 Version 1.0

Product name Eosin Y solution 1%, alcoholic for microscopy

### Eosin G

Acute oral toxicity

LD50 rat: > 2,000 mg/kg (External MSDS)

Skin irritation

rabbit

Result: No irritation OECD Test Guideline 404

Eye irritation

rabbit

Result: Eye irritation OECD Test Guideline 405

Germ cell mutagenicity

Genotoxicity in vitro

Ames test

Result: negative

(Lit.)

### ethyl methyl ketone

Acute oral toxicity LD50 rat: 3,400 mg/kg OECD Test Guideline 401

LD50 rat: > 2,600 mg/kg (IUCLID)

Acute dermal toxicity

LD50 rabbit: > 8,000 mg/kg (Lit.)

Skin irritation

rabbit

Result: slight irritation

(IUCLID)

Eye irritation

rabbit

Result: Severe irritations

(IUCLID)

Sensitization

Sensitization test: guinea pig

Result: negative

(IUCLID)

Germ cell mutagenicity

Genotoxicity in vitro

Ames test

Result: negative

(IUCLID)

Mutagenicity (mammal cell test): chromosome aberration.

Result: negative

(National Toxicology Program)

# **SECTION 12. Ecological information**

### **Ecotoxicity**

No information available.

## Persistence and degradability

No information available.

Product number 117081 Version 1.0

Product name Eosin Y solution 1%, alcoholic for microscopy

# Bioaccumulative potential

No information available.

# Mobility in soil

No information available.

# Ingredients

```
ethanol
```

Toxicity to fish

LC50 Leuciscus idus (Golden orfe): 8,140 mg/l; 48 h (IUCLID)

Toxicity to daphnia and other aquatic invertebrates

EC5 E.sulcatum: 65 mg/l; 72 h (Lit.)

EC50 Daphnia magna (Water flea): 9,268 - 14,221 mg/l; 48 h (IUCLID)

Toxicity to algae

IC5 Scenedesmus quadricauda (Green algae): 5,000 mg/l; 7 d (Lit.)

Toxicity to bacteria

EC5 Pseudomonas putida: 6,500 mg/l; 16 h (IUCLID)

Biodegradability

94 %

OECD Test Guideline 301E Readily biodegradable.

Biochemical Oxygen Demand (BOD)

930 - 1,670 mg/g (5 d)

(Lit.)

Theoretical oxygen demand (ThOD)

2,100 mg/g

(Lit.)

Ratio COD/ThBOD

90 %

(Lit.)

Substance does not meets the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

### Eosin G

No information available.

### ethyl methyl ketone

Toxicity to fish

LC50 Pimephales promelas (fathead minnow): 3,220 mg/l; 96 h (IUCLID)

Toxicity to daphnia and other aquatic invertebrates

EC50 Daphnia magna (Water flea): 5,091 mg/l; 48 h (IUCLID)

Toxicity to algae

IC5 Scenedesmus quadricauda (Green algae): >= 4,300 mg/l; 7 d (IUCLID)

Toxicity to bacteria

EC5 Pseudomonas putida: 1,150 mg/l; 16 h (IUCLID)

Product number 117081 Version 1.0

Product name Eosin Y solution 1%, alcoholic for microscopy

Biodegradability

Readily biodegradable.

Theoretical oxygen demand (ThOD) 2,440 mg/g (Lit.)

Ratio BOD/ThBOD BOD5 76 % (IUCLID)

Ratio COD/ThBOD 95 % (IUCLID)

Substance does not meets the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

# SECTION 13. Disposal considerations

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

### **SECTION 14. Transport information**

Land transport (DOT)

UN number UN 1170

Proper shipping name ETHANOL SOLUTION

Class 3
Packing group II
Environmentally hazardous --

Air transport (IATA)

UN number UN 1170

Proper shipping name ETHANOL SOLUTION

Class 3
Packing group II
Environmentally hazardous -Special precautions for user no

Sea transport (IMDG)

UN number UN 1170

Proper shipping name ETHANOL SOLUTION

Class 3
Packing group II
Environmentally hazardous --

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 117081 Version 1.0

Product name Eosin Y solution 1%, alcoholic for microscopy

Special precautions for user yes

EmS F-E S-D

# SECTION 15. Regulatory information

### **United States of America**

#### **OSHA Hazards**

Flammable Liquid

Target organ effects

Eye irritant

This information is based on 29 CFR 1910.1200 criteria prior to adoption of the GHS, and may deviate from the GHS information on the label and in section 2.

#### SARA 311/312 Hazards

Fire Hazard

Acute Health Hazard

Chronic Health Hazard

#### **SARA 313**

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### **SARA 302**

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311,

Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311,

Table 117.3.

#### **DEA List I**

Not listed

### **DEA List II**

Listed

Ingredients

ethyl methyl ketone

78-93-3

# **US State Regulations**

### Massachusetts Right To Know

Ingredients

ethanol

### Pennsylvania Right To Know

Ingredients

ethanol

water

# New Jersey Right To Know

Ingredients

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 117081 Version 1.0

Product name Eosin Y solution 1%, alcoholic for microscopy

ethanol water Eosin G

## California Prop 65 Components

WARNING: this product contains a chemical known in the State of California to cause cancer.

*Ingredients* ethanol

## California Prop 65 Components

WARNING: This product contains a chemical known in the State of California to cause birth defects or other reproductive harm.

Ingredients ethanol

#### **Notification status**

TSCA: All components of the product are listed in the TSCA-inventory.

DSL: All components of this product are on the Canadian DSL.

### SECTION 16. Other information

### Training advice

Provide adequate information, instruction and training for operators.

#### Full text of H-Statements referred to under sections 2 and 3.

H225 Highly flammable liquid and vapor.

# Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Date of issue: 11/14/2013

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.

All rights reserved. Millipore and the "M" Mark are registered trademarks of Merck KGaA, Darmstadt, Germany.