

SAFETY ESSENTIALS

YOUR SAFETY | YOUR CHOICE | OUR PRIORITY









From the lab to production to the warehouse, VWR has everything you need to keep you protected no matter which industry you are in.

Your Safety is Our Priority!

Food & Beverage

Petrochemical

Pharmaceutical

Semiconductor

Bioprocessing

Education

Healthcare

Biotech

Electronic Device

Wastewater

Contract

Management

Mining

Environmental

Testing

To learn more, visit **vwr.com/safety** today!



TABLE OF CONTENTS

PERSONAL PROTECTIVE EQUIPMENT	
Head Protection	• Face Masks23
Hard Hats and Liners7	PPE Dispensers and Recycling24
Welding Helmets9	Hearing Protection
Bouffant Caps10	• Ear Plugs26
Eye & Face Protection	• Earmuffs28
Safety Glasses11	Respiratory Protection
Safety Goggles17	Disposable Respirators28
• Face Shields20	Reusable Respirators31
• Hoods21	PAPR Respirators36
Beard Covers23	
BODY PROTECTION	
• Lab Coats38	• Gowns46
• Frocks41	• Coveralls48
• Aprons43	• Fire-Resistant Apparel52
	The second secon
HAND & ARM PROTECTION	
Disposable Gloves56	Sterile & Cleanroom Gloves76
• Chemical Resistant Gloves	• Glove Liners80
• Temperature Resistant Gloves73	Protective Sleeves
• Cut Resistant Gloves	1 Total Current Steeves
Cat Nesistant Gloves	
FOOT PROTECTION	
• Shoes & Boots	• Boot Covers90
• Shoe Covers87	

Ergonomics and Matting		Handcare		Lockout/Tagout	
Matting	96	• Soaps	113	Lockout/Tagout	129
• Insoles	99	Sanitizers	114	Monitoring & Detection	
Back & Wrist Supports	100	Moisturizers	116	Gas Detectors	132
Fall Protection		Spill Control & Waste Disposal		Gas Monitors	134
Harnesses	101	Spill Kits	117	Material Handling & Storage	
• Lanyards	103	Mats & Pads	119	Carriers	134
First Aid		Sorbents & Socks	122	Drums & Pails	135
Kits & Refills	105	Wipers	122	Carts & Trucks	137
• AEDs	108	Safety Cans		Drum Accessories	138
• Eyewash Stations & Refills	108	Waste Disposal	123	Funnels	139
• Fire Protection	110	Radiation Protection		Safety Cabinets	140
Safety Showers	112	Shields	128	Signs, Printers & Labels	
		Storage Boxes	129	Printers & Labels	143
		Accessories	129	• Floor Signs	145
				Safety Signs	146

Find Out What's New!

We understand your need for quality products and the need to maximize your budget. That's why our portfolio is continually expanding in our effort to help you enable science.

Look for the "NEW" banner inside this brochure to find our most recent additions along with the green leaf, which signifies environmentally preferable products!

NEW



VWR® Non-Sterile Safety Goggles



VWR® Chemical Splash Goggles



VWR® Industrial Fit Safety Goggles



Wells Lamont, FlexTech™ Y9236 Hi-Vis Cut Resistant Gloves with Nitrile Palm



Zing Green Safety Signs



Zing Green Lockout/ Tagout



ML Kishigo High Visibility Flame Resistant Apparel

New Suppliers!













VWR® Basic Protection Industrial Coverall



VWR® Reusable Industrial Lab Coat



VWR® Basic Protection Industrial Lab Coat



VWR® Basic Protection Industrial Nylon Hairnet



VWR® Basic Protection Industrial Bouffant Caps



VWR® First Aid Kits



VWR® Eyewash Station Kits



Showa N-DEX Nitrile Bagged Gloves



Portwest Safety Shoes and Boots



Supermax Nitrile Gloves



PPE Recycling Box



Disposable Gloves Recycling Box

Sustainability with VWR



To help support our customers in their sustainability initiatives, VWR offers environmentally preferable products in various categories that are indicated on **vwr.com** with a green leaf icon and can be found using the "Environmentally Preferable" search filter. For more information on VWR's sustainability initiatives, visit **vwr.com/sustainability**.

PERSONAL PROTECTION FROM HEAD TO TOE



Head Protection, Eye & Face Protection, Hearing Protection,



Respiratory Protection




Body Protection



Hand & Arm Protection



Foot Protection



HEAD PROTECTION



Personal
Protection
Solutions From
Head to Toe!

HEAD PROTECTION

- Hard Hats and Liners
- Welding Helmets
- Bouffant Caps

EYE & FACE PROTECTION

- Safety Glasses
- Safety Goggles
- Face Shields
- Hoods
- Beard Covers
- Face Masks
- PPE Dispensers and Recycling

HEARING PROTECTION

- Ear Plugs
- Earmuffs

RESPIRATORY PROTECTION

- Disposable Respirators
- Reusable Respirators
- PAPR Respirators

JACKSON SAFETY® SENTRY III™ Hard Hat, KIMBERLY-CLARK PROFESSIONAL®





- Features comfortable six-point nylon suspension
- Ratchet holds cap in place for secure fit
- Available in two colors
- Supplied with replaceable terrycloth sweatband

Description	Material	Diameter	Color	Cat. No.
SENTRY III™ Hard Hat	High Density Polyethylene	16.5-20 cm (6.5-8")	White	33001-084
SENTRY III™ Hard Hat	High Density Polyethylene	16.5-20 cm (6.5-8")	Yellow	33001-086

Omega II Cap Safety Helmet, ERB Safety

- 6-Point woven nylon ratchet suspension
- Accessory slots accommodate a wide variety of eye, face, and hearing protection
- · Accomodates chin strap
- Certified when headband is installed in reverse position
- Moisture wicking brow pad is removable, ashable, and replaceable
- Goggle retaining slots on suspension



V-Gard® Protective Caps and Hats, MSA

- · Comfortable, lightweight protection
- Self adjusting crown straps
- Polyethylene shell and suspension system working together





Material	Color	Weight	Cat. No.
-Trac® Ratchet Sus	pension		
Polyethylene	White	0.82 lb	300008-987
Polyethylene	Blue	0.86 lb	300008-988
Polyethylene	Yellow	0.86 lb	300008-989
Polyethylene	White	0.94 lb	300008-997

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

Skullgard® Protective Caps and Hats, MSA

- · Heavy-duty construction
- For use in steel mills and other industries where elevated temperatures are common





Color	Weight	Cat. No.
-Trac® Ratchet Suspension		
Natural Tan	1.05 lb	300009-002

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

H-700 Series Hard Hats, 3M™

- Protective headgear helps protect the top of the head due to the potential hazard of small falling objects or exposed fixed objects that may be bumped into
- 4-point ratchet suspension adjusts easily to allow for a customized height and fit



Description	Color	Cat. No.
Pinlock Suspsension, Unvented, without Uvicator Sensor	Tan	10756-240
Ratchet Suspension, Vented, without Uvicator Sensor	Black	10756-248
Ratchet Suspension, Unvented, without Uvicator Sensor	Pink	10756-254
Ratchet Suspension, Unvented, with Uvicator Sensor	Tan	10756-244

Four-Point Suspension Hard Hats, Honeywell Safety

- Grooved high-density polyethylene outer shell, rain trough, and accessory slots
- Ratchet or pin lock adjustments
- Suspension offers three-level height adjustment





Description	Color	Cat. No.
Ratchet 4-Point Nylon Suspension	White	13502-131
Ratchet 4-Point Nylon Suspension	Orange	13502-142*
Pin Lock 4-Point Nylon Suspension	White	13502-157*
Pin Lock 4-Point Plastic Suspension	White	13502-193

^{*}These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

Officially Licensed NFL V-Gard Helmets, 1-Touch, MSA

- All helmets are designed in a slotted cap style, with pin-lock adjustment mechanisms
- Applications include use in asbestos abatement, food processes, general hard hat applications, and painting



ription	Size	Materia	ıl
t applications, and p	ainting		ONLY
atement, lood proce	saca, genere	ii iiaiu	US

Description	Size	Material	Suspension	Cat. No.
Dallas Cowboys Logo	6 1/2 - 8	Polyethylene	Staz-On®	300009-027
Pittsburgh Steelers Logo	6 1/2 - 8	Polyethylene	Staz-On®	300009-029
Green Bay Packers Logo	6 1/2 - 8	Polyethylene	Staz-On®	300072-680
New England Patroits Logo	6 1/2 - 8	Polyethylene	Staz-On®	300072-692

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

H-800 Series Full Brim Hard Hats, 3M™

- Protective headgear helps protect the head from small falling objects and fixed objects that may be bumped into
- 4-point suspension system has unique features that allows for a customized height and fit that best suits the individual needs of the wearer



Description	Color	Cat. No.
Ratchet Suspension, Vented, with Uvicator Sensor	Black	10756-268
Ratchet Suspension, Vented, without Uvicator Sensor	Pink	10756-226
Ratchet Suspension, Unvented, with Uvicator Sensor	Tan	10756-232

Wide Brim Hard Hats, Honeywell Safety

- High-density polyethylene protection against UV rays, rain, and falling debris
- Accessory slots for face and hearing protection accessories
- Suspension types offer forehead comfort band and crown pad, two-level adjustment, and self-centering



Description	Color	Cat. No.
Ratchet Adjustment	Sky Blue	13502-124
Ratchet Adjustment	White	13502-128

67 Bump Cap, ERB Safety

- Perforated sides allow cross ventilation for maximum air circulation
- Moisture wicking brow pad is removable, washable, and replaceable
- Pin-lock sizing adjusts from head sizes 6.5 to 7.75
- Total cap weight is 7.34 oz.
- · Not a hard hat



Goggle Retainers, MSA

- Designed for applications where goggles must be worn with helmets
- Non-metallic retainer can be worn on most MSA protective headwear meeting ANSI Z89.1 requirements
- Will not change the headwear's dielectric qualifications as long as dielectric goggles are used
- · Does not include goggles



Description	Material	For Use With	Color	Cat. No.
Goggle Retainers	Neoprene Rubber	MSA Goggle; All MSA Hats	Black	300008-980
Goggle Retainer	Neoprene Rubber	MSA Goggles; All MSA Caps (except V-Gard 500)	Black	300072-530

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

Goggle Clip For Hard Hat, 3M™

- Clips help keep goggles from being lost, scratched, or misplaced
- Allows workers to place goggles below the brim when in use, or slide above the brim when not in use
- Plastic clips mount quickly with contact adhesive



Description	Color	Cat. No.
Goggle Clip For Hard Hat	Black	89006-426

VersaLite Helmet Lights, MSA


- · Fits cap or hat adapters
- · Non-incendive
- · Intrinsically safe



Description	Weight	Cat. No.
MSA VersaLite Helmet Lights with (2) AA Alkaline Batteries	0.24 lb	300072-630

This specific product is not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

JACKSON SAFETY® NOMEX™ Hood Winterliner, KIMBERLY-CLARK PROFESSIONAL®





- Shoulder length, extra-wide collar can be tucked inside a jacket
- · Can be worn alone or underneath hard hat or welding helmet
- · Retains FR protection throughout life of the product

Description	Cat. No.
Winterliner	33001-156



HEAD PROTECTION

JACKSON SAFETY® AA-7 WINDGARD™ Head Protection, KIMBERLY-CLARK PROFESSIONAL®

- For temperatures ranging from 32 to 0° F (0 to -20° C)
- Knitted, flame-resistant, treated polyester meets 16 CFR 1610, Class 1 requirements
- · High-visibility color
- Fits over most safety caps and full-brim styles

Description	Color	Cat. No.
AA-7 WINDGARD™ Head Protection	Red	33001-138
AA-7 WINDGARD™ Head Protection	Orange	33001-142

JACKSON SAFETY® AA-8 WINDGARD™ Head Protection, KIMBERLY-CLARK PROFESSIONAL®

- · Keeps wind out and traps warmth
- Knitted, flame-resistant, treated polyester construction
- · High-visibility color
- Snug-fitting cap style fits over most hard hats
- Provides warmth in temperatures ranging from 0 to 32°F (-20 to 0°C)

Description	Color	Cat. No.
AA-8 WINDGARD™ Head Protection	Red	33001-148

JACKSON SAFETY® AA-9 WINDGARD™ Head Protection, KIMBERLY-CLARK PROFESSIONAL®

- For temperatures ranging from 0 to -20° F (-20 to -28°C)
- Knitted, flame-resistant, treated polyester meets 16 CFR 1610, Class 1 requirements
- High-visibility color
- Full face and neck model protects mouth and cheeks
- · Fits over most safety caps

Description	Color	Cat. No.
AA-9 WINDGARD™	Red	33001-152

JACKSON SAFETY® 225 Plus Winterliner, KIMBERLY-CLARK PROFESSIONAL®

- Hook-and-loop fastener for a close and comfortable fit
- · Water-resistant material
- · Polyester fleece lining
- Designed for use in temperatures from 0 to 32°F (–20 to 0°C)

Description	Cat. No.
Winterliner	33001-126



Speedglas[™] 100 Series Welding Helmets, 3M[™]

- Speedglas™ 100 Series Welding Helmets feature dark shades 8–12
- Battery type for this helmet is CR2032
- Helmet is ideally suited for MIG welding, stick welding, and TIG welding processes



Description	Color	Cat. No.
Speedglas™ 100 Series Welding Helmets, with 1.73 x		
3.66" ADF Viewing Area and 1500 hr. Battery Life	Black	10204-892
Speedglas™ 100 Series Replacement Welding Helmet, with Rail	Black	10204-896
Speedglas™ 100 Series Replacement Welding Helmet, without Rail	Black	10204-900

Speedglas[™] 9100 Series Welding Helmet, 3M[™]

- All Speedglas™ 9100 Series Welding Helmets feature dark shades 5, 8–13
- Battery type for all helmets is CR2032
- Helmets are ideally suited for MIG welding, stick welding, and TIG welding processes



Description	Color	Cat. No.
Speedglas™ 9100 Series Welding Helmet, with 2.1 x 4.2" ADF Viewing Area and 2500 hr. Battery Life	Black	10204-940
Speedglas™ 9100 Series Welding Helmet, with 2.8 x 4.2" ADF Viewing Area and 2000 hr. Battery Life	Black	10204-942
Speedglas™ 9100 Series Replacement Welding Helmet, with Rail	Black	10204-894
Speedglas™ 9100 Series Replacement Welding Helmet, without Rail	Black	10204-898

Snap-On Hard Hat Sweatbands, OK-1® Safety & Ergonomics

- 100% cotton
- Machine washable



Description	Material	Cat. No.
Snap-On Hard Hat Sweatband	Terry Cloth	76006-506

Disposable Sweatbands, OK-1® Safety & Ergonomics

- Anti-mold treated
- · Pre-moistened
- · Dip in cold water, squeeze out, and wear



Description	Material	Cat. No.
Absorbent Sweatbands	Cellulose	76006-508

Cool Offs, Allegro

- · Lightweight and comfortable
- 38" length (longest on the market)
- 100% cotton



Color	Cat. No.
Royal Blue	76169-216
American Flag	76169-218
Orange	76169-220

VWR® Basic Protection Industrial Nylon Hairnet

- · Comfortable and sturdy construction
- · Allows users to keep hair secure and out of the way



NEW	

Size	Material	Color	Cat. No.
45.7 cm (18")	Nylon	White	75997-646
53.3 cm (21")	Nylon	White	75829-204
61 cm (24")	Nylon	White	75997-636
45.7 cm (18")	Nylon	Blue	76076-778
53.3 cm (21")	Nylon	Blue	76076-776
61 cm (24")	Nylon	Blue	76076-780
45.7 cm (18")	Nylon	Black	76076-784
53.3 cm (21")	Nylon	Black	76076-782
61 cm (24")	Nylon	Black	76076-786

VWR® Basic Protection Industrial Bouffant Caps

- · Pleated and Traditional
- Lightweight
- Single-use options for providing an excellent barrier





Description	Size	Color	Cat. No.
Pleated	21"	Red	76008-522

NEW

VWR® Basic Protection **SPP Bouffant Caps**

- Economical first-line barrier
- Non-linting
- Latex Free





Description	Size	Diameter	Color	Cat. No.
Latex-Free	21"	53 cm (21")	White	89107-768
Latex-Free	24"	61 cm (24")	Blue	89131-622
Latex-Free	24"	61 cm (24")	White	89107-770

Convertors® Comfort Polypropylene Bouffant Caps, Cardinal Health®

- Lightweight and comfortable
- · Universal elastic headband



Diameter	Color	Packaging	Cat. No.
61 cm (24")	Blue	Dispenser Carton	CV3274
53 cm (21")	White	Bulk Pack	CV9302

KLEENGUARD® A10 Bouffant Caps, KIMBERLY-CLARK PROFESSIONAL®



- · Light duty, disposable; protects against dirt, grime, and dry particulates in nonhazardous environments
- Lightweight, latex-free, breathable polypropylene fabric
- · Combination of price and protection
- · For use in food processing, manufacturing, and general maintenance

Size	Diameter	Color	Cat. No.
Medium	53.3 cm (21")	White	10815-910
Large	61 cm (24")	White	89002-728
Large	61 cm (24")	White	10837-308

DuPont™ Tyvek® IsoClean® Bouffant Caps

- · Flashspun polyolefin
- · Effective barrier to dry particles, microorganisms, and nonhazardous liquids
- · Universal elastic headband
- · Serged seams
- Gamma sterilized to SAL 10-6





HEAD PROTECTION/EYE & FACE PROTECTION

VWR® Irradiated Bouffant Caps

- · Strong, lightweight, breathable spunbonded polypropylene
- · Lowest level of particle shedding, non-linting





Size	Diameter	Color	Cat. No.
Small	53 cm (21")	White	414004-504
Large	61 cm (24")	White	414004-505

VWR® Advanced Protection SPP Bouffant Caps

- · First-line barrier
- Higher basis weight for increased protection
- · Non-linting





Description	Diameter	Color	Cat. No.
Latex-Free	53 cm (21")	White	414005-000
Latex-Free	61 cm (24")	White	414005-001

VWR® Visitor Specs

- · Designed to fit comfortably over most prescription glasses
- · Wraparound styling offers unobstructed peripheral vision
- · Contoured protective brow guard and molded-in comfort nose bridge
- Impact-resistant, scratch-resistant polycarbonate lenses
- 99.9% UV Protection



Frame Color	Lens Coating	Lens Tint	Cat. No.
Clear	Anti-Scratch	Clear	89187-988

with Wraparound Lens

- · Lightweight design combines sleek appearance with rugged durability
- Fits comfortably with half-mask respirators
- Impact-resistant, scratch-resistant polycarbonate lenses
- Provides 99.9% UV Protection



VWR® Protective Eyewear

- Rubberized temple tips and integrated nosepiece for extra comfort



VWR is Your Total Solution Provider for Controlled Environments

Working in controlled environments requires the highest degree of expertise, experience, and diligence in order to ensure efficient and safe contamination control of both products and personnel. VWR Protection Apparel offers six levels of protection: Basic, Advanced, Maximum, Signature, Irradiated and Sterile to obtain complete protection from head to toe. Our broad production supply line has everything from wipers to paper to disinfectants ensuring you have everything you need to operate efficiently in your controlled environment.

APPAREL

- Boot Covers
- Bouffant Caps
- Coveralls
- Face Shields
- Frocks
- Gloves
- Glove Liners
- Goggles
- Hoods
- Isolation Gowns
- Lab Coats
- Masks
- Shoe Covers
- Sleeves

PRODUCTION SUPPLIES

- Adhesive Mats
- Brushes
- Buckets
- Cleanroom Labels
- Cleanroom Mops
- Cleanroom Notebooks
- · Cleanroom Paper
- Cleanroom Pens & Markers
- Cleanroom Tape
- Cleanroom Wipers
- Compliance Assistance
- Disinfectant Sterile IPA
- Hand Care
- Sample Bags

VWR® Protective Eyewear with Adjustable Temples

- Unique ratcheting temples lock into place for a custom fit
- · Ultra-lightweight nylon frames and soft PVC nose pads to prevent slipping
- 8-base spherical lenses provide excellent side protection
- Provides 99.9% UV Protection





Frame Color	Lens Coating	Lens Tint	Cat. No.
Black	Anti-fog, Anti-Scratch	Clear	89187-984

JACKSON SAFETY® V10 ELEMENT™ Safety Eyewear, KIMBERLY-**CLARK PROFESSIONAL®**

- · Lightweight, popular styling
- 9.5-base curved lens, wide field of vision
- · Universal nose bridge
- Uncoated, 100% polycarbonate lens
- 99.9% U.V. protection
- Dielectric, thermoplastic construction
- Meets ANSI Z87.1+ standards

Frame Color	Lens Coating	Lens Tint	Cat. No.
Clear	Uncoated	Clear	89130-922
Black	Uncoated	Smoke	89130-924
Light Blue	Uncoated	Light Blue	89217-740

JACKSON SAFETY® V50 OTG* Safety Evewear, KIMBERLY-**CLARK PROFESSIONAL®**

- Integrated side shields provide added protection
- Base curve 4



SMITH & WESSON® MAGNUM 3G™ Safety Glasses KIMBERLY-**CLARK PROFESSIONAL®**

- All lenses provide 99.9% UV protection
- #3 filter lens coating is ideal for welding sites and for light brazing or cutting
- #5 filter lens is also ideal for welding sites and for heavy brazing or cutting





Description	Frame Color	Lens Tint	Cat. No.
Magnum 3G™ Models			
Magnum 3G™ Models	Black	Clear	14219-770
Magnum 3G™ Models	Black	Clear Antifog	14219-778
Magnum 3G™ Models	Platinum	Clear	14219-780
Mini-Magnum™ Models			
Mini-Magnum™ Models	Black	Clear	14219-786

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

SMITH & WESSON® ELITE™ Safety Evewear, KIMBERLY-**CLARK PROFESSIONAL®**







- Supplied with micro-fiber carry pouch that doubles as a cleaning cloth
- Weight: 59 g (0.13 lb.)

Frame Color	Lens Coating	Lens Tint	Cat. No.
Black	Anti-Fog	Clear	89215-598
Black	Anti-Fog	Indoor/Outdoor	89215-602

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

JACKSON SAFETY® V30 NEMESIS™ S Safety Eyewear, KIMBERLY-



- · Soft touch temples for added comfort
- · Fun temple tip colors for individuality
- Base curve of 8.25
- · Provides 99.9% UV protection against harmful UV rays

Frame Color	Lens Coating	Lens Tint	Cat. No.
Black with Black Tips	Uncoated	Clear	89427-014
Black with Pink Tips	Anti-Fog	Clear	89427-018

EVA® Women's Pink Rimless Safety Glasses, PIP

• Smaller and narrower than standard safety glasses; allows the eyewear to better fit the facial structure of a woman



- Pink rubber co-molded temples and molded nose bridge provide a more secure fit
- · Lightweight, rimless design provides all day user comfort
- 10 Base curve lens
- A portion of the proceeds are donated to the American Cancer Society

Frame Color	Lens Coating	Lens Color	Cat. No.
Clear/Pink	Anti-Scratch/Anti-Fog	Clear	10120-242

Zenon Z12™ Clear Rimless Safety Glasses, Protective Industrial Products



- 9.5 Base curve lens
- Molded nose bridge design to fit the vast majority of users

Description	Lens Coating	Lens Color	Cat. No.
Zenon Z12™ Rimless Safety Glasses	Non-coated	Clear	89179-574

EYE & FACE PROTECTION

Hi-Voltage ARC™ Safety Glasses, Protective Industrial Products

- U-Fit® spatula temples
- · 4 base curve lens
- Lens design maximizes view, providing user comfort and safety
- Adjustable length temples provide a secure and comfortable fit
- Molded nose bridge design to fit the vast majority of users

Frame Color	Lens Coating	Cat. No.
Black Temples	Hard-Coat	89179-578

Crews® Blackjack® Protective Eyewear, MCR Safety

- Single, dual-focus wraparound lens
- Integral side shields for added protection
- Strong, lightweight, polycarbonate lenses
- Duramass® scratch-resistant coating filter out 99% of UV radiation
- · Metal temples with spring hinge design provide maximum flexibility
- Meets or exceeds ANSI Z87.1+ standards

Lens Tint	Cat. No.
Clear Antifog	80081-999
Gray	80082-001

Checklite® Clear Uncoated Lens, MCR Safety

- Lightweight and comfortable design
- Ideal combination of safety features and comfort for extended wear

Description	Temple Color	Lens Color	Cat. No.
Glasses	Clear	Clear	80081-868
Anti-Scratch Glasses	Clear	Clear	80081-870
Anti-Fog/Anti-Scratch Glasses	Clear	Clear	80081-872



Rubicon™ Pro Grade Protective Eyewear, MCR Safety

- Lenses are scratch-resistant and filter out 99% of UV radiation
- Platinum color metal temples with resilient spring hinges provide maximum flexibility
- Soft, secure gel nosepiece and nonslip gel temple sleeves provide a comfortable fit for extended wear
- Antifog lenses feature exclusive Duramass AF4® antifog lens coating

Lens Tint	Cat. No.
Clear Antifog	89015-604
Gray Antifog	89015-606

Mossy Oak® Storm® Frame, MCR Safety

- Three ratchet styles of camouflage frames are available
- Sleek hingeless frame system protects from major impact



Frame Color	Temple Color	Lens Color	Cat. No.
Mossy Oak	Mossy Oak	Amber	47734-894
Mossy Oak	Mossy Oak	Silver Mirror	47734-896

Virtua™ Protective Eyewear, 3M™

- Designed for indoor or outdoor use
- Wide profile provides necessary impact protection and an unobstructed view



Frame Color	Lens Coating	Lens Tint	Style	Lens Color	Cat. No.
Clear	Hard Coat	Clear	Frameless	Clear	47746-233
Clear	Anti-Fog	Clear	Frameless	Clear	47746-237
Clear	Uncoated	Clear	Frameless	Clear	89217-718

Refine™ Protective Eyewear, 3M™

- Lightweight, slim-frame fit adjusts comfortably to female facial profile
- Antifog coating and polycarbonate lens deliver clarity of vision



Frame Color	Lens Coating	Lens Tint	Style	Lens Color	Cat. No.
Teal	Anti-Fog	Clear	Half-Frame	Clear	89136-098
Teal	Anti-Scratch	Indoor/Outdoor	Half-Frame	Mirror	89136-102

Prescription Eyewear

For the best in personalized safety glasses, VWR has partnered with our top suppliers to provide their prescription eyewear to you. Get accurate and timely eyewear fitting and order processing with the Hoya network of over 2,000 Eye Care Professionals, or experience state-of-the-art virtual fitting from Honeywell's 24/7 "Eyelation" Rx Eyewear program. Contact your VWR Sales Representative or call **1.800.923.5000** today for more information.



Secure fit. Without feeling tight.



The SecureFit™ SF400 Series eyewear features soft adjustable nose pads, dual injected temples, and proprietary 3M™ Pressure Diffusion Temple Technology to help diffuse pressure over the ear. This enhances frame comfort without compromising the security of fit across a diverse workforce.

They offer a more comfortable and personal fit than old-fashioned "one-size-fits-all" glasses that are rigid and unyielding in design. The snug fit also keeps the glasses securely in place as the wearer looks up and down or side to side, eliminating the need for frequent repositioning due to head movement. Additionally, the design helps eliminate the expense of stocking multiple frame sizes at jobsites to accommodate different users. Anti-fogging properties help maintain visibility and reduce the need to remove glasses to wipe away moisture from the lenses. All lenses offer 99.9% UV protection.


Description	Lens Coating	Lens Color	Cat. No.
Frameless Eyewear	Anti-Fog	Clear	10030-236
Frameless Eyewear	Anti-Fog	Gray	10030-238
Frameless Eyewear	Anti-Scratch	Mirror	10030-240
Polycarbonate	Anti-Scratch	Clear	89421-658
Polycarbonate	Anti-Fog	Clear	89421-652
Polycarbonate	Anti-Scratch	Gray	89421-660
Polycarbonate	Anti-Fog	Gray	89421-654
Polycarbonate	Anti-Scratch	Amber	89421-662
Polycarbonate	Anti-Fog	Amber	89421-656





Scotchgard[™] Anti-Fog Coating Technology brings higher performance to

safety eyewear.



- Scotchgard[™] Anti-Fog Coating lasts longer than traditional anti-fog coatings,* helping to increase eyewear performance in wet and steamy environments
- Workers may enjoy reliable, clearer sight longer, because the coating, with its active ingredient, is bonded to the lens
- The coating retains its effectiveness for at least 25 washings, allowing workers to wear their eyewear longer
- The coating can be disinfected with diluted bleach soaking or alcohol wipes without losing its anti-fog performance
- Workers can feel confident wearing Scotchgard[™] Anti-Fog coated eyewear because it meets the requirements of ANSI Z87.1 and CSA Z94.3









Cat. No.	Lens Color	Temple Color	Lens Coating	Description
10806-422	Clear	Blue and Black	Anti-Fog	Half-Frame Style
10806-090	Clear	Green and Black	Anti-Fog	Half-Frame Style
10806-096	Amber	Blue and Black	Anti-Fog	Half-Frame Style Eyewear
10806-094	Gray	Blue and Black	Anti-Fog	Half-Frame Style Eyewear
10806-084	Gray	Green and Black	Anti-Fog	Half-Frame Style Eyewear
10806-080	Clear	Green and Black	Anti-Fog	Half-Frame Style Eyewear
10806-082	Clear	Green and Black	Anti-Fog	Half-Frame Style Eyewear
10806-092	Clear	Blue and Black	Anti-Fog	Half-Frame Style Eyewear
	Gray Gray Clear Clear	Blue and Black Green and Black Green and Black Green and Black	Anti-Fog Anti-Fog Anti-Fog Anti-Fog	Half-Frame Style Eyewear Half-Frame Style Eyewear Half-Frame Style Eyewear Half-Frame Style Eyewear

Uvex Ultra-spec® Protective Eyewear, Honeywell Safety

- Features 100% polycarbonate wraparound unilens design
- Side shields add extra protection without compromising visibility
- · Clear lenses and frames
- The Ultra-dura® lens coating provides superior scratch and chemical resistance
- Uvextreme lens coating provides antifog, antiscratch, antistatic, and ultaviolet protection

Description	Lens Coating	Lens Tint	Cat. No.
Ultra-spec 2001 OTG Glasses	Uvextreme®	Clear	13500-857
Ultra-spec 1000 Glasses	Uncoated	Clear	14222-870

Uvex Astro OTG™ 3001 Safety Eyewear, Honeywell Safety

- Fits comfortably and attractively over prescription eyewear
- · Lens inclination provides a close-to-the-face fit
- Adjustable Duoflex™ temples feature comfort cushions for extended use
- Easily replaceable lenses are available with scratch- and chemical-resistant Ultra-dura® coating or Uvextreme® AF antifog, antistatic, anti-scratch, and anti-UV coating

Frame Color	Lens Coating	Lens Tint	Cat. No.
Black	Ultra-dura®	Clear	33000-506
Black	Uvextreme® AF	Clear	33000-508
Blue	Ultra-dura®	Clear	33000-517
Patriot RWB	Uvextreme® AF	Clear	33000-538

Uvex Genesis® Protective Eyewear, Honeywell Safety

- Dual 9-base wrap-around lens provides uncompromised peripheral vision and protection Elastomer brow-guard diffuses and deflects impact
- Temple length and lens inclination are adjustable
- Soft fingers conform to any nasal profile
- Frames guaranteed for life
- Meets ANSI Z87.1+ and CSA Z94.3 standards

Frame Color	Lens Coating	Lens Tint	Cat. No.
Black	Ultra-dura®	Clear	15001-568
Black	Uvextreme®	Clear	15001-570
Vapor Blue	Ultra-dura®	Clear	15001-610



A700 Series Protective Eyewear, Honeywell Safety

- Economic and sporty glasses provide a stylish fit for the everyday wearer
- Lightweight design is equipped with sport temples and soft temple tip pads that offer a secure, wraparound fit
- Molded universal nose bridge provides added comfort throughout extended use
- 9-base polycarbonate hardcoated lenses provide a 180° field of distortion-free vision, and offer 99.9% UV protection
- Model 89020-074 features Fog-Ban® treatment to reduce fogging in extreme conditions

Description	Frame Color	Lens Tint	Cat. No.
Lenses with Anti-Scratch Treatment	Clear	Clear	89020-064
Lenses with Fog-Ban® Treatment	Clear	Clear	89020-074

JACKSON SAFETY® V60 30-06™ Dual Readers Safety Eyewear, KIMBERLY-CLARK PROFESSIONAL®



- · Lenses provide 99.9% UV protection
- · All glasses have black frames with clear lenses
- Readers meet ANSI Z87.1+ standards

Description	Diopter Strength	Frame Color	Lens Tint	Cat. No.
V60 30-06™ Dual Readers Safety Glasses	+1.5	Black	Clear	67200-245
V60 30-06™ Dual Readers Safety Glasses	+2.0	Black	Clear	67200-247
V60 30-06™ Dual Readers Safety Glasses	+2.5	Black	Clear	67200-251

BX™ Magnifying Safety Glasses, 3M™

 Features magnifying diopters, lightweight lenses with adjustable soft tip temples, and integrated sideshields



Diopter Strength	Frame Color	Lens Coating	Style	Lens Color	Cat. No.
1.5	Silver	Anti-Fog	Half-Frame	Clear	89006-633
2	Silver and Black	Anti-Fog	Half-Frame	Clear	89006-635
2.5	Silver and Black	Anti-Fog	Half-Frame	Clear	89006-637

Virtua™ CCS Protective Eyewear Readers with Foam Gasket, 3M™

- Clear anti-fog lens features a magnifying reading diopter
- Magnification helps workers who have difficulty reading small print, or those who are engaged in small detail work
- All lenses offer 99.9% UV protection





EYE & FACE PROTECTION

Protective Eyewear Slip-On Side Shields, 3M™

• Shields can be used with a variety of different eyewear styles



Description	Lens Tint	Cat. No.
Protective Eyewear Slip-On Side Shields	Clear	33001-569

VWR® Nonsterile Safety Goggles

- Two ventilation options available
- Goggles fit over most prescription glasses
- · Fully adjustable headband
- Provide 99.9% UV Protection





Description	Lens Coating	Frame Material	Lens Material	Cat. No.
Indirect Ventilation	Uncoated	PVC	Polycarbonate	76017-902
Indirect Ventilation	Anti-fog, Anti-Scratch	PVC	Polycarbonate	75982-624
Direct Ventilation	Uncoated	PVC	Polycarbonate	76017-944
Direct Ventilation	Anti-fog, Anti-Scratch	PVC	Polycarbonate	75982-626

NEW

VWR® Chemical Splash Goggles

- Wrap around modern style provides excellent panoramic vision
- Fits most facial contours
- Comfortably fits over most prescription glasses
- Indirect ventilation
- · Provide 99.9% UV Protection





Description	Lens Coating	Frame Material	Lens Material	Cat. No.
	Anti-Fog,			
Chemical Splash Goggle	Anti-Scratch	PVC	Polycarbonate	75982-628

NEW



VWR® Industrial Fit Safety Goggles

- · Smaller fit goggle
- Designed to accommodate face masks, respirators, and hard hats
- · Indirect ventilation
- Opalescent frame prevents light reflection





Description	Lens Coating	Frame Material	Lens Material	Cat. No.
Industrial Fit Goggle	Anti-Fog, Anti-Scratch	PVC	Polycarbonate	75982-630

VWR® Sterile Disposable Goggles

- Fog-free Exxene®-coated lenses are manufactured in cleanroom and meet ANSI Z87.1 standards
- Designed with soft sides for comfortable fit
- Lightweight and durable enough to withstand temperatures to 100°C (212°F)





Description	Cat. No.
Indirect Venting Goggle	69100-210
Direct Venting Goggle	89522-676

VWR® Disposable Goggles, Sterile

- Two types of ventilation
- · Antifog and antiscratch
- · Fits over prescription glasses





Description	Frame Material	Lens Material	Cat. No.
Disposable Goggles, Indirect Ventilation	PVC	Polycarbonate	10770-152
Disposable Goggles, Direct Ventilation	PVC	Polycarbonate	10770-146

Jackson Safety™ V80 Revolution™ Protective Goggles, Kimberly-Clark Professional®

- Expanded visual field and fits over most prescription glasses
- Goggles feature a blue frame and clear lens
- RX inserts and replacement lens sold separately





JACKSON SAFETY® V80 MRXV™ Goggle Protection, KIMBERLY-CLARK PROFESSIONAL®

- Oversized PVC frame for snug, comfortable fit even over prescription eyewear
- Indirect ventilation for unobstructed peripheral vision
- · Chemical-resistant neoprene headband
- Provides 99.9% U.V. protection

Description	Frame Color	Lens Coating	Lens Tint	Cat. No.
V80 MRXV™ Goggle Protection	Smoke	VISICLEAR™	Clear	33001-053
V80 MRXV™ Goggle Protection	Blue	VISICLEAR™	Clear	33001-238

JACKSON SAFETY® V80 MONOGOGGLE™ 211 Protective Goggles, KIMBERLY-CLARK PROFESSIONAL®

- Increased airflow, minimal condensation and fogging, protects against splash
- Soft-frame design, pantascopic angle to improve work-area visibility
- Pliable plastic nosepiece for snug, comfortable seal
- Can be worn over most prescription eyeglasses

Description	Frame Color	Lens Coating	Lens Tint	Cat. No.
V80 MONOGOGGLE™ 211 Protective Goggles	Green	_	Clear	89166-272
V80 MONOGOGGLE™ 211 Protective Goggles	Smoke	VISICLEAR™	Clear	89130-968

Crews® Verdict® Protective Goggles, MCR Safety

- Transparent protective PVC body permits a comfortable fit over prescription eyewear while protecting against impact
- · Supplied with an elastic headband
- Lined goggles feature a soft foam lining that cushions the face and improves seal
- Can be worn with most half-mask respirators

Description	Coating	Cat. No.
Unlined Goggles	Antifog Coating	80081-791
Foam-Lined Goggles	Antifog Coating	80800-004

Crews® Stryke® Safety Goggles, MCR Safety

- · Stylish, smoke-tinted plastic frame
- Clear polycarbonate lens with Duramass® scratchresistant coating
- · Exclusive Duramass AF4® anti-fog coating
- · Rubber strap adjusts easily

Description	Lens Color	Cat. No.
Goggles	Clear	89068-870
Goggles	Gray	89074-174

3M™ GoggleGear™ 500 Series, 3M™ Company

Description

GoggleGear™ 500 Series

- Long lasting Scotchgard[™] Anti-Fog Coating helps to increase eyewear performance in wet and steamy environments
- Workers enjoy reliable, clearer sight longer, as the coating and its active ingredient is bonded to the lens.
- Coating retains its effectiveness for at least 25 washings with water
- The coating withstands disinfection with diluted bleach soaking or alcohol wipes without losing antifog performance



Adjustable

 This lens is helpful for any users requiring corrective vision to go along with eye protection



Lens Tint

Clear

Cat. No.

10808-716

Description	Lens Coating	Cat. No.
Removable Prescription Insert	Anti-Fog	10806-078

Lens Coating

Anti-Foa

Fectoggles[™] Series Safety Goggles, 3M[™] Company

- Aspheric lens helps provide expansive coverage and an extended viewing range
- Foam flange seals the perimeter of the lens to help keep out particulates and sweat
- Fire-retardant, braided, elastic strap holds the goggles firmly in place



Description	Size	Lens Coating	Lens Tint	Cat. No.
Fectoggles™ Series Safety				
Goggles, with Strap Attachment	Medium	Anti-Scratch & Anti-Fog	Clear	55666-240
Fectoggles™ Series Safety Goggles,				
with Temple Attachment	Medium	Anti-Scratch & Anti-Fog	Clear	55666-245



EYE & FACE PROTECTION

Uvex Stealth® Goggles, Honeywell Safety

- Durable polypropylene frame and soft, flexible elastomer provide comfortable seal
- · Indirect ventilation reduces fogging
- Uvextreme® lenses provide antifog, antiscratch, antistatic, and ultraviolet protection
- Dura-streme® lenses feature interior Uvextreme coating and exterior Ultra-dura® coating for enhanced durability
- One-piece, impact-resistant polycarbonate lens can be replaced quickly and easily

Description	Band	Frame Color	Lens Coating	Lens Tint	Cat. No.
Goggles	Neoprene	Gray	HydroShield™ Anti-Fog	Clear	10790-630
Goggles	Neoprene	Gray/Gray	Uvextreme®	Clear	33000-751
Goggles	Neoprene	Teal/Gray	Uvextreme®	Clear	33000-755
Goggles	Fabric	Gray/Gray	Uvextreme®	Clear	33000-805
Over-the-Glass Goggles	Neoprene	Navv	Dura-streme™	Clear	89095-446
Over-the-Glass	Neopielle	ivavy	Dula-stiellie	Cleai	03033-440
Goggles	Fabric	Navy	Dura-streme™	Clear	89095-456
Goggles	Neoprene	Gray/Gray	Dura-streme™	Clear	94023-954

Uvex Futura™ Goggles, Honeywell Safety

- Wrap-around, sports-style goggles provide excellent panoramic vision
- Frosted brow guard reduces glares and indirect venting to increase airflow
- Flexible PVC body, textured neoprene headband
- Impact-resistant polycarbonate lens protects against dust, mist, and splashing
- Clear lenses are coated with Uvextreme® lens coating for anti-fog, anti-scratch, antistatic, and anti-UV protection
- · Fit over most prescription eyeglasses

Description	Cat. No.
Goggles	33002-179

Visorgogs® Safety Goggles, Jones

- Unique design incorporates comfortable, impactresistant goggles with a vented, opaque visor to shade eyes and reduce eye strain and fatigue
- Indirect ventilation screen keeps dirt and dust out and keeps lenses fog-free
- Lenses are designed strutless with a down-angle vision for clear visibility
- Goggles can be worn over eyeglasses
- Available in four visor colors with clear lenses
- Replacement lens fits both indirect and direct vent goggles

Description	Visor Color	Cat. No.
Indirect Vent Goggles	Green	33012-005
Indirect Vent Goggles	Blue	33012-006
Indirect Vent Goggles	White	33012-007



VWR® Lens Cleaning Wipes and Lens Cleaning Station

- · Cleans without scratching, streaking, or residue
- · Individually foil wrapped, premoistened
- Disposable station contains cleaning solution and dry cleaning tissues
- · Solution coats lenses with antifog, antistatic formula





Description	Cat. No.
VWR® Pre-Moistened Lens Cleaning Wipes	89203-550
VWR® Disposable Lens Cleaning Station	89203-548

Sight Savers® Premoistened Lens Cleaning Tissues, Bausch & Lomb®

- · Silicone free, antistatic
- Treated with surfactants to clean all glass and plastic lenses
- Perfect for computer screens, mirrors, safety glasses, and face shields
- Easy dispensing of large 12.7x20.3cm (5x8") folded, individually packaged premoistened tissues
- Cardboard dispenser box measures 22.9x13.7x6cm (9x5³/8x2³/8")



Sight Savers® Premoistened Antifog Lens Cleaning Tissues, Bausch & Lomb®

- Tissues work in both cold-to-hot and hot-to-cold conditions
- Unique package design allows easy dispensing of large 12.7x20.3cm (5x8") folded tissues
- Cardboard dispenser box measures 25.4Hx12.4Wx5.3Dcm (10x4½x2½") and contains 100 tissues





SCIENCEWARE® Cleanware™Anti-Fog Lens Cleaner, Bel-Art

 Cleans glass and plastic lenses with only one drop while providing antistatic and antifogging protection

Premoistened Antifog Lens Cleaning Tissues

- Can be used on microscopes
- Supplied in a convenient 59ml (2oz.) bottle with reclosable dispenser cap, fits easily in pocket or purse



Description	Cat. No.
Anti-Fog Lens Cleaner	70690-014



SCIENCEWARE® LabLens® Liquid, Bel-Art

- Polyethylene bottle construction
- · Non-silicone fluid protects and preserves glass and plastic lenses
- Spray pump allows easy application



Description	Size	Cat. No.
LabLens® Liquid Cleaning Solution	473 mL (1 pt.)	13197-193

Jackson Safety™ V90 Shield™ **Protective Goggles, Kimberly-**Clark Professional®

- Indirect ventilation provides increased airflow, minimizing condensation and fogging
- Curved face shield conforms to the shape of the user's face, and is a splash and impact protector
- Soft, pliable material around the eyes and nose ensure a comfortable fit
- Goggles can be used over most prescription eyeglasses
- · Shield is detachable
- Goggles feature a clear, anti-fog lens and blue frame

Description	Cat. No.
V90 Shield™ Protective Goggles	89130-975

KIMBERLY-CLARK® GUARDALL SHIELD™ Face Shield, KIMBERLY-**CLARK PROFESSIONAL®**

- · Protection from blood or bodily fluid splashes
- · Equipped with foam band and headband
- · May be worn with or without glasses or goggles
- · Clear mylar provides maximum visibility



Nalgene® Safety Face Shield, Thermo Scientific

- Optically clear window of 1.5mm (1/16") polycarbonate for high impact protection
- · Polyethylene headdress is adjustable
- Wraparound design safeguards front and sides; full height protects neck and top of head
- Can be worn comfortably over safety goggles
- Proven protection from UV light in frequency range from 200–360 nm

Description	Thickness	Cat. No.
Safety Face Shield	1.5mm (1/16")	33007-107



Nalgene® Safety Splash Shield; PC. Acetal Flexible Arm, magnetic base. Thermo Scientific

- · Protects from splashes, aerosols and flying debris
- · Clear field of vision
- Attaches easily to benchtop shelving, machinery or other magnetic surfaces
- Flexible arm is easy to maneuver

Description	Dimensions	Cat. No.
Safety Splash Shield	28L x 21.5W cm (12 x 8 ¹ / ₂ ")	28196-342



• Splash shield provides comfortable face protection



Description	Size	Cat. No.
Full Face Shield	13"W x 7.5" L	89068-863


Matrix® Series Safety Face Shields, MCR Safety

- · High-strength, lightweight polycarbonate
- · Excellent impact, heat, and chemical resistance
- · Ratchet suspension for quick adjustment to correct size
- · Leatherette sweathand cushions head and absorbs sweat
- · Swivel-locking window attachment simplifies window replacement
- Double Matrix[™] includes double-crown for complete coverage of the face and neck

Description	Cat. No.
Face Shield Crowns	
Face Shield	10769-732
Double Matrix® Crown with Clear Acetate Face Shield	14223-023
Double Matrix® Face Shield Frame	89011-775
Windows for Matrix Face Shields	
Clear Acetate	89011-771
Windows for Double Matrix Face Shields	
Clear Acetate	89011-773

Face Shield with Ratchet Headgear, Sellstrom®

- Crown and chin protector offers extra protection from splashes, dust, and other contaminants
- Durable ratchet headgear, turn-of-the-knob adjustability
- · Acetate window is 1mm (0.040") thick and measures 17.7Hx48.2Wcm (7x19")
- High-impact sparkguard for extra protection





EYE & FACE PROTECTION

Uvex Bionic® Face Shields, Honeywell Safety

- Clear polycarbonate visor enhances protection from airborne debris
- Ergonomic design permits extended use with goggles and respirator
- Visor has secure attachment with dualposition choices
- Include ratcheting headgear suspension
- Meet ANSI Z87+ and CSA Z94.3 standards

Description	Cat. No.
Faceshields with Visor and Ratcheting Headgear Suspension	
Uncoated Visor	33002-535
Antifog/Hardcoat Visor	33002-536
Replacement Visors	
Uncoated	33002-538
Antifog/Hardcoat	33002-540

Head and Face Shield Combinations, 3M™

- Combination head, face, and hearing protection solution
- Includes six-point ratchet suspension hard hat
- UVicator sensor, metal mesh visor, earmuff, rainshield, and visor seal
- Requires protective eyewear (sold separately)



Description	Color	Cat. No.
Head and Face Protection, with Ratchet Headgear and 3M™ Clear Chin Protector HCP8	Clear	56615-707
Head and Face Protection, with Ratchet Headgear H8A and 3M™ Clear Propionate Faceshield W96	Clear	89006-091
Head and Face Protection, with Ratchet Headgear H8A and 3M™ Clear Polycarbonate Faceshield WP96	Clear	89006-097

Spectronics UV Absorbing Face Shield

 UVF-80 face shield provides maximum protection from exposure to extended or high intensity UV sources UV absorbing



Description	Cat. No.
UV Absorbing Face Shield	490010-798

Gold Heat Reflective Face Shield, Oberon

- Heat Reflective Series of faceshields is manufactured using space-age technology
- Coated with a mirror-like surface of 24K Gold to reflect the radiant energy away from the user's face
- Headgear is ratchet adjustable and comfortable
- Ideal for shop, industrial, and laboratory use

Description	Color	Cat. No.
Heat Reflective Face Shield with Ratchet	Gold	89370-940

VWR® Critical Cover® Half-Face Shields

- · Low glare, zero distortion
- Double-sided antifog coating
- Soft polyurethane foam top for comfort







Description	Thickness	Cat. No.
Face Shield with Velcro® Band	7 mil	47730-752

VWR® Maximum Protection Antifog Full Face Shields

- Protect front and side of face from fluid splash
- Low-glare shield provides distortion-free vision



Description	Cat. No.
Elastic Headstrap	414004-679
Velcro® Headstrap	414004-866

VWR® Hood and Face Cover

- Polypropylene
- Protection from environmental contaminations
- Bulk packaging





Description	Color	Cat. No.
VWR® Hood and Face Cover	White	89187-796

KIMTECH PURE® M7 Face Veil With Knitted Headbands, KIMBERLY-CLARK PROFESSIONAL®

- · Single use, hygienic alternative to reusable
- Covered nose piece conforms to nose and cheekbones
- Low-linting apertured polyethylene film, filters and minimizes contamination risks
- · Exceptional breathability
- · Veils with snaps fit into most reusable hoods
- Headband versions usable with reusable or disposable garment systems



VWR® Sterile Hood, 10-6 SAL

- Excellent breathability and water vapor transmission rate
- · Lowest level of particle shedding
- Durable yet soft, cloth-like fabric





Description	Size	Color	Cat. No.
Disposable Non-Woven Sterile Hood	Universal	White	89523-474

Description Size Color Cat. No. KIMTECH PURE® M7 Veil with Snaps 33W x 38.1L cm (13 x 15") White 15628-265 KIMTECH PURE® M7 Veil with Knitted Headband 33W x 38.1L cm (13 x 15") White 83007-443

VWR® Advanced Protection Disposable Hood





• 27.9Wx41.9Lcm (11x16.5")

u Protection	VWR 💋	
od	COLLECTION	
a	COLLECTION	

Description	Size	Color	Cat. No.
VWR® Basic Protection Hood	Small	Light Blue	89523-428

KIMTECH PURE® A5 Sterile Integrated Hood and Mask with CLEAN-DON™ Technology, KIMBERLY-CLARK PROFESSIONAL®



- CLEAN-DON™ technology makes donning easier and reduces the risk of contamination
- Pull-down ties are located in the back to assist in the gowning process
- · Stretch fit elastic and latex free
- · Type 6 PPE Category III
- Each hood/mask offers SAL 10-6

Size	Color	Cat. No.
Universal	White	89493-012

VWR® Advanced Protection Hood

- Significant fluid and particulate barrier
- Durable, lightweight, soft cloth-like fabric
- Excellent breathability and water vapor transmission rate





DuPont™ Tyvek® IsoClean® Hoods with Full Face Opening

- Flashspun polyolefin
- Effective barrier to dry particles, microorganisms, and nonhazardous liquids
- Bound seams, ties with loops for fit
- Universal sizing
- Gamma sterilized to SAL 10⁻⁶

Color

Packaging	Cat. No.

Size	Color	Cat. No.
Universal	White	414004-503

VWR® Irradiated Hood

- · Excellent fluid and particulate barrier
- · Lowest level of particle shedding
- Superior breathability and water vapor transmission rate
- · Soft, cloth-like fabric





Size	Color	Cat. No.
Universal	White	414004-502

DuPont™ Tyvek® IsoClean® Hoods with Eyes-Only Opening

Sterility

Sterile

· Flashspun polyolefin

Clean-Processed Hoods

- Effective barrier to dry particles, microorganisms, and nonhazardous liquids
- Bound seams, snaps on back for fit
- Gamma sterilized to SAL 10-6





EYE & FACE PROTECTION

AlphaTec™ 66-674 Chemical Protection Fire Resistant 3-Piece Hood, Ansell

- Offers HRC Level 2 arc flash protection
- Increases chance of survival from exposure to thermal hazards
- · Does not sustain a flame and no melting or dripping during flammability testing
- · Chemical-resistant stitching and taped seams to ensure superior performance
- Tough and durable fabric
- · Anti-static properties



VWR® Basic Protection Industrial Nylon Beard Cover

- Comfortable fit and nylon construction
- Ideal for all types of beards





Size	Material	Color	Cat. No.
45.7 cm (18")	Nylon	White	75829-206

VWR® Basic Protection **Industrial Beard Covers**

- · Keep facial hair contained in a wide variety of environments and applications
- · Ideal for use in industrial, food and beverage,

warehouse, non-controlled environments, and
visitor applications

Dimensions

VWR® Basic Protection Industrial Beard Cover 43 x 22 cm **VWR®** Basic Protection

· Economical first-line barrier

SPP Beard Covers

Non-linting



White

Cat. No.

76008-554



Description	Size	Color	Cat. No.
Latex-Free	Universal	White	89107-778
Latex-Free	X-Large (18")	White	89218-950

Beard Cover, DuPont Protective Apparel

- Beard Covers are constructed of durable, spunbonded polypropylene
- Provides full coverage and fits comfortably with adjustable synthetic elastic
- · Latex-free



Description	Color	Cat. No.
Beard Cover	White	CV9216

VWR® Irradiated Beard Cover

- · Strong, lightweight, breathable spunbonded polypropylene
- · Lowest level of particle shedding, non-linting
- First-line barrier





Size	Diameter	Color	Cat. No.
Universal	45.7 cm (18")	White	414004-506

VWR® Basic Protection Face Mask

- · Highly breathable and fluid resistant
- · Malleable nose-band allows custom, secure seal
- · Soft and hypoallergenic





Description	Color	Cat. No.
Basic Protection Mask	White	414004-680

VWR® Advanced Protection Face Masks

- · Guards against bacteria and particulates
- · Highly breathable and fluid resistant
- Malleable noseband ensures custom, secure seal
- · Soft and hypoallergenic





Description	Color	Cat. No.
Mask with Ear Loops	Blue	414004-662
Mask with Ear Loops	Yellow	414004-665

KIMTECH PURE® M3 Pleat-Style Face Masks, Kimberly-Clark Professional®

- Outer layer of apertured polyethylene film
- · Nonsterile face masks features nonirritating BICOSOF® inner facing and bendable aluminum nosepiece; filtration of 99% at 0.1µm
- Sterile face masks features polyester binding and polyester filter, filtration efficiency (BFE) of 91.9%, particle filtration efficiency (PFE) of 93.1%; SAL 10-6



VWR® Maximum Protection Cleanroom Face Masks

- Superior protection against bacteria and particulates
- Highly breathable and fluid-resistant
- · Low particle shedding
- · Soft and hypoallergenic
- Malleable noseband ensures custom, secure seal



Description	Size	Color	Cat. No.
Nonsterile			
With Knitted Earloops	_	White	10843-197
Sterile			
With Soft Ties	17.8 cm (7")	White	15628-258
With Knitted Earloops	17.8 cm (7")	White	15628-260

KIMTECH PURE® M6 Face Mask, **Kimberly-Clark Professional®**

- · Two layer, general purpose
- Earloops
- BICOSOF® fabric inner facing
- · Double bagged



Description	Cat. No.
KIMTECH PURE* M6 Face Mask	10843-001

VWR® Maximum Protection Face Masks

- Superior protection against bacteria and particles
- Highly breathable and fluid resistant
- Soft and hypoallergenic
- · Equipped with multiple comfort-enhancing features





Description	Color	Cat. No.
Mask with Ear Loops	Blue	414004-670
Mask with Ties	Blue	414004-675

VWR® Maximum Protection Antifog Face Masks

- · Superior protection against bacteria and particulates
- · Highly breathable and fluid-resistant
- · Soft and hypoallergenic
- Equipped with multiple comfort enhancing features



Description	Color	Cat. No.
Antifog Mask	Blue	414004-676
Antifog Mask	White	414004-677



VWR® Safety Glasses Holders

- · Promote safety in the workplace
- · Secure storage of safety eyewear
- Mountable





Description	LxWxH	Cat. No.
Plain Back	22.8 x 15.2 x 13.9 cm (9 x 6 x 5 ¹ / ₂ ")	11376-416
Magnetic Back	22.8 x 15.2 x 13.9 cm (9 x 6 x 5 ¹ / ₂ ")	11376-418

SCIENCEWARE® Safety Eyewear Holders, Bel-Art

- · Clear acrylic construction
- · May be wall-mounted or free-standing
- · Pre-drilled holes for mounting



Description	Dimensions	Cat. No.
Holder with Lid	9.5 H x 22.8 L x 15.2 D, cm (3 ³ / ₄ x 9 x 6")	66001-116
Holder without Lid	9.5 H x 22.8 L x 15.2 D, cm (3 ³ / ₄ x 9 x 6")	66001-118

Deluxe Visitor Spec Dispenser, Brady®

- Each dispenser holds approximately 20-25 glasses
- · Dispensers are supplied with two top holes, making them ideal for wall-mounting



Description	Material	Dimensions	Color	Cat. No.
Deluxe Visitor Spec Dispenser	Acrylic	18 x 8 x 4"	Clear	55607-392

EYE & FACE PROTECTION

Safety Glasses Deluxe Visitor Spec Dispenser with Cover, Brady

- Each dispenser holds approximately 20-25 glasses
- Dispensers are supplied with two top holes, making them ideal for wall-mounting
- Dispenser size: 18"H x 8"W x 4"D



Description	Cat. No.
Tough Acrylic Deluxe Visitor Spec Dispenser With Cover	55607-390

Face Mask Dispenser, NMC

- · Dispenser with safety green top
- Hinged lid is designed to eliminate unwanted dust particles
- Holds more than 30 masks



Description	Dimensions	Cat. No.
Dust Mask Dispenser With Cover	31.75 x 15.24 x 15.24 cm (121/2 x 6 x 6")	94003-614

Bouffant Cap And Beard Cover Dispenser, NMC

- · Clear acrylic unit
- Visually measure inventory with ease



Description	Size	Cat. No.
Bouffant Cap	30.48 x 29.85 x 15.24 cm (12 x 11 ³ / ₄ x 6")	94003-532
Beard Covers	30.48 x 29.85 x 15.24 cm (12 x 11 ³ / ₄ x 6")	94003-534

Acrylic Dispensers, NMC

- Clear acrylic units feature convenient safety green cover and door for easy access
- · Table or wall mount



Description	Dimensions	Cat. No.
Misc Dispenser With Cover	15.24 x 0.64 x 22.86 cm (6 x 11 ¹ / ₄ x 9")	94003-530
Ear Plugs Dispenser With Cover	15.24 x 0.64 x 22.86 cm (6 x 11 ¹ / ₄ x 9")	94003-628
Finger Cot Dispenser With Cover	15.24 x 0.64 x 22.86 cm (6 x 11 ¹ / ₄ x 9")	94003-632
Hairnet Dispenser With Cover	15.24 x 0.64 x 22.86 cm (6 x 11 ¹ / ₄ x 9")	94003-776
Lens Cleaner Towelette Dispenser	15.24 x 0.64 x 22.86 cm (6 x 11 ¹ / ₄ x 9")	94003-790

Double Safety Glasses Dispenser, NMC

- Display 2 styles of glasses side by side
- Acrylic unit features 2 separate compartments with safety green doors
- Designed to hold approximately 40 pairs of glasses
- · Table or wall mount



on Size		Cat. No.
ses Dispenser		
npartment 40.64 x 4	0.01 x 10.16 cm (16 x 15 ³ / ₄ x 4")	94003-852
ilpartificiti 40.04 X 4	0.01 x 10.10 cm (10 x 15 74 x 4)	3400

Earplug Dispenser, NMC

- Draw attention with safety green front pocket and top
- Dispenser holds over 100 pairs of earplugs



Description	Size	Cat. No.
Small Ear Plug Dispenser	33.02 x 15.24 x 20.32 cm (13 x 6 x 8")	94003-626

Earplug Tray, NMC

- Economical and simple way to hold an entire box of earplugs with ease
- Tray features front lip to keep earplugs in place



Description	Size	Cat. No.
Large Ear Plug Dispenser	27.11 x 27.11 x 27.11 cm (10 ² / ₃ x 10 ² / ₃ x 10 ² / ₃ ")	94003-630

Visitor Spec Center, NMC

- Acrylic dispenser features bottom door to keep glasses in place
- Holds approximately 4 pairs
- · Table or wall mount



Description	Size	Cat. No.
Visitor Specs Deluxe	45.72 x 20.32 x 10.16 cm (18 x 8 x 4")	94003-854

Reduce Waste with VWR Recycling Solutions

We recognize that building sustainable business practices to enhance the value of the company is in the best interest of our company, our associates, our suppliers, our customers and our community.

Visit vwr.com/sustainability to learn more.



Protective Eyewear Recycling Box, TerraCycle®

- Reduce Landfill Waste
- Support Your Company's Sustainability Goals





Description	Capacity	Dimensions	Cat. No.
Safety Glasses and	818 Safety Glasses	38.1W x 38.1L x 106.7H	
Goggles Recycling Box	and Goggles	cm (15 x 15 x 42")	10820-600

Safety Equipment and Protective Gear, Zero Waste Box, TerraCycle®

- Reduce landfill waste
- Support your company's sustainability goals



	١
第三层型(a)	

Description	Size	Box Dimensions	Cat. No.
Safety Equipment and Protective Gear Recycling Box	Small	11 x 11 x 20"	75996-444
Safety Equipment and Protective Gear Recycling Box	Medium	11 x 11 x 40"	75996-446
Safety Equipment and Protective Gear Recycling Box	Large	15 x 15 x 37"	75996-448

NEW

E-A-R™ Classic™ Earplugs, 3M™

- · Provide comfortable, effective seal while exerting low pressure in the ear
- Gradually expand and conform to the ear canal for custom-fit seal
- · Washable, flame retardant, moisture resistant
- Noise reduction rating: 29dB



Description	Color	Noise Reduction Rating	Packaging	Cat. No.
Corded	Yellow	30 dB	Poly Bag	55615-664
Uncorded	Yellow	29 dB	Pillow Pack	33001-580

No-Touch™ Push-to-Fit Earplugs, 3M™

- · Hygienic, noise-reducing seal
- Soft foam, smooth tapered shape, paddle stems
- Push-to-fit design makes fitting hearing protection easy



Description	Color	Noise Reduction Rating	Packaging	Cat. No.
Corded	Purple	29 dB	Poly Bag	12000-187
Uncorded	Purple	29 dB	Poly Bag	12000-185

VWR Garment Recycling Solutions

This easy-to-use recycling program provides a complete waste collection, shipment, and recycling solution for used disposable apparel. All brands of disposable apparel are accepted as long as they are clean and do not contain any contaminants.







E-A-Rsoft™ FX™ Earplugs, 3M™


- E-A-Rsoft™ FX™ Earplugs provide reliable hearing protection
- Bell shape and super-soft, slow-recovery foam effectively seals the earcanal



Description	Color	Noise Reduction Rating	Packaging	Cat. No.
Uncorded	Yellow	33 dB	Poly Bag	89107-470
Corded	Yellow	33 dB	Poly Bag	89009-314

E-A-R™ EXPRESS™ Pod Plugs™ Earplugs, 3M™

- · Soft, flexible grip for easy insertion and removal
- · Slow-recovery foam inserts easily, seats, and stays in place
- InstaSeal™ assures instant protection and fit
- Breakaway cord protects wearer in case of machine entanglement
- Convenient reusable pillow pack to promote reuse
- Grips are assorted colors





HEARING PROTECTION

Howard Leight Max® and Max Lite® Earplugs, Honeywell Safety

- · Disposable, nonirritating and nonallergenic
- · Available with or without connecting cord
- · Max Lite® low-pressure self-adjusting foam fits smaller ear canals



Description	Model	Noise Reduction Rating	Cat. No.
Uncorded Earplugs	Max Earplugs	33 dB	55533-002
Uncorded Earplugs	Max Lite Earplugs	30 dB	55533-004
Corded Earplugs	Max Lite Earplugs	30 dB	55533-006
Corded Earplugs	Max Earplugs	33 dB	55533-008
Dispenser Box with Uncorded Earplugs	Max Earplugs	33 dB	55533-026

Howard Leight Laser Lite® Earplugs, Honeywell Safety

- Single use, T-shape for easy insertion
- · Nonallergenic polyurethane foam expands to fit virtually every wearer
- · Vibrant colors make protection visible
- Noise reduction rating: 32dB



Description	Noise Reduction Rating	Packaging	Cat. No.
Uncorded Earplugs	32 dB	Bulk Pack	55533-028
Uncorded Earplugs	32 dB	Individual Poly Bag	55533-030
Corded Earplugs	32 dB	Individual Poly Bag	82007-111

Howard Leight AirSoft® Earplugs, Honeywell Safety

- Comfortable even for extended wear
- · Washable, reusable protection

Available with or without connecting cord		
Description	Noise Reduction Rating	Cat. No.
Earplugs with Red Poly Cord	27 dB	55533-014
Earplugs with White Nylon Cord	27 dB	82001-017

Howard Leight Fusion™ Detectable Earplugs, Honeywell Safety

- FlexiFirm® core ensures easy insertion into the ear canal and a superior fit
- SoftFlange[™] design adjusts perfectly to the ear canal to deliver unmatched comfort and superior attentuation
- · Two sizes provide optimal fit for comfort and safety
- · Metalized cord and stem ring offer detection for process industries
- Earplugs are stored in an included HearPack® plastic case

Size	Noise Reduction Rating	Cat. No.
Regular	25 dB	82020-866
Small	25 dB	82020-868

Pura-Fit® 6800 and 6900 Earplugs, Moldex®

- Convenient, comfortable hearing protection
- · Soft foam fits snugly, tapered design allows easy insertion
- · Brightly colored for easy compliance checks



SparkPlugs® Earplugs, Moldex®

- · Tapered shape ensures easy insertion and removal
- Shaped to fit even small ear canals
- Disposable



Description	Noise Reduction Rating	Cat. No.
Earplugs	31 dB	56610-677
Earplugs with Cord	31 dB	56610-679
Earplugs with Metal Detectable Cord	33 dB	89011-750

PlugStation™ Earplug Dispensers, Moldex®

- · Highly visible earplug dispensers for easy dispensing of SparkPlugs® or Pura-Fit® earplugs
- · Dispensers deliver plugs individually, eliminating individual paper/polybag packaging
- · Disposable dispenser is sealed and completely recyclable
- Chute delivers plugs into palm of the hand
- · Each dispenser is sealed and disposable, completely recyclable
- · Easily mounts on virtually any wall



Description	Color	Weight	Cat. No.
PlugStation™ with SparkPlugs® Earplugs, Uncorded	Assorted	_	56610-665
PlugStation™ with SparkPlugs® Earplugs, Uncorded	Assorted	_	56610-667
PlugStation™ with Pura-Fit® Earplugs, Uncorded	Bright Green	_	56610-669
PlugStation™ with Pura-Fit® Earplugs, Uncorded	Bright Green	_	56610-671

Rockets® Reusable Earplugs, Moldex™

- · An air bubble in the tip offers cushioned comfort all day long
- Soft, flexible flanges provide a superior seal and fit most ear canal sizes
- · Available with or without connecting cord
- Washable





Noise Reduction Rating Description Detectable Earplugs with Vinyl Cord 26 dB Earplugs with Vinyl Cord 26 dB 56219-254 56219-266 Earplugs with Cloth Cord 26 dB

Jazz Band® Hearing **Protector. Moldex®**

- · Lightweight, comfortable alternative to earmuffs
- Colorful band features soft foam ear pods
- · Band will not interfere with eyewear
- · Hangs easily around neck with optional cord



Description	Noise Reduction Rating	Cat. No.
Jazz Band® Hearing Protector	25 dB	56610-661

JACKSON SAFETY® VIBE™ Passive Earmuffs. **KIMBERLY-CLARK PROFESSIONAL®**

- · Soft-padded headband adjusts to fit most head shapes and sizes
- Dielectric, durable thermoplastic material
- Retains shape and pressure for consistent noise reduction
- Ideal for use with high-level noise environments

Capmount, 27NRR		
Description	Noise Reduction Rating	Cat. No.
VIBE Cap Mount Passive Earmuffs	27	89208-806
VIBE Headband Earmuff	29	89500-606

Bilsom™ LEIGHTNING® Earmuffs,

Honeywell Safety

- Padded foam headband and super-soft ear cushions eliminate squeezing pressure on the head
- Steel wire construction provides high performance and durability
- Air Flow Control[™] technology delivers optimal attenuation across all frequencies
- Snap-in ear cushions for easy maintenance
- Ultra-slim neckband earmuffs and folding earmuffs provide appropriate protection in low-noise environments

Description	Noise Reduction Rating	Cat. No.
L3 Headband Earmuff	30 dB	82017-255
LON Neckband Earmuff	22 dB	89013-681

Bilsom™ VIKING® Earmuffs, **Honeywell Safety**

- Robust non-deforming dielectric construction withstands use and abuse, while protecting workers in electrical environments
- Unique Air Flow Control™ technology for optimal attenuation across all frequencies
- Snap-in ear cushions enable easy maintenance
- Elastic headband strap is included for positioning when not worn over the head

Description	Cat. No.
V3 Earmuffs	13450-191
V3 Earmuffs	89013-675

PELTOR™ Optime™ Series Earmuffs, 3M™ Company

- · Unique dual-cup design and soft, foam-filled cushions provide noise reduction and comfort
- Double-shell technology boosts the noise blocking ability
- · Ultra-light with liquid/foam filled earmuff cushions

Description	Noise Reduction Rating	Cat. No.
Optime™ 105 Over-The-Head Earmuffs	30 dB (29-33 dB Range)	56615-924
Optime™ 105 High-Visibility Over-The-Head Earmuffs	30 dB (29-33 dB Range)	89006-742
Optime™ 98 Over-The-Head Earmuffs with Stainless Steel Headband	25 dB (23–28 dB Range)	56615-921
Optime™ 98 Cap-Mount Earmuffs with Universal Mounting Attachment	23 dB (23–28 dB Range)	89107-448



VWR® N95 Disposable Respirators

- Meet NIOSH requirements for minimum filter efficiency of 95% against 0.3µm particles
- Provide protection against solid and liquid particles that do not contain oil
- Lightweight construction allows for comfortable, extended use





Description	Cat. No.
N95 Respirator	89201-508
N95 Respirator with Valve	89201-510

KIMBERLY-CLARK® PFR95™ N95 Respirator and Surgical Masks, KIMBERLY-CLARK PROFESSIONAL®

- NIOSH approved, minimum of 95% filtration efficiency at 0.3µm
- · Large breathing chamber with limited facial contact
- Two polyurethane bands ensure tight facial seal and prevent leakage around mask edges



Description	Size	Cat. No.
Respirator and Surgical Mask with Film Seal and FLUIDSHIELD™ Protection	Regular	10843-137
Respirator and Surgical Mask with FLUIDSHIELD™ Protection	Regular	10843-153
Respirator Mask	Regular	89005-122

JACKSON SAFETY® R05 Disposable Dust Mask, KIMBERLY-CLARK PROFESSIONAL®

- · Adjustable nose piece and ultrasonically bonded straps for comfort
- Not a NIOSH approved product
- Supplied 50 masks per box, 20 boxes per case



Description	Cat. No.
R05 Disposable Dust Mask	89215-558

Office Supplies

VWR offers a wide range of workplace supplies, from binders and pens to batteries and cleaning products, to help keep your business running smoothly. VWR is your one-stop shop for office supplies; see for yourself at vwr.com or by calling **1.800.932.5000**.



RESPIRATORY PROTECTION

JACKSON SAFETY® R10 Particulate N95 Respirator with Valve, KIMBERLY-CLARK PROFESSIONAL®

- Durable, woven, ultrasonically bonded elastic head straps keep respirators securely in place without pulling or breaking
- Nose pad features soft foam for added comfort
- Highly visible, color-coded, woven head straps aid in sorting and selection
- Equipped with an exhalation valve to release uncomfortable moist air
- Latex-free



Jackson Safety™ R10 Particulate N95 Respirator without Valve, Kimberly-Clark Professional®

- Durable, woven, ultrasonically bonded elastic head straps keep respirators securely in place without pulling or breaking
- · Nose pad features soft foam for added comfort
- Highly visible, color-coded, woven head straps aid in sorting and selection
- · Latex-free and valveless

Description	Cat. No.
R10 Particulate N95 Respirator without Valve	94024-084

8210 N95 Respirator, 3M™

- Provides reliable worker protection against certain solid and liquid aerosols that do not contain oil
- Provides minimum filtration efficiency of 95%
- Lightweight construction for greater worker comfort
- Adjustable nose clip for custom fit and secure seal



Description	Cat. No.
8210 N95 Respirator	56222-362

8211 N95 Particulate Respirator, 3M™

- Provide comfortable reliable worker protection in grinding, sanding, and other dusty operations
- 3M Cool Flow® Exhalation Valve, adjustable "M" nose clip, conformable face seal, and durable braided headband
- Ideal for work settings that involve heat, humidity, or long periods of wear
- Provides minimum 95% filtration efficiency against certain solid and liquid particles that do not contain oil

Description	Cat. No.
8211 N95 Particulate Respirator	43100-118



8511 N95 Respirator, 3M™

- Provides comfortable protection against certain non-oil based particles
- Cool Flow™ exhalation valve reduces heat and humidity buildup
- Features braided headbands, soft inner materials, adjustable "M" nose clip



Description	Cat. No.
8511 N95 Respirator	56621-936

Aura™ 9210+ N95 Particulate Respirators, 3M™

- Lightweight, 3-panel, flat fold, disposable
- · Protection against non-oil based particles
- Ideal for grinding, sanding, sweeping, bagging and other dusty or arid operations



Description	Color	Cat. No.
Flat Fold Particulate Respirator	White	10031-464

Aura[™] 9211+ N95 Particulate Respirators, 3M[™]

- Lightweight, 3-panel, flat fold, disposable
- · Protection against non-oil based particles



Description	Color	Cat. No.
Flat Fold Particulate Respirator with CoolFlow™ Valve	White	10031-466

8577 P95 Particulate Respirator with Nuisance Level Organic Vapor Relief, 3M™

- Ideal for work settings that involve heat, humidity, and long wear periods
- Designed to provide comfortable, reliable worker protection against certain oil- and non-oil based aerosol particles
- Features 3M Cool Flow® Exhalation Valve for cool, dry comfort
- Adjustable "M" nose clip provides custom fit and secure seal



Description	Cat. No.
8577 P95 Particulate Respirator with Nuisance Level Organic Vapor Relief	56222-366

8233 N100 Respirator, 3M™

- NIOSH's highest rated filtration efficiency in maintenance-free respirator
- For grinding, welding, soldering, torch cutting, metal pouring, and OSHA substance-specific particle exposures including lead, cadmium, and arsenic
- Adjustable straps, Cool Flow® exhalation valve, and conformable face-seal makes this a comfortable, durable respirator
- Provides minimum filtration efficiency of 99.97% against solid and liquid particles that do not contain oil



Description	Cat. No.
8233 N100 Respirator	56621-928

VFlex™ N95 Particulate Respirators, 3M™

- Unique embossed 'V' shapes on the front panel keep filter media away from the mouth
- Pleats expand to provide a comfortable seal while giving a spacious feel
- · Pleats flex with mouth movement for easier talking
- Tabs on the side are designed as handles
- Compatible with a variety of 3M eyewear and hearing protection

Size	Cat. No.
Small	89166-432
Standard	89166-430

AirWave® 4200 Series N95 Particulate Respirators, Moldex®

- Unique FlexFit® design moves with the mouth for comfort all day long
- Pinch-free molded nose bridge eliminates metal nose-band readjustment and discomfort
- Dura-Mesh® shell prevents collapsing from heat and humidity so the mask lasts longer



Description	Size	Cat. No.
AirWave® 4200 Series N95 Disposable Respirator	Small	89216-293
AirWave® 4200 Series N95 Disposable Respirator	Medium/Large	89216-291

2200 N95 Particulate Respirators, Moldex®

- Facepiece is naturally contoured without pressure points
- · Seal is maintained without a metal noseband
- Straps are securely attached so they do not break at the seal
- Dura-Mesh® outer shell resists collapsing in heat and humidity and stays clean-looking longer

Description	Size	Cat. No.
Respirators	Medium/Large	56219-004
Respirators	Small	56219-005
Respirators	Alternate Shape	56219-010

2300 N95 Particulate Respirators, Moldex®

Disposable

DescriptionRespirators

Respirators

Respirators

- · Crush-resistant Dura-Mesh® shell
- Filter efficiency level of 95% or greater against oil-free particulate aerosols
- Up to 10X OSHA Permissible Exposure Limit (PEL)

Small

Medium/Large

Alternate Shape



56219-020

56219-025

2400 N95 Particulate Respirator, Moldex®

- Provides a filter efficiency level of 95% or greater against particulate aerosols free of oil
- Suitable for most welding fumes, and fits easily under welding hoods
- Flame-retardants added to the Dura-Mesh® shell
- Workers stay cool with an exhale valve that reduces breathing resistance and hot air build-up
- · Facepiece is naturally contoured without pressure points
- Dura-Mesh® shell resists collapsing, even in heat and humidity

Description	Cat. No.
2400 N95 Particulate Respirator	56219-026

2500 N95 Particulate Respirator, Moldex®

- Naturally contoured for a comfortable, secure fit
- Seals easily and without a metal noseband
- Durable, crush-resistant polymesh outer shell keeps the filter cleaner-looking longer
- Resists collapsing, even in heat and humidity
- Exhale valve reduces breathing resistance and hot air build up
- Disposable

Description	Cat. No.
2500 N95 Particulate Respirator	56219-028

2800 N95 Particulate Respirators, Moldex®

- Feature added sorbent to filter out nuisance levels of ozone and organic vapors that are less than OSHA Permissible Exposure Limits
- Flame retardant added to shell to decrease flammability
- Contoured nose bridge with soft foam nose flange for all-day comfort
- Dura-Mesh® shell resists collapsing in heat and humidity
- Ventex® valve vents hot air for improved breathing
- NIOSH-95 approved

Size	Cat. No.
Medium/Large	46610-302
Small	46610-304







RESPIRATORY PROTECTION

N100 Particulate Respirators, Moldex®

- Stretch-cloth HandyStrap® with buckle to hang mask around neck when not in use
- Ventex® exhale valve lets hot air escape quickly for easier breathing and extended use
- Soft foam full flange relieves pressure points
- Dura-Mesh® shell resists collapsing in heat and humidity
- · Flame retardants added to shell to decrease flammability
- Softspun® lining for increased comfort and durability

Size	Cat. No.
Small	56219-274
Medium/Large	56219-276

P100 Particulate Respirator, Moldex®

- Adjustable straps assure a snug, comfortable fit
- Ventex® exhale valve lets hot air out quickly, reducing breathing resistance and hot air buildup
- Dura-Mesh® shell resists collapsing in heat and humidity, keeps filter media cleanerlooking longer
- · Added flame retardant helps reduce shell flammability
- Molded nose bridge with full foam flange relieves pressure points

Description	Cat. No.
P100 Particulate Respirator	56219-264

EZ-ON® Series Particulate Respirators, Moldex®

- Adjustable cloth strap is cool and soft against the skin
- Soft foam nose flange for added comfort
- Twin Dura-Mesh® shells surround and protect the filter media to hold up through heavy activity
- · Outer shell keeps filter media cleaner-looking

Description	Size	Cat. No.
Without Valve	Small	56219-280
With Valve	Medium/Large	56219-282
With Valve	Small	56219-284

SAF-T-FIT™ Plus N1139 Respirator, Honeywell Safety

- Equipped with exhalation valve for ease of breathing and exceptional comfort during extended wear
- Full sealing flange for superior fit and protection
- Latex-free



SAF-T-FIT™ Plus N1125 Disposable Respirators, Honeywell Safety

- Offers latex-free N95 protection from particulate aerosols free of oil
- Exhalation valve improves comfort during extended wear
- · Adjustable boomerang nose seal fits securely and comfortably
- · Color-coded for guick size identification
- · NIOSH 95 approved

Description	Size	Nose Seal Color	Cat. No.
Model 1125 Respirators	Small	Red	89013-600
Model 1125 Respirators with			
Organic Vapor Filtration	X-Large	Blue	89013-610
Model 1125 Respirators with Acid Gas Filtration	Medium/Large	Green	89013-614

7000 Series Half Mask Respirators, Moldex®

- 100% PVC-Free®
- Suited to be worn under welding helmets, wide field of vision
- Higher resistance to heat and compression
- · Enhanced comfort and durability of silicone
- Adjustable head cradle and curved neck buckles for extra comfort



9000 Series Full Face Respirators, Moldex®

- High-tech, streamlined design for exceptional worker acceptance
- Exclusive over-molded lens offers greater field of vision
- Lighter weight for superior all-day comfort
- Fewer parts means less cost and easy maintenance
- Stand-away head harness for easy donning and doffing
- Lens stays away from flat surface when laid down to avoid scratching

Description	Size	Cat. No.
Full Facepiece Respirators	Small	10065-406
Full Facepiece Respirators	Medium	10065-408
Full Facepiece Respirators	Large	10065-410
Accessories		
Ammonia/Methylamine Cartridge		10065-418





Size	Cat. No.
Small	89013-618
Medium/Large	89013-620



5000 Series Disposable Respirators, 3M™

- Low-profile facepiece/cartridge for wider field of vision, greater comfort while wearing glasses or goggles
- · Color coded by size
- Respirators suitable for gas and vapor protection come with replaceable prefilters
- NIOSH approved



Description	Size	Cat. No.
Organic Vapors, Chlorine, Hydrogen Chloride, Sulfur Dioxide (TC-23C-865)	Small	56222-420
Organic Vapors, Chlorine, Hydrogen Chloride, Sulfur Dioxide (TC-23C-865)	Medium	56222-421
Organic Vapors, Chlorine, Hydrogen Chloride, Sulfur Dioxide (TC-23C-865)	Large	56222-422
Accessories		
P95 Particulate Filter		43100-074

6000 Series Half Facepiece Respirators, 3M™

- Use with 3M[™] 6000 series cartridges and filter
- Drop-down respirators can be used with hardhats
- P100 filters are NIOSH approved for protection against particles



Description	Size	Cat. No.
Half Facepiece Respirator with P100 Filters	Small	56222-440
Half Facepiece Respirator with P100 Filters	Medium	56222-442
Half Facepiece Respirator Only	Small	56222-901
Half Facepiece Respirator Only	Medium	56222-903
Half Facepiece Respirator Only	Large	56222-905

6000 Series Full Facepiece Respirators, 3M™

- Reusable, lightweight
- Cool Flow® exhalation valve reduces heat and moisture buildup
- Large lens is coated for scratch-resistance
- NIOSH approved for negative pressure air purifying and positive pressure dual-airline applications



Description	Size	Cat. No.
Full Facepiece Respirators	Large	56612-880
Full Facepiece Respirators	Small	56621-876
Full Facepiece Respirators	Medium	56621-878

6000 Series Cartridges, 3M™

• For use with 3M[™] 6000 series respirator facepieces



Approved For Use Against	Cartridge Type	Cat. No.
Certain organic vapors, chlorine, chlorine dioxide, hydrogen chloride, ammonia, methylamine, sulfur dioxide, hydrogen fluoride, hydrogen sulfide, formaldehyde	Multi-Gas/Vapor	56221-046
Certain organic vapors	Organic Vapor	56222-933
Certain organic vapors, chlorine, hydrogen chloride, and sulfur dioxide or hydrogen fluoride; Hydrogen sulfide	Certain Organic Vapors/Acid Gas	56222-937

6000 Series Cartridges with Stacked P100 Filter, 3M™

- For use with 3M™ 6000 series respirator facepieces
- NIOSH-approved P100 filter is permanently attached
- Manufacturer's time use restrictions of 40 hours of use or 30 days
- Certain Organic Vapors/Acid Gas/P100 approved for use against chlorine, hydrogen chloride, sulfur dioxide, hydrogen fluoride, hydrogen sulfide (escape only)
- Multi-Gas/Vapor/P100 approved for use against certain organic vapors, chlorine, chlorine dioxide, hydrogen chloride, ammonia, methylamine, sulfur dioxide, hydrogen fluoride, hydrogen sulfide (escape only)



Approved For Use Against	Cartridge Type	NIOSH Approval	Cat. No.
Certain organic vapors, chlorine, chlorine dioxide, hydrogen chloride, ammonia, methylamine, sulfur dioxide, hydrogen fluoride, hydrogen sulfide (escape only), formaldehyde*	Multi-Gas/Vapor/P100	TC-84A-0704	56621-048
Certain organic vapors	Organic Vapors/P100	TC-84A-0699	56621-892
Certain organic vapors, chlorine, hydrogen chloride, sulfur dioxide, hydrogen fluoride, hydrogen sulfide (escape only)	Certain Organic Vapors/ Acid Gas/P100	TC-84A-0701	56621-894

7500 Series Half Facepiece Respirators, 3M™

- Durable, reusable
- Made from soft, resilient silicone and heatresistant plastics
- Cool Flow® exhalation valve reduces heat and moisture buildup



Size	Cat. No.
Small	43100-104
Medium	43100-106
Large	43100-108

RESPIRATORY PROTECTION

7800 Series Full Facepiece Respirators, 3M™

- Double flanged face seal, nose cup, and six adjustable straps for reliable fit
- Durable, scratch-resistant polycarbonate lens



Description	Size	Cat. No.
Full Facepiece Respirators	Large	56222-100
Full Facepiece Respirators	Small	56222-175
Full Facepiece Respirators	Medium	56222-177

Prefilters, 3M™

- For use with 5000-series respirators
- NIOSH 42 CFR 84 approved



Description	Usage	Cat. No.
P95 Particulate Filter	Protects against solids from processing minerals, coal, iron ore, cotton, flour; metal fumes from welding, brazing, cutting of metals; liquid/oil based particles from sprays that do not emit harmful vapors. Use with 5000 series respirators.	43100-074
Organic Vapor P95 Filter	Provides relief from nuisance level organic vapor and acid gas odors below the OSHA PELs.	43100-078
N95 Filter	For use with 3M™ 5000 series respirators, 6000 series cartridges, and prefilter retainer 56222-826.	56221-054
P95 Prefilter	For oil and non-oil environments. Use with 5000 and 6000 series respirators.	56222-471
Prefilter Retainer	For use with 56221-054 prefilter.	56222-826
Prefilter Adapter	For use with 56222-931 filter.	56222-828
P100 Filter	Provides 99.97% efficiency in removing solid and liquid particles including those containing oil. Use with 3M™ 5000, 6000, and 7000 series respirators.	56222-931
P100 Filter	Provides relief from nuisance odors generated from chlorine, sulfur dioxide and hydrogen fluoride. 99.97% efficient at removing solid and liquid particles including those containing oil. Use with 3M™ 5000, 6000, and 7000 series respirators.	56621-938
P100 Filter	Removes organic vapor odors below the OSHA PELs. 99.97% efficient at removing solid and liquid particles including those containing oil. Use with 3M™ 5000, 6000, 7000 series respirators.	56621-940

Comfo Classic® Respirators, MSA

- SoftFeel® facepiece material increasese the comfort factor dramatically
- Unique face seal design that gives wearers an exceptional fit
- Facepiece made of silicone or Hycar™ rubber



Description	Size	Cat. No.
Dual Cartridge Respirator, Silicone	Medium	300052-934
Dual Cartridge Respirator, Silicone	Large	300052-936
Dual Cartridge Respirator, Silicone	Small	300081-128

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

Comfo® Respirator Cartridges, MSA

- N95-Particulate Filter (95% filter efficiency level) effective against particulate aerosols free of oil
- R95-Particulate Filter (95% filter efficiency level) effective against all particulate aerosols
- P100-Particulate Filter (99.97% filter efficiency level) effective against all particulate aerosols



Description	Approved For Use Against	Usage	Cat. No.
P100 Cartridge/Filter	Organic Vapors, Chlorine, Sulfur Dioxide, Chlorine Dioxide, Hydrogen Chloride, Hydrogen Sulfide, Ammonia, Methylamine, Formaldehyde, Hydrogen Fluoride	Contaminants	300052-942
R95, N95 Cartridge	Organic Vapors	Contaminants	300081-054
R95, N95 Cartridge/Filter	Ammonia, Methylamine	Contaminants	300081-058
R95, N95 Cartridge	Organic Vapors, Chlorine, Sulfur Dioxide, Chlorine Dioxide, Hydrogen Chloride, Hydrogen Sulfide, Ammonia, Methylamine, Formaldehyde, Hydrogen Fluoride	Contaminants	300081-092
P100 Cartridge/Filter	Organic Vapors	Contaminants	300081-136
P100 Cartridge/Filter	Organic Vapors	Contaminants	300081-140
P100 Cartridge/Filter	Organic Vapors, Chlorine, Sulfur Dioxide, Chlorine Dioxide, Hydrogen Chloride, Hydrogen Sulfide	Contaminants	300081-142

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

Advantage® 1000 Facepieces, MSA

- Wraparound flexible lens that offers excellent fit and comfort with increased vision
- Weighs 40% less than conventional full-face piece respirators
- Constructed of super-soft Hycar™ rubber that provides the feel and comfort of silicone but has a better permeation resistance
- Unique inturned lip seal that provides exceptional seal against a wide range of face contours and with suspension strap



- ONLY
- Distinctive, flexible urethane lense that is integrally bonded to the facepiece, eliminating the need for rigid lens retainers that can cause unwanted pressure points
- Speaking diaphragm for clear, short range communication
- Nosecup reduces lense fogging in low temperatures or high-humidity conditions

Description	Size	Color	Cat. No.
Full Facepiece Air Purifying Respirator (APR)	Medium	Black	300072-640
Full Facepiece Air Purifying Respirator (APR)	Small	Black	300072-642
Full Facepiece Air Purifying Respirator (APR)	Large	Black	300081-124

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

Advantage® Respirator Cartridges, MSA

- Advantage line of particulate, chemical, and combination cartridges are lightweight, low profile performance
- Cartridges fit both 200 LS Half Mask and 3000 Full-Facepiece Advantage respirators





Description	Approved For Use Against	Usage	Cat. No.
GME P100 Cartridge	Organic Vapors, Chlorine, Sulfur Dioxide, Chlorine Dioxide, Hydrogen Chloride, Hydrogen Sulfide, Ammonia, Methylamine, Formaldehyde, Hydrogen Fluoride, Mercury Vapor	Contaminants	300009-019
Low Profile P100 Cartridge	Particulate Cartridge	Contaminants	300009-020
GME Cartridge	Organic Vapors, Chlorine, Sulfur Dioxide, Chlorine Dioxide, Hydrogen Chloride, Hydrogen Sulfide, Ammonia, Methylamine, Formaldehyde, Hydrogen Fluoride	Contaminants	300072-648
GMA P100 Cartridge	Organic Vapors, Mercury Vapor	Contaminants	300072-650

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

X-plore® Air-Purifying Respirators, Draeger

• All masks use a two-point bayonet connection for safe and easy filter attachment



Description	Size	Cat. No.
5500 Series Full-Face Mask	Universal	80082-476
3300 Series Limited-Use Half-Masks	Small	80082-478
3302 Series Limited-Use Half-Masks	Large	80082-482
3500 Series Reusable Half-Masks	Small	80082-484
3501 Series Reusable Half-Masks	Medium	80082-486
3502 Series Reusable Half-Masks	Large	80082-488
Description		Cat. No.
Gas and Vapor Cartridges		
Organic Vapors (OV)		80082-490
Organic Vapor/Acid Gases (OV/AG/FM/CD	/HF)	80082-492
Acid Gases (AG)		80082-494
Ammonia/Methylamine (AM/MA)		80082-496
Combination Cartridges		
Organic Vapors (OV)/P100		80082-498
Organic Vapor/Acid Gases (OV/AG/FM/CD	/HF)/P100	80082-500
Acid Gases (AG)/P100		80082-502
Ammonia/Methylamine (AM/MA)/P100		80082-504
Particle Filters		
Filter Pad Base		13453-582
P100 Filter		13453-584
N95 Filter Pads		80082-506
R95 Filter Pads		80082-508

Air Purifying Dual Cartridge Respirators, Honeywell Safety

- Reliable and latex-free respirators offer direct cartridge-tofacepiece connection
- 7700 & 7600 series have nonallergenic silicone facepieces
- 5500 & 5400 series have thermoplastic elastomer facepieces
- NIOSH approved when used with North Safety Products cartridges



Description	Cat. No.
Accessories	
P100 Any Particulates Filter	56222-964
N95 Particulate Filter	56222-965
N95 Dust Filter Assembly	56222-972
Defender* Multipurpose Cartridge	56223-250
Pancake P100 Nuisance Level Filter	82030-980



RESPIRATORY PROTECTION

Respirator Cartridges and Filters, Honeywell Safety

- Simplify your inventory with one line of cartridges and filters
- NIOSH approved when used with Nort Safety Products 7700, 7600, 5500, and 5400 air-purifying respirators



Description	Approved For Use Against	Cat. No.
Cartridges		
Defender* Multipurpose Cartridge	Organic vapor, chlorine, hydrogen chloride, sulfur dioxide, hydrogen sulfide (escape), hydrogen fluoride, chlorine dioxide, ammonia, methylamine, formaldehyde	56223-250
Acid Gas Cartridge	Chlorine, hydrogen chloride, sulfur dioxide, chlorine dioxide, hydrogen fluoride, formaldehyde	89400-380
Acid Gas/Organic Vapors Cartridge	Organic vapor, chlorine, hydrogen chloride, sulfur dioxide, hydrogen fluoride, chlorine dioxide	89400-382
Ammonia/Methylamine Cartridge	Ammonia and methylamine	89400-384
Filters		
P100 Any Particulates Filter	Any particulates (99.97% min. filter efficiency)	56222-964
N95 Particulate Filter	Non-oil particulates (95% min. filter efficiency)	56222-965
N95 Dust Filter Assembly	Non-oil particulates (95% min. filter efficiency)	56222-972
	Any particulates (99.97% minimum filter efficiency), with odor relief	
Pancake P100 Nuisance Level Filter	from nuisance levels of organic vapors, acid gases, and ozone	82030-980
Cartridge/Filter Combinations		
Organic Vapor Cartridge with P100 Filter	Organic vapor/any particulates (99.97% min. filter efficiency)	89400-390
Acid Gas Cartridge with P100 Filter	Chlorine, hydrogen chloride, sulfur dioxide, formaldehyde, hydrogen fluoride, chlorine dioxide/any particulates (99.97% min. filter efficiency)	89400-392
Organic Vapor/Acid Gas Cartridge with P100 Filter	Organic vapor, chlorine, hydrogen chloride, sulfur dioxide, hydrogen fluoride, chlorine dioxide/any particulates (99.97% min. filter efficiency)	89400-394
Ammonia/Methylamine Cartridge with P100 Filter	Ammonia, methylamine/any particulates (99.97% min. filter efficiency)	89400-396
Defender Multipurpose Cartridge with P100 Filter	Organic vapor, chlorine, hydrogen chloride, sulfur dioxide, hydrogen sulfide (escape), hydrogen fluoride, chlorine dioxide, ammonia, methylamine, formaldehyde/any particulates (99.7% min.)	89400-398
	,,	23.00 330

Qualitative Fit Test Apparatus, 3M™

- Test kits and accessories are designed to help organizations meet OSHA fit testing requirements for respirators
- Use to check face-to-respirator seals on any particulate respirator or gas/vapor respirator with a particulate prefilter



Description	Cat. No.
Sensitivity Solution FT-31, Bitter	67100-770
Fit Test Solution FT-32, Bitter	67100-772
Qualitative Fit Test Apparatus FT-30, Bitter	67100-854

Description	Cat. No.
Accessories	
Nebulizer for Fit Testing FT-13	67101-078
Fit Test Hood FT-14	67101-080
Fit Test Collar FT-15	67101-140

Quantitative Fit Testing Respirator, 3M™

- Helps meet OSHA guidelines for respiratory protection by ensuring proper fit
- Not designed for respiratory protection



Size	Cat. No.
Small	56222-920
Medium	56222-922
Large	56222-924

Qualitative Fit Test Apparatus FT-10, Sweet, 3M™

- Test kits and accessories are designed to help organizations meet OSHA fit testing requirements for respirators
- Use to check face-to-respirator seals on any particulate respirator or gas/vapor respirator with a particulate prefilter



Description	Cat. No.
Sensitivity Solution FT-11, Sweet	56221-010
Qualitative Fit Test Apparatus FT-10, with 3M™ Sensitivity Solution FT-11, Sweet	56221-918
Fit Test Solution FT-12, Sweet	56222-180
Nebulizer for Fit Testing FT-13	67101-078
Fit Test Hood FT-14	67101-080
Fit Test Collar FT-15	67101-140

Respirator Cleaning Wipes, 3M™

- Ideal for cleaning elastomeric facepiece respirators
- Individually packed, formulated with alcohol-free fragrance, will not damage facepiece materials
- Packaged in dispenser box
- Dimensions: 20.3x25.4cm (8x10")



Description	Cat. No.
Respirator Cleaning Wipes	89107-398

EVA PAPRs (Powered Air Purifying Respirators), Complete Systems, Bullard®

- Versatile respirator for particulate or chemical environments
- · Lightweight, compact, well-balanced design
- Compatible with range of head tops



			Assigned	
Description	Headtop	Belt Type	Protection Factor	Cat. No.
Hood, Tychem® QC, Single Bib	20TJ	Standard Comfort	25	89097-706
Hood, Tychem® QC, Double				
Bib, Taped Seams	20TICS	Standard Comfort	1,000	89097-716
Hood, Tychem® SL, Double Bib	20SIC	Standard Comfort	1,000	89097-714
Hood, Tychem® QC, Double Bib	20TIC	Standard Comfort	1,000	89097-710
Loose Fiting Facepiece, Medium Narrow	20LF2M	Standard Comfort	25	89097-704
Hood, Tychem® SL,	ZULI ZIVI	Standard Connort	23	03037 704
Double Bib, Hard Hat	20SICH	Standard Comfort	1,000	89097-720
Hood, Tychem® QC, Double Bib, Suspensionless	RT3	Standard Comfort	1,000	89097-722
Hood, Tychem® QC,	INIO	Standard Connort	1,000	03037 722
Double Bib, PETG Lens	20TPC	Standard Comfort	1,000	89097-712
Hood, Tychem® QC,				
Double Bib, Hard Hat	20TICH	Standard Comfort	1,000	89097-718
Loose Fiting Facepiece,				
Large Narrow	20LF2L	Standard Comfort	25	89097-702
Hood, Tychem® SL, Double		6. 1.16.6.		
Bib, Suspensionless	RT4	Standard Comfort	1,000	89097-724
Accessories				
Blower Unit Only				89097-732
With Battery				89168-714
With Blower, Belt, Battery, and I	HE Filter			89168-716
Battery, Li Polymer				89097-736
Charger, Six Port Gang				89097-744
Charger, Single Port				89097-740
HEPA Filter				89097-746
Filter Cartridges: Organic Vapor, Chlorine, Chlorine Dioxide,				00225 052
Sulfur Dioxide, Hydrogen Chloride, Hydrogen Fluoride, HEPA				89235-852

VWR Helps You Get the Job Done Right and Stay Safe While You Work VWR now offers enhanced access to over 100,000 Safety & Industrial Supplies. More than ever, we are ready to help you stay safe and productive, both in and outside of the lab. Go to vwr.com/safetyandindustrial and see our complete portfolio.

EVAHL PAPRs (Powered Air Purifying Respirators), Complete Systems, Bullard®

- Certified for hazardous locations (Class I Division 2, Class II Division 2, Class III)
- Versatile respirator for particulate or chemical environments
- · Lightweight, compact, well-balanced design



			Assigned Protection	
Description	Headtop	Belt Type	Factor	Cat. No.
Loose Fitting Facepiece, Large	20LFL	Standard Comfort	25	89402-826
Loose Fitting Facepiece, Medium	20LFM	Standard Comfort	25	89402-828
Loose Fitting Facepiece, Narrow Large	20LF2L	Standard Comfort	25	89402-830
Loose Fitting Facepiece, Narrow Medium	20LF2M	Standard Comfort	25	89402-832
Hood, Tychem® SL, Double Bib, Hardhat	20SICHT	Standard Comfort	1000	89402-846
Hood, Tychem® SL, Double Bib	20SICT	Standard Comfort	1000	89402-850
Hood, Tychem® QC,				
Double Bib, Hardhat	20TICHT	Decon Belt	1000	89402-856
Hood, Tychem® QC, Double Bib	20TICT	Standard Comfort	1000	89402-862
Blower Unit Only			25/1000	89402-894
Accessories				
Blower, Belt, Battery, Charger			25/1000	89402-896
Blower, Belt, Battery			25/1000	89402-898
Blower, Belt, Battery, HE Filter			25/1000	89402-900
Replacement Battery Pack				89030-304
Replacement HEPA Filter				89093-558
Replacement Organic Vapor/Acid Gas/	HEPA Filter			89093-560
Shower Cap for PAPRFC3				89097-748
Clear Breathing Tube Covers				89092-920
Battery, Li Polymer				89402-902
Charger, Six Port Gang				89402-908
Charger, Single Port				89402-904

Tychem® Hoods, Bullard®

- Simple, effective, and economical options for respiratory protection
- Covers entire head, face, and neck to provide splash and overspray protection
- Neck cuff design maintains positive pressure inside the hood by inflating the inner collar to provide a snug, comfortable fit and continuous airflow
- Wide-angle lens offers large field of vision while accommodating beards, prescription eyeglasses, or safety glasses
- Lighter and more comfortable than tight-fitting full facepiece respirators
- Durable enough to reuse, yet economical enough to discard after each use
- Approved for NIOSH for use in Type-C applications

Description	Cat. No.
Tychem® QC Hood, Single Bib	16005-040
Tychem® SL Hood, with Taped and Sealed Seams	16006-040
Tychem® SL Hood, with Taped and Sealed Seams, for use with Hard Hat	16006-042
Tychem® QC Hood, Double Bib without Suspension	16006-048
Tychem® QC Hood, with Taped and Sealed Seams	16006-050
Tychem® QC Hood, with Taped and Sealed Seams, without Suspension	16006-053
Tychem® QC Hood, Double Bib with Solvent-Resistant Lens	16006-058
Tychem® Hood, with Oversized Lens and Double Bib, without Suspension	16006-300
Tychem® QC Hood, Double Bib, with Chemically Resistant	
Acetate Lens, Sport Nylon Neck Cuff	89093-555
Tychem® QC Hood, Double Bib with Acetate Lens, without Suspension, Sport Cuff	89235-851



RESPIRATORY PROTECTION

Versaflo™ Easy Clean PAPR Kit, 3M™

- For many pharmaceutical, healthcare, and food and beverage applications
- OSHA APF 1000



Description	Color	Cat. No.
Easy Clean PAPR Kit	White/Black/Gray	89178-418

Versaflo™ PAPR TR-600 Series Kit, 3M™

- Designed for hospital and healthcare applications
- Kit provides respiratory protection, with limited eye, head, face, and skin protection



Description	Size	Belt Type	Cat. No.
Gray Head Cover with Suspension (Magenta)	Small/Medium	Belt-Mounted	10837-168
Gray Head Cover with Suspension (Magenta)	Medium/Large	Belt-Mounted	10837-170

Description	Cat. No.
Accessories	
High Efficiency Filter, Black	10152-832
Replacement Motor/Blower Unit	10152-836
High Durability Belt, Gray	10152-850
High Capacity Lithium-ion Battery Pack, Gray/Blue, 8 - 18 Hours	10152-878
High Efficiency (HE) Particulate Filter and Organic Vapor (OV) Cartridge, Magenta/Black	10152-884
Complete 4-Station Battery Charger, Gray/Blue	10152-890
Filter Cover, for use with TR-6510N Filter	10152-892
Cleaning and Storage kit	10152-896
Filter Cover for use with TR-6710N Filter	10152-906

Versaflo™ S-Series Economy Hoods, 3M™

- Provides head, face, neck and shoulder coverage
- For applications that require frequent replacement of entire headgear assembly
- · Fully assembled
- OSHA APF 1000



Description	Size	Color	Cat. No.
Economy Hood	Small-Medium	White	89205-948
Economy Hood	Medium-Large	White	89205-950

Versaflo™ S-Series Hoods with Integrated Head Suspension, 3M™

- Integrated comfort suspension has a wide faceseal with soft elastic for improved comfort and reduced airflow noise
- Exhalation panel vents the headcover without the traditional vent hole pattern or exhalation valve
- Visor has an excellent field of view with reduced curvature for decreased reflections and glare



Description	Cat. No.
Hood, M-L	89132-116
Hood, S-M	89132-118

Replacement Hoods for Versaflo™ S-Series Premium Suspension Hoods, 3M™

An assortment of hood styles and optional accessories



Description	Cat. No.
Replacement Hood with Sealed Seams and Inner Collar	89132-120
Replacement Hood (White) with Inner Collar for use with Premium Head Suspension	89132-124
Replacement Painter's Hood	89132-126
Replacement Hood (White) with Inner Shroud for use with Premium Head Suspension	89132-130

Versaflo™ TR-300 PAPR Assemblies, 3M™

- Versatile respirator system for particulate environments
- Lightweight, compact, wellbalanced design
- Compatible with a flexible range of headgear



Description	Color	Cat. No.
PAPR Assembly with High Durability Belt and High Capacity Battery	Black/Gray	89202-738
PAPR Assembly with Easy Clean Belt and High Capacity Battery	Black/Gray	89202-740

Versaflo™ Healthcare PAPR Assembly, 3M™

• Intended for use in Pharmaceutical and Healthcare industries



Description	Belt Type	Cat. No.
Versaflo™ Healthcare PAPR Assembly (Magenta)	Belt-Mounted	10837-172



BODY PROTECTION

- Lab Coats
- Frocks
- Aprons
- Gowns
- Coveralls
- Fire-Resistant Apparel

Personal Protection Solutions From Head to Toe!



76008-512

VWR® Basic Protection Industrial Lab Coats

- Garments provide an excellent basic barrier
- Made from a durable and comfortable non-woven fabric
- Ideally suited for use in industrial, food and beverage, warehouse, non-controlled environment, and visitor appllications



Clothing Size	Description	Color	Cat. No.
S	VWR® Basic Protection Industrial Lab Coat	White	76008-420
M	VWR® Basic Protection Industrial Lab Coat	White	76008-422
L	VWR® Basic Protection Industrial Lab Coat	White	76008-426
XL	VWR® Basic Protection Industrial Lab Coat	White	76008-428
XXL	VWR® Basic Protection Industrial Lab Coat	White	76008-430
3XL	VWR® Basic Protection Industrial Lab Coat	White	76008-432
4XL	VWR® Basic Protection Industrial Lab Coat	White	76008-434
S	VWR® Basic Protection Industrial Lab Coat	Dark Blue	76008-436
M	VWR® Basic Protection Industrial Lab Coat	Dark Blue	76008-438
L	VWR® Basic Protection Industrial Lab Coat	Dark Blue	76008-440
XL	VWR® Basic Protection Industrial Lab Coat	Dark Blue	76008-442
XXL	VWR® Basic Protection Industrial Lab Coat	Dark Blue	76008-480
3XL	VWR® Basic Protection Industrial Lab Coat	Dark Blue	76008-482
4XL	VWR® Basic Protection Industrial Lab Coat	Dark Blue	76008-484
S	VWR® Basic Protection Industrial Lab Coat	Green	76008-486
M	VWR® Basic Protection Industrial Lab Coat	Green	76008-488
L	VWR® Basic Protection Industrial Lab Coat	Green	76008-490
XL	VWR® Basic Protection Industrial Lab Coat	Green	76008-492
XXL	VWR® Basic Protection Industrial Lab Coat	Green	76008-494
3XL	VWR® Basic Protection Industrial Lab Coat	Green	76008-496
4XL	VWR® Basic Protection Industrial Lab Coat	Green	76008-498
S	VWR® Basic Protection Industrial Lab Coat	Red	76008-500
M	VWR® Basic Protection Industrial Lab Coat	Red	76008-502
L	VWR® Basic Protection Industrial Lab Coat	Red	76008-504
XL	VWR® Basic Protection Industrial Lab Coat	Red	76008-506
XXL	VWR® Basic Protection Industrial Lab Coat	Red	76008-508

NEW

VWR® Basic Protection SPP Lab Coats

- Economical, disposable first-line barrier
- · Maximum breathability
- · Low linting





Clothing Size	Description	Color	Cat. No.
L	Knit Cuffs, Three Pockets	White	414004-344
L	Elastic Cuffs, No Pockets	White	414004-351
XL	Knit Cuffs, Three Pockets	White	414004-342
XL	Elastic Cuffs, No Pockets	White	414004-350
XL	Elastic Cuffs, Three Pockets	Blue	89208-752
XXL	Knit Cuffs, Three Pockets	White	414004-343
XXL	Elastic Cuffs, No Pockets	White	414004-349

VWR® Basic Protection SMS Lab Coats

- Multilayer SMS material protection
- Light fluid and particulate barrier
- · Excellent breathability
- One breast pocket and two hip pockets
- Serged seams





Clothing Size	Color	Cat. No.
M	White	414004-362
L	Blue	414004-355
L	White	414004-363
XL	Blue	414004-356
XL	White	414004-361

KIMBERLY-CLARK® BASIC™ Plus Lab Coats, KIMBERLY-CLARK PROFESSIONAL®

- Three-layer SMS fabric for protection against light fluid contact
- Five-snap front closure, one breast pocket, two hip pockets, knit collar and cuffs



Clothing Size	Color	Cat. No.
L	White	37000-924
M	Blue	89033-026

VWR® Basic Protection Industrial Lab Coat

4XL

DuPont™ Proshield® Basic Lab Coats with Knit Collar

- Polypropylene SMS fabric
- · Knit cuff
- Disposable
- Serged seams



Clothing Size	Color	Cat. No.
M	Blue	10016-298
L	Blue	10016-296
XL	Blue	10016-302
XXL	White	10016-304

VWR® Advanced **Protection Lab Coats**

- · Significant fluid and particulate barrier
- Durable lightweight fabric
- Excellent breathability and water vapor transmission rate
- · Soft tactile feel







Clothing Size	Color	Cat. No.
M	White	414004-378
L	White	414004-376
XL	White	414004-375

DuPont™ ProShield® NexGen® General-Purpose Lab Coats

- Economical, mid-length, polypropylene
- · Antistatic treated
- Serged seams
- · Front snap closure



Clothing Size	Description	Color	Cat. No.
XL	Straight Wrists, Two Pockets	White	13452-318
XXL	Straight Wrists, Two Pockets	White	13452-320

KIMBERLY-CLARK® Universal Precautions Lab Coats, KIMBERLY-CLARK PROFESSIONAL®

- Disposable, fluid-resistant, three-layer SMS fabric
- · Six-snap front closure, three reinforced pockets, back vent, traditional collar, and knit cuffs
- · Tailored styling and fit enhances worker comfort
- Nonsterile, Latex free



VWR® Maximum Protection Lab Coats

- · Superior fluid and particulate barrier
- · Lowest level of particle shedding
- · Light chemical-splash resistance
- Breathable to ensure user comfort
- Soft, cloth-like fabric with maximum tear strength





Clothing Size	Color	Cat. No.
M	White	414004-371
L	White	414004-369
XL	White	414004-368

KLEENGUARD® A10 Light Duty Lab Coat, Kimberly-Clark Professional®

- Lightweight, breathable polypropylene fabric
- · Combination of price and protection for nonhazardous environments



Clothing Size	Description	Color	Cat. No.
XL	Snap front, elastic wrists, no pocket	White	10837-438
XXL	Snap front, elastic wrists, no pocket	White	10837-440

VWR Signature™ Lab Coats made with DuPont™ Tyvek® IsoClean® Material

- · Premium level of protection and durability while remaining comfortable
- Excellent barrier against dry particles, nonhazardous liquids, and microorganisms, designed for use in cleanroom environments
- · Limited-use lab coats are antistatic treated, low linting, chemically and biologically inert





Clothing Size	Color	Cat. No.
L	White	89128-786
XL	White	89127-198
XXL	White	89127-192

DuPont™ Tyvek® Lab Coats

- Flashspun, high-density polyethylene
- Resistant to penetration, chemically and biologically inert, low linting, antistatic treated
- Snap front closure, serged seams, laydown collar
- Thickness meets ASTM D1777

Clothing Size	Color	Cat. No.
Standard Lab Coats wit	th Chest and Hip Pocket	
L	White	10010-086
XXL	White	10010-090
Standard Lab Coats wit	thout Pockets	
L	White	10010-072
XL	White	10010-074
Knee-Length Lab Coats	with Elastic Wrists, without Pockets	
L	White	13450-504
XL	White	13450-510

DuPont™ Tyvek® IsoClean® Lab Coats

- Coats provide an outstanding barrier against dry particles, nonhazardous liquids, and microorganisms
- Designed for use in cleanroom environments where protection is critical
- Limited-use lab coats are antistatic-treated, low-linting, and chemically and



Clothing Size	Color	Cat. No.
L	White	89127-194
XXL	White	89127-190

VWR® Unisex Technology Lab Coat, Reusable

- Plain Front with No Embroidery
- Industrial and Washable
- Durable
- Comfortable
- Poly/Cotton Fabric (80/20 Blend)





Clothing Size	Color	Cat. No.
S	White	10141-374
M	White	10141-342
L	White	10141-344
XXS	Navy Blue	75819-574
XS	Navy Blue	75819-554
S	Navy Blue	75819-556
M	Navy Blue	75819-558
L	Navy Blue	75819-560
XL	Navy Blue	75819-562
XXL	Navy Blue	75819-564
3XL	Navy Blue	75819-566

VWR® Women's Lab Coat, Reusable

- Tapered back panel with half belt
- · Plain front, no embroidery
- · Industrial launderable
- Durable and comfortable
- Poly/cotton fabric (80/20 blend)





Clothing Size	Color	Cat. No.
S	White	10141-316
M	White	10141-318

VWR® Men's Lab Coat, Reusable

- Durable, comfortable poly/cotton (80/20 blend) fabric
- · Plain front, no embroidery
- Industrial launderable





Clothing Size	Color	Cat. No.
M	White	10141-302
L	White	10141-304

VWR® Unisex 100% Cotton Lab Coat

- Quick-release five-snap front and snap cuffs
- · Plain front with no embroidery
- Overall length is 99 cm (39")





Clothing Size	Color	Cat. No.
M	White	10753-934
L	White	10753-936

BODY PROTECTION

VWR® Protection ESD Lab Coats

- Overall length is 111.7 cm (44")
- Plain front, with no embroidery





Clothing Size	Color	Cat. No.
L	Blue	10769-340
XL	Blue	10769-342

Workrite® FR Nomex® Men's Knit **Cuff Flame Resistant Lab Coat**

- · Protective thigh length design
- Concealed snap-front closures
- · Side pass-through access to inner clothing
- Four pockets
- UL Certified to NFPA 2112





Workrite® FR Nomex® Women's Flame Resistant Lab Coat

- · Protective thigh length design, waistband for tailored fit
- Concealed snap-front closures
- · Side pass-through access to inner clothing
- Three pockets
- UL Certified to NFPA 2112

Clothing Size	Color	Cat. No.
S	Royal Blue	10748-006
M	Royal Blue	10748-004

VWR® Basic Protection SPP Frocks

- · Economical, disposable first-line barrier
- · Maximum breathability
- · Low linting





Clothing Size	Color	Cat. No.
XL	White	414004-381
XXL	White	414004-400


A Game Changer in Lab Safety

The Workrite® FR/CP™ Lab Coat

The Workrite FR/CP Lab Coat is the first of its kind to offer both flame-resistant (FR) properties and inadvertent chemical-splash protection (CP). With an unprecedented level of comfort and convenience, the Workrite FR/CP Lab Coat is revolutionizing lab safety through improved wearer compliance.

Size	Cat. No.
S	75795-936
M	75795-932
XL	75795-922
XXL	75795-928
3X-Large, Long	75795-972
4XL	75795-978
4X-Large, Long	75795-976
5XL	75795-942
5X-Large, Long	75795-980





VWR® Basic Protection SMS Frocks

- Multilayer SMS material protection
- Light fluid and particulate barrier
- · Excellent breathability
- No pockets
- Serged seams





VWR® Maximum Protection Frocks

- Superior fluid and particulate barrier
- · Lowest level of particle shedding
- Light chemical-splash resistance
- Breathable to ensure user comfort
- · Soft, cloth-like fabric with maximum tear strength





Clothing Size	Color	Cat. No.
L	Blue	414004-402
XL	White	414004-386
XL	Blue	414004-403
XXL	White	414004-385

DuPont™ Proshield® Basic Frocks with Mandarin Collar, Zipper

- · Polypropylene SMS fabric
- · Elastic wrists
- Disposable



Clothing Size	Color	Cat. No.
XL	Blue	10016-342
4XL	Blue	10016-336

DuPont™ Proshield® Basic Frocks with Mandarin Collar, Snaps

- Polypropylene SMS fabric
- Elastic wrists
- Disposable



Clothing Size	Color	Cat. No.
L	White	10016-324
XXL	White	10016-318

DuPont™ ProClean® Frocks

- Microporous film fabric
- Serged seams
- Elastic wrist
- · Bound neck
- · Antistatic treated



Clothing Size	Description	Color	Cat. No.
M	Snap Front	White	13452-504
L	Snap Front	White	13452-506
XL	Zipper Front	White	13452-548
XXL	Zipper Front	White	13452-550

Clothing Size Color Cat. No. Frocks with Snap Closure White 414004-395 XL White 414004-394 XXL Frocks with Zipper Closure White 414004-698 ΧI XXL 414004-699 White

VWR® Tyvek® Isoclean® Frocks with Raglan Sleeves

- High level of protection in cleanroom environments
- Chemically and biologically inert, low linting, static free until laundered
- Serged seams, bound neck, elastic wrist, zipper closure, A-line design





Clothing Size	Color	Cat. No.
XL	White	89125-626
XXL	White	89127-306

VWR® Irradiated Frocks

- Excellent fluid and particulate barrier
- · Extremely low level of particle shedding
- Superior breathability and water vapor transmission rate
- Soft, cloth-like fabric





Clothing Size	Cat. No.
XL	414004-464
XXL	414004-465

BODY PROTECTION

DuPont™ Tyvek® IsoClean® Frocks with High Mandarin Collar and Set Sleeves

- Effective barrier to dry particles, microorganisms, and nonhazardous liquids
- · Front snap closure
- Serged seams, elastic wrists, and 6 snap closures



Clothing Size	Color	Cat. No.
XL	White	89125-622
XXL	White	89127-296
L	White	89127-302

KLEENGUARD® A20 Breathable Particle Protection Frocks, KIMBERLY-CLARK PROFESSIONAL®

- Superior particle holdout coupled with unmatched comfort attributes
- 5 layers of stacked barrier protection (SMMMS) against hazardous particles



Clothing Size	Color	Cat. No.
M	White	89493-018
L	White	89493-020
XL	White	89493-022

DuPont™ Tyvek® IsoClean® Frocks with Bound Neck and Raglan Sleeves

- Balance of protection, durability and comfort
- · Serged seams, elastic wrist
- Front zipper closure



Clothing Size	Cat. No.
Clean-Processed and Sterile	
L	10016-080
3XL	10016-076

VWR® Advanced Protection Frocks

- Significant fluid and particulate barrier
- Durable, lightweight fabric
- Excellent breathability and water vapor transmission rate
- · Soft tactile feel
- · Appropriate for ISO 6 and higher



Clothing Size	Cat. No.
XL	414004-404
XXL	414004-405
3XL	414004-408

VWR Signature™ Frocks made with DuPont™ Tyvek® IsoClean® Material

- High level of protection in cleanroom environments
- Chemically and biologically inert, low linting, and static-free until laundered





Clothing Size	Color	Cat. No.
Frocks with Five-Snap	Front and Bound Neck	
L	White	80200-604
XL	White	80200-606
XXL	White	80200-608
Frocks with Zipper Fro	nt and Bound Neck	
L	White	89125-608
XL	White	89127-316
XXL	White	89127-308

Controlled Environment Frock, ESD Grid, White Knight

- Zippered, durable, and reusable
- For micro-electronics and semi-conductor manufacturing
- All seams are laser cut or pre-serged, silicon-free thread



Clothing Size	Description	Color	Cat. No.
S	99 % Polyester, 1% Carbon	Navy	89495-854
M	99 % Polyester, 1% Carbon	Navy	89495-856
L	99 % Polvester, 1% Carbon	Navv	89495-858

VWR® Basic Protection Industrial PE Aprons

- VWR® provides two size options for these easy to don garments
- Ideally suited for use in industrial, food and beverage, warehouse, non-controlled environments, and visitor applications



Description	Color	Cat. No.
VWR® Basic Protection Industrial PE Apron	White	76008-556
VWR® Basic Protection Industrial PE Apron	Blue	76008-558

VWR® Disposable Polyethylene Apron

- · One-piece bib design
- Protects against splashes





Size	Thickness	Color	Cat. No.
71.1W x 116.8L cm (28 x 46")	2 mil	White	10826-007

VWR® Transparent Plastic Laboratory Aprons

- · Protect against water, oil, grease, and most chemicals
- Will not peel, curl, or crack
- Soft, pliable Plastipron® design



M
48
3.3

VWR® Apron made with DuPont™ Tyvek® Material

- Flashspun, nonwoven polyolefin
- Resists penetration, chemically and biologically inert, low linting, antistatic treated
- Bib style is 91.4cm (36") long and features bound seams



Size	Color	Cat. No.
Universal	White	80080-916

VWR® Chemically Resistant Aprons

- Extra long (57")
- Elastic wrists, open back, bound seams





Description	Length	Color	Cat. No.
Chemically Resistant Apron	145 cm (57")	Yellow	89232-928

VWR® Cryogenic Protective Aprons

- Provides durable protection when handling liquid nitrogen and servicing cryogenic equipment
- Ideal when filling liquid nitrogen supply cylinders and bulk tanks





Size	Cat. No.
61W x 91.4L cm (24 x 36")	97008-290
61W x 106.7L cm (24 x 42")	97008-292
61W x 122L cm (24 x 48")	97008-294

Cat. No. **Utility-Weight Aprons** 68.6W x 91.4L cm (27 x 36") 4 mil 10824-045 10825-048 Mediumweight Apron 68.6W x 91.4L cm (27 x 36") 6 mil 10825-061 Heavyweight Aprons 76.2W x 111.8L cm (30 x 44") 8 mil Heavyweight Aprons 91.4W x 116.8L cm (36 x 46") 8 mil 10824-125

DuPont™ Tychem® ThermoPro Sleeved Aprons with Elastic Wrists

- Single layer, triple-hazard protection from liquidchemical splash, flash fire and electric arc
- Open back, two buckle closure system
- Fabric provides at least 8 hours of protection against 17 of the 21 standard ASTM F1001 chemicals
- 30 minutes of protection for >180 chemical challenges including chemical warfare agents
- Arc rating of 15 cal/cm² Ebt, exceeds NFPA 70E Hazard Risk Category 2 requirement of 8 cal/cm²
- North American Free Trade Agreement (NAFTA) compliant and Trade Agreement Act (TAA) compliant
- Thickness meets ASTM D1117

Size	Color	Cat. No.
X-Large	Gray	10016-690
XX-Large	Grav	10016-678

KLEENGUARD® A20 Breathable Particle Protection Apron, KIMBERLY-CLARK PROFESSIONAL®


- Lightweight, disposable, stain-resistant bonded polypropylene layers
- Triple layer construction, breathable and pliable, extra-long ties
- For lab use, light assembly, and food processing areas



Description	Cat. No.
KLEENGUARD Apron 28 x 40" CS 100	10815-827

BODY PROTECTION

KLEENGUARD® A20 Breathable Particle Protection Apron, Kimberly-Clark®



- MICROFORCE™ Barrier SMS fabric, tearresistant outer layers
- Seamless and breathable protection from submicron sized particles (0.26µm), dry particulates, and light liquid sprays



Size	Color	Cat. No.
71.1W x 116.8L cm (28 x 46")	White	10837-375

Silver Shield®/4H® Coat Aprons, Honeywell Safety

- Compacted five-layer fabric is 2.7mil thick
- Each layer acts as a barrier against various epoxies and industrial chemicals
- Impervious to at least 90% of all organic chemicals for 4 hours at 35°C (95°F)
- Cut from a single piece of film to prevent penetration of liquid chemicals
- Sleeves with flexible wrist openings, buckle closure attached to neckband, two waistbands that tie in the back
- Weight: 198g (7oz.)

Size	WxL	Cat. No.
X-Large	147W x 158L cm (58 x 62")	11000-632
Large	137W x 142L cm (54 x 56")	11000-634

KLEENGUARD® A70 Chemical Spray Protection Smocks, Kimberly-Clark Professional®

- Chemical spray protection smocks are constructed of a 1.5mil polyethylene film-coated, spunbond polypropylene fabric
- Seamless design, soft and durable fabric, and a wick-away lining for increased comfort
- NFPA 99 compliant for antistatic material



Vinyl Coat Aprons, Ansell

- SType 56-910, provide excellent protection when handling acids and caustic solutions
- Made of virgin vinyl, heat-sealed binding at the neck and bottom eliminates leaks caused by exposed elastic and thread
- Back closure consists of two plastic snaps and nylon ties, with no metal parts to cause static or corrosion
- Full-length sleeves provide additional coverage



Vinyl Coat Acid Aprons, Ansell

- sType 56-903, medium- to heavy-duty splash protection
- Constructed of virgin vinyl (PVC), excellent resistance to punctures and abrasion, chemicals, fats, oils, and grease
- For food processing and handling, laboratory, electronics, medical, pharmaceutical, and chemical processing applications
- No exposed elastic or metal parts to cause static or corrosion, no sewn seams, edges are dielectrically sealed
- Eliminates contamination traps and permits cleaning to ISO Class 5 (FED-STD-209E Class 100/M3.5) standards

Size	Thickness	Cat. No.
Small	6 mil	47751-932
Medium	6 mil	47751-934
Large	6 mil	47751-936

DuPont™ ProShield® NexGen™ Bib Apron

- · Disposable
- Antistatic treated
- One size fits all



AlphaTec™ 56-210 Disposable Polyethylene Aprons, Ansell

- Effectively protects workers
- Excellent chemical resistance
- Economical, flexible, and durable



Length	Color	Cat. No.
116.8 cm (46")	White	32891-303
140 cm (55")	White	80093-292



AlphaTec™ 56-009 PVC Aprons, Ansell

- · Effectively protects workers
- · Excellent chemical resistance
- · Superior flexibility



Convertors® Astound® Sterile Back Gowns, Cardinal Health®

• Meets CPSC 16 CFR Part 1610 Standard for the flammability of clothing textiles

Convertors® Nonsterile Standard

Back Gowns, Cardinal Health®

Nonwoven polyester cellulose fabric for

- Tapered sleeves
- · Repels fluid

Description

· Adjustable neck closure

Sterile Gowns with Sterile Back

Sterile Gowns with Sterile Back

Sterile Gowns with Sterile Back

fluid repellency

Disposable



CV9505

CV9515

CV9545

Size	Thickness	Color	Cat. No.
88.9W x 114.3L cm (35 x 45")	6 mils	Blue	32891-268
84W x 124L cm (33 x 49")	6 mils	Blue	80093-236

AlphaTec™ 66-672 Chemical Protection Flame Resistant Bib Overalls, Ansell

- Offers HRC Level 2 arc flash protection
- Increases chance of survival from exposure to thermal hazards
- · Does not sustain a flame and no melting or dripping during flammability testing
- Chemical-resistant stitching and taped seams ensure superior performance
- · Tough and durable fabric
- · Anti-static properties



Size	Color	Cat. No.
Large	Blue	CV9841N

Size	Color	Cat. No.
Large	Blue	80093-552
X-Large	Blue	80093-554

Cryo-Apron® Aprons, Tempshield

- · Protects against cryogenic atmospheres and splashes
- Light and comfortable, reversible with two (2) 100% water proof liners



Description	WxL	Cat. No.
Cryogenic Apron, Waterproof	24 x 42"	89511-881
Cryogenic Apron, Waterproof	24 x 48"	89511-882

VWR® Maximum Protection Gowns made with Impervious Fabric

- Full protection from fluids and light chemical splash
- Manufactured from fluid-impervious material
- · Lowest level of particle shedding
- · Clean, low-linting fabric





Size	Color	Cat. No.
Large	Blue	414004-469
Large	White	414004-470
X-Large	White	414004-471

Universal size Knit cuff



Small/Medium

Large

X-Large

DuPont™ Isolation Gowns

- Unisex
- Elastic wrist
- · Neck and waist ties



Description	Size	Color	Cat. No.
Single-Layer Spunbound Polypropylene	Universal	Yellow	CV1100PG
Single-Layer Spunbound Polypropylene	Universal	Blue	CV1200PG
Tri-Layer SMS Fabric	X-Large	Yellow	CV2101PG

DuPont™ Tyvek® IsoClean® Gown

- · Balance of protection, durability and comfort
- One size fits most
- · Serged seams, knit cuff, bound waist ties



Color	Cat. No.
White	80076-996

Don't let your lab workers become a statistic



Protect them from risk with head-to-toe solutions from Kimberly-Clark Professional*

Introducing the NEW Kimtech* A7 Certified Liquid Barrier Gown



Size	Cat. No.
X-small	32933-968
Small	32933-970
Medium	32933-972
Large	32933-974
X-large	32933-976

KIMTECH*

KIMBERLY-CLARK® Three-Layer Procedure Gowns, KIMBERLY-CLARK PROFESSIONAL®

- Three-layer SMS fabric for lightweight and breathable protection
- Resistant to blood strikethrough, protects against light-to-moderate fluid contact
- Velcro® neck closure, knit cuffs, full back, and tie waist for secure and comfortable fit
- · Nonsterile and latex free



VWR® Basic Protection Industrial Coveralls

- · Made of durable and comfortable material
- Non-woven coveralls are ideal for use in a variety of industrial, food and beverage, warehouse, or visitor applications





NEW

Size	Color		Cat. No.
Universal	Blue		89025-980
X-Large	Blue		89025-982
MINADEDIN CLAS	N/® IIITDA C	1	

KIMBERLY-CLARK® ULTRA Surgical Gown, Sterile, KIMBERLY-CLARK PROFESSIONAL®

- Low-Linting, Nonwoven Proprietary Fourth Generation SMS Fabric
- Raglan Sleeves and Adjustable Neckline with Hookand-Loop Closure Provides Comfortable Fit
- · Color-Coded Neck Binding
- Book Fold
- Latex Free and Sterile

Description	Size	Cat. No.
ULTRA Surgical Gown	XX-Large	82003-810

VWR® Basic Protection SMS Coveralls

- Multilayer SMS material protection
- Light fluid and particulate barrier
- · Excellent breathability
- No pockets
- · Serged seams





Description	Size	Color	Cat. No.
Standard Coveralls	X-Large	Blue	414004-324
Standard Coveralls	XX-Large	Blue	414004-322
Standard Coveralls	3X-Large	Blue	414004-323



4X-Large

VWR® Basic Protection White SPP Coveralls

VWR® Basic Protection Industrial Coverall

- · Economical, disposable first-line barrier
- · Maximum breathability
- · Low linting





75874-292

Size	Color	Cat. No.
X-Large	White	414004-339
XX-Large	White	414004-338
3X-Large	White	414004-337

BODY PROTECTION

VWR® Basic Protection **Blue SPP Coveralls**

- Economical, disposable first-line barrier
- · Maximum breathability
- · Low linting





Size	Color	Cat. No.
XX-Large	Blue	89208-742

KLEENGUARD® A30 Breathable Splash and Particle Protection Coveralls, KIMBERLY-CLARK PROFESSIONAL®



- · Cloth-like and abrasion-resistant outer layer
- Microfiber middle layer filters out many water-based liquids and dry particulates
- Feature zipper front with flap and elastic back



Size	Color	Cat. No.
Elastic Back, Wrist	s, and Ankles	
Large	White	82003-878
XX-Large	White	82003-882
Elastic Back, Wrist	s, Ankles, and Hood	
Large	White	82003-890
X-Large	White	82003-892
3X-Large	White	82003-896

DuPont™ ProShield® Basic Coveralls with Open Wrists and Ankles

- Polypropylene SMS fabric
- · Laydown collar
- · Comfort, softness, and breathability
- Disposable
- Thickness meets ASTM D1117



Size	Color	Cat. No.
XX-Large	Blue	10016-742
4X-Large	Blue	10016-746
X-Large	White	10016-180
XX-Large	White	10016-162

VWR® Advanced **Protection Coveralls**

- · Significant fluid and particulate barrier
- Durable, lightweight fabric
- Excellent breathability and water vapor transmission rate
- · Soft tactile feel



Description	Size	Color	Cat. No.
Coveralls	X-Large	White	414004-293
Coveralls	XX-Large	White	414004-291
Coveralls with Elastic Hood and Fluid-Impervious Boot Covers	X-Large	White	414004-299
Coveralls with Elastic Hood and Fluid-Impervious Boot Covers	3X-Large	White	414004-301

KLEENGUARD® A10 Light Duty Coveralls, Kimberly-Clark Professional®

- · Light duty, disposable; protects against dirt, grime, and dry particulates in nonhazardous environments
- Lightweight, spunbond polypropylene fabric is breathable, cool, and comfortable
- · For use in food processing, manufacturing, and general maintenance
- Coveralls adhere to ANSI/ISEA 101 sizing standards



Description	Size	Color	Cat. No.
Coveralls with Zipper Front Closure, Elastic			
Wrists, and Attached Hood	XX-Large	White	89413-172
Coveralls with Zipper Front Closure, Elastic			
Wrists, and Attached Hood	Large	White	89413-178

VWR® Maximum Protection Coveralls

- · Superior fluid and particulate barrier
- · Lowest level of particle shedding
- Light chemical-splash resistance
- · Breathable to ensure user comfort
- · Soft, cloth-like fabric with maximum tear strength
- · Bonded seam option available





Size	Color	Cat. No.
Coveralls		
XX-Large	White	414004-310
3X-Large	White	414004-312
Coveralls with Ho	od and Fluid Impervious Boots	
X-Large	White	414004-305
3X-Large	White	414004-683
Coveralls with Att	ached Non-Skid Boot Covers with PVC	Sole
X-Large	White	414004-317
3X-Large	White	414004-319

DuPont™ Tyvek® Hooded Coveralls

- · Flashspun, high-density polyethylene
- Barrier to particles down to 1 micron in size
- Serged seams, front zipper closure
- · Respirator hood with elastic face
- · Elastic waist, wrist, and ankle
- · Attached skid-resistant boots
- Thickness meets ASTM D1777





VWR Signature™ Hooded **Coveralls made with DuPont™** Tyvek® IsoClean® Material

- · Protective, durable, and comfortable
- · Excellent barrier against dry particulates, nonhazardous liquids, and microorganisms
- · Chemically and biologically inert, low linting, and static free until laundered
- · Serged seams, front zipper closure, elastic wrists, and attached hood
- · Available with elastic ankles, or with attached boots that feature polyethylene anti-skid soles



Description	Size	Color	Cat. No.
Hooded Coveralls with Elastic Ankles	Medium	White	89012-812

VWR Signature™ Coveralls made with **DuPont™ Tyvek® IsoClean® Material**

- · Protective, durable, and comfortable
- · Excellent barrier against dry particulates, nonhazardous liquids, and microorganisms
- · Chemically and biologically inert, low linting, and static free until laundered
- · Serged seams, laydown collar, front zipper closure, and elastic wrists
- · Available with elastic ankles, with attached Gripper™ boots, or with attached boots and hood
- · Boot attachments combine embossed PVC exterior sole with textured interior to ensure secure, nonslip fit and feel



Description	Size	Color	Cat. No.
Coveralls with Elastic Ankles	X-Large	White	89012-828
Coveralls with Elastic Ankles	XX-Large	White	89012-830
Coveralls with Attached Boots	Large	White	80200-622
Coveralls with Attached Boots	X-Large	White	80200-624
Coveralls with Attached Boots	XX-Large	White	80200-626
Coveralls with Attached Boots and Hood	Large	White	89128-782
Coveralls with Attached Boots and Hood	X-Large	White	89128-784

VWR® Irradiated Coveralls

- Excellent fluid and particulate barrier
- Extremely low level of particle shedding
- · Superior breathability and water vapor transmission rate
- · Soft, cloth-like fabric





Size	Color	Cat. No.			
Coveralls with Attached Hood and Fluid-Impervious Boot Covers					
Medium	White	414004-450			
X-Large	White	414004-452			
Standard Coveralls					
X-Large	White	414004-446			
XX-Large	White	414004-447			

VWR® Sterile Coveralls, 10-6 SAL

- Gamma irradiated to SAL 10⁻⁶
- · Durable fabric
- Excellent breathability
- · Suitable for ISO Class 5 or higher cleanrooms
- Individually bagged





Description	Size	Length	Color	Cat. No.
Disposable Non-Woven Sterile Coverall	X-Large	178 cm (70.1")	White	89523-464
Disposable Non-Woven Sterile Coverall	XX-Large	183 cm (72.1")	White	89523-466
Disposable Non-Woven Sterile Coverall	3X-Large	186 cm (73.2")	White	89523-468

DuPont™ Tyvek® IsoClean® Coveralls

- Flashspun polyolefin
- Effective barrier to dry particles, microorganisms, and nonhazardous liquids
- · Dolman sleeves, elastic wrist and ankle
- · Bound seams, bound neck, zipper closure



DuPont™ ProShield® NexGen® Coveralls with Respirator Fit Hood

- Longer zipper extends to chin for complete coverage of neck area
- · Storm flap of garment material covers zipper
- · Elastic opening for tighter fit at wrist and ankle
- Thickness meets ASTM D751



KIMTECH PURE® A5 Sterile Cleanroom Apparel, KIMBERLY-CLARK PROFESSIONAL®

- · High standard of protection and comfort
- · Cloth-like SMS material, contains no natural rubber or latex
- · Manufactured in ISO-certified facility, individually bagged under cleanroom conditions
- · Optional hoods and boot covers designed for use with coveralls



Description	Size	Color	Sterility	Cat. No.
Coveralls	Medium	White	Sterile	89092-900
Coveralls	X-Large	White	Sterile	89092-904
Coveralls	XX-Large	White	Sterile	89092-906

BODY PROTECTION

DuPont™ Tychem® SL Coveralls with Standard Fit Hood, Elastic Wrists, and Attached Socks

- Front zipper closure with adhesive storm flap
- Heat-sealed sewn seams are chemically resistant
- · Standard hood with elastic face opening
- Fabric provides at least 30 minutes of protection against >124 chemical challenges
- Thickness meets ASTM D1777



Description	Size	Height	Width	Chest Size	Color	Inseam	Sleeve	Cat. No.
Tychem® SL (Coveralls v	vith Bound	Seams					
Coveralls	X-Large	5'8" - 6'2"	271/4"	411/4 - 443/4"	White	291/2"	361/2"	10010-158
Coveralls	XX-Large	6'0" - 6'4"	283/4"	$44^{1}/_{4} - 47^{3}/_{4}^{\prime\prime}$	White	$30^{1}/_{2}''$	381/4"	10010-160
Tychem® SL (Coveralls v	vith Taped S	Seams					
Coveralls	XX-Large	6'0" - 6'4"	283/4"	441/4 - 473/4"	White	301/2"	381/4"	13451-040
Coveralls	3X-Large	6'2" - 6'4"	301/4"	471/4 - 503/4"	White	311/2"	381/2"	13451-042

DuPont™ Tychem® SL Coveralls with Standard Fit Hood and Elastic Wrists & Ankles

- Taped seams chemically resistant
- Sewn seam covered with heat sealed material
- · Attached hood with elastic face opening
- Front zipper closure with adhesive storm flap
- · Elastic wrist and ankle



Size	Height	Width	Chest Size	Color	Inseam	Sleeve	Cat. No.
Tychem®	SL Coveralls	with Boun	d Seams				
Large	5'5" - 5'9"	253/4"	381/4 - 413/4"	White	29"	35"	10010-170
X-Large	5'8" - 6'2"	271/4"	411/4 - 443/4"	White	291/2"	36 ¹ / ₂ "	10010-172
Tychem®	SL Coveralls	with Tape	d Seams				
X-Large	5'8" - 6'2"	271/4"	411/4 - 443/4"	White	291/2"	36 ¹ / ₂ "	13451-626
XX-Large	6'0" - 6'4"	28 3/4"	441/4 - 473/4"	White	$30^{1}/_{2}''$	38 ¹ / ₄ "	13451-628

DuPont™ Tychem® SL Coveralls with Laydown Collar and Elastic Wrists & Ankles, White

- Taped seams resist chemical splashes
- Sewn seam covered with heat sealed, chemical-resistant material
- · Laydown collar
- Front zipper closure with adhesive storm flap
- Elastic wrist and ankle



Size	Height	Width	Chest Size	Color	Inseam	Sleeve	Cat. No.
Tychem®	SL Coveralls	with Boun	d Seams				
Large	5'5" - 5'9"	253/4"	381/4 - 413/4"	White	281/2"	35"	13451-068
X-Large	5'8" - 6'2"	271/4"	411/4 - 443/4"	White	29"	36 ¹ / ₂ "	13451-070
Tychem®	SL Coveralls	with Tape	d Seams				
Large	5'5" - 5'9"	253/4"	381/4 - 413/4"	White	281/2"	35"	13451-596
XX-Large	6'0" - 6'4"	28 ³ / ₄ "	441/4 - 473/4"	White	30"	381/4"	13451-604


DuPont™ Tychem® QC Coveralls with Standard Fit Hood and Elastic Wrists & Ankles

- · Respirator fit hood with elastic face opening
- Front zipper closure covered by storm flap
- · Elastic wrist and ankle

Size	Color	Cat. No.
Tychem® QC Cove	eralls with Bound Seams	
Large	Yellow	10010-254
X-Large	Yellow	10010-256
Tychem® QC Cove	eralls with Taped Seams	
X-Large	Yellow	10010-436
3X-Large	Yellow	10010-440

DuPont™ Tychem® QC Coveralls with Laydown Collar and Elastic Wrists & Ankles

- Front zipper closure with adhesive storm flap
- · Elastic wrist and ankle
- · High visibility color



DuPont™ Tychem® QC Coveralls with Standard Fit Hood, Elastic Wrists, & Attached Socks

- Comfortable, lightweight, durable fabric
- Front zipper closure with adhesive storm flap
- · Standard hood with elastic face opening
- Minimum 30 minutes of protection against 42 chemical challenges

Yellow

• Thickness meets ASTM D1777

X-Large







10016-386

DuPont™ Tychem® BR Coveralls

- · Taped seams film composite for chemicals
- · Respirator hood with elastic face opening
- Front zipper closure covered by storm flap
- · Elastic wrist and ankle



Size	Cat. No.
X-Large	10010-286
XX-Large	10010-288

HAZARD-GARD® II Level B/C Coveralls, Kimberly-Clark®

- · For hazardous material handling and chemical barrier protection
- Durable, lightweight fabric laminated with SARANEX® 23-P film exterior
- · Comfortable cloth-like interior
- No-seams front design for splash protection
- Available with bound or taped seams (Taped seams use SARANEX® 23-P film)
- · Zipper front with storm flap

Description	Size	Color	Seam Type	Cat. No.
Elastic Wrists and Hood, Open Ankles, without Boots	3X-Large	White	Taped Seams	82004-008
Elastic Wrists and Hood, Open Ankles, without Boots	4X-Large	White	Taped Seams	82004-010
Elastic Wrists and Hood, Open Ankles, Attached Boots	X-Large	White	Taped Seams	82004-014
Elastic Wrists and Hood, Open Ankles, Attached Boots	XX-Large	White	Taped Seams	82004-016
Elastic Wrists and Hood, Open Ankles, Attached Boots	3X-Large	White	Taped Seams	82004-018

KLEENGUARD® A60 Bloodborne Pathogen and Chemical Splash Protection Coveralls, Kimberly-Clark Professional®

- · Seamless front ensures increased protection in the primary exposure areas
- Patented REFLEX™ design is 7.5 times less likely to rip out than ANSI minimums
- Provides 12% more chest room and 6% longer body length for a more comfortable fit
- · Zipper front





KLEENGUARD® A70 Chemical Spray Protection Coveralls, Kimberly-Clark Professional®

- For use in hazardous waste remediation, environmental cleanup, petrochemical/oil refining, acid/caustic handling, biohazard cleanup, and pharmaceutical manufacturing applications
- · Features bound seams for increased protection
- · Durable, breathable, and comfortable
- Manufactured from NFPA 99 compliant antistatic material
- · Wick-away lining provides enhanced comfort during extended use

Description	Size	Color	Seam Type	Cat. No.
Elastic Wrists, Ankles, and Hood	Medium	Yellow	Bound	89030-822
Elastic Wrists, Ankles, and Hood	X-Large	Yellow	Bound	89030-826
Elastic Wrists, Hood, and Boots	Large	Yellow	Bound	89030-836
Elastic Wrists, Hood, and Boots	XX-Large	Yellow	Bound	89030-840

AlphaTec™ 66-677 Chemical Protection Flame Resistant Coveralls, Ansell

- Offers HRC Level 2 arc flash protection
- Increases chance of survival from exposure to thermal hazards
- · Does not sustain a flame and no melting or dripping during flammability testing
- Chemical-resistant stitching and taped seams ensure superior perform
- · Tough and durable fabric
- · Anti-static properties

Size	Color	Cat. No.
X-Large	Blue	80093-567
XX-Large	Blue	80093-569

AlphaTec™ 66-670 Chemical Protection Flame Resistant Jackets, Ansell

- Offers HRC Level 2 arc flash protection
- · Increases chance of survival from exposure to thermal hazards
- Does not sustain a flame and no melting or dripping during flammability testing
- · Chemical-resistant stitching and taped seams ensure superior performance
- Tough and durable fabric
- · Anti-static properties

Size	Color	Cat. No.
Large	Blue	80093-543
X-Large	Blue	80093-545

Microchem® by AlphaTec™ 68-1500 **PLUS FR Flame Retardant Coveralls** with Serged Seams, Ansell

- Flame retardant
- Air and water vapor permeable to help reduce the risk of heat stress
- · Optimized body fit when worn over heat and flame protective clothing (EN ISO 14116 Index 2 or above)
- Antistatic tested according to FN1149-5

Milistati	c tested according	to LIVITIAS S		
Size	Material	Color	Seam Type	Cat. No.
Model 103	Coveralls with Colla	ır		
X-Large	SMMS	Navy	Serged	10836-288
2X-Large	SMMS	Navy	Serged	10836-484
Model 111	Coveralls with 3-Pie	ce Hood		
X-Large	SMMS	Navy	Serged	10836-296
2X-Large	SMMS	Navy	Serged	10836-298







BODY PROTECTION

Pyrolon® Plus 2 Coveralls, Lakeland

- Coveralls feature a zipper front, attached hood, and elastic wrists and ankles
- · Quality standards meet ANSI/ISEA 101-1996



Size	Color	Cat. No.
XX-Large	Blue	33500-674
3X-Large	Blue	33500-676

Rightcycle® Recycling Program for Garments or Gloves, Kimberly-Clark Professional®

- · Diverts waste from landfill
- · Easy and affordable
- · Achieve or exceed sustainability goals



Description	Cat. No.
Rightcycle® Garment Recycling Program; You Pay Shipping Only!	89429-354
Rightcycle® Gloves Recycling Program; You Pay Shipping Only!	89429-356

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

DuPont™ ProShield® 6 SFR Coveralls with Standard Fit Hood, Elastic Wrists, and Attached Socks

- · Attached hood with elastic face opening
- Elastic wrist
- · Front zipper closure
- · Attached socks

• Serged seams		3 4
Size	Color	Cat. No.
XX-Large	Blue	13453-006
3X-Large	Blue	13453-008

DuPont™ ProShield® 6 SFR Coveralls with Standard Fit Hood and Elastic Wrists and Ankles

- Attached hood with elastic face opening
- · Elastic wrist
- Front zipper closure
- · Attached socks
- · Serged seams

Size	Color	Cat. No.
XX-Large	Blue	13452-978
3X-Large	Blue	13452-980

DuPont™ ProShield® 6 SFR Coveralls with Laydown Collar and Open Wrists and Ankles

- Laydown collar
- Open wrists and ankles
- Front zipper closure
- Serged seams



PREVAIL™ Flame-Resistant Coveralls, Kimberly-Clark®

- · Comfortable, breathable, and durable fabric resists tearing
- Design meets the ANSI/ISEA 101-1996 sizing standard
- Blue fabric



Flame Resistant Denim Work Jeans with Max Comfort™ Material, MCR Safety

- Enzyme wash for softness, comfort, and look
- 8 single needle topstitch at top of outseam for durability
- NFPA 2112, NFPA 70E, UL Certified

Size	Thickness	Color	Cat. No.
32-34	14.75 oz.	Denim	10813-322
34-30	14.75 oz.	Denim	10813-326

Flame Resistant CC1 Contractor Coveralls with Max Comfort™ Material, MCR Safety

- 100% cotton material, lifetime FR guarantee
- Two needle reinforced stitching on major seams for durability
- Heavy-duty two-way YKK® brass break-away zipper with Neomex® tape
- · Multiple pockets on chest, hips, back and leg
- NFPA 2112, NFPA 70E, UL Certified

Size	Thickness	Color	Cat. No.
34	7 oz.	Gray	10812-488
36	7 oz.	Navy Blue	10812-542
38	7 oz.	Red	10812-702
40	7 oz.	Royal Blue	10812-438
42	8 oz.	Tan	10812-762

Flame Resistant Deluxe Reflective Coverall with Max Comfort™ Material, MCR Safety

- Silver reflective tape on legs, sleeves, and shoulders
- Comfortable 88% cotton 12% Nylon blend
- · Two needle reinforced stitching on major seams for durability
- Heavy-duty two-way YKK® brass break-away zipper with Neomex® tape
- Multiple pockets on chest, back, hips, arm and leg
- NFPA 2112, NFPA 70E, UL Certified
- Lifetime FR guarantee

Size	Thickness	Color	Cat. No.
40	7 oz.	Gray	10813-010
44	7 oz.	Red	10813-062





Flame Resistant Long Sleeve Henley Shirt with Max Comfort™ Material, MCR Safety

- 100% FR Cotton
- · Left chest pocket
- Moisture wicking and breathable
- · Rib-knit collar and cuff
- NFPA 2112, NFPA 70E, UL Certified



Size	Thickness	Color	Cat. No.
Medium	7 oz.	Tan	10813-488
Large	7 oz.	Gray	10813-454
X-large	7 oz.	Navy Blue	10813-484

Flame Resistant DC1 Contractor Coveralls with Max Comfort™ Material, MCR Safety

- Comfortable 88% cotton 12% Nylon blend
- Two needle reinforced stitching on major seams for durability
- Heavy-duty two-way YKK® brass break-away zipper with Neomex® tape
- Multiple pockets on chest, back, hips, arm and leg
- NFPA 2112, NFPA 70E, UL Certified
- · Lifetime FR guarantee



			_
Size	Thickness	Color	Cat. No.
34	7 oz.	Gray	10812-852
36	7 oz.	Navy Blue	10812-914
38	7 oz.	Red	10813-548
40	7 oz.	Royal Blue	10812-818
42	7 oz.	Tan	10813-118

Flame Resistant Work Shirt with Max Comfort™ Material, MCR Safety

- Comfortable 88% cotton/12% nylon blend
- · Two chest pockets
- NFPA 2112, NFPA 70E, UL Certified



Size	Thickness	Color	Cat. No.
Medium	6.5 oz.	Gray	10813-394
Large	6.5 oz.	Navy Blue	10813-406
X-large	6.5 oz.	Tan	10813-450

Flame Resistant Classic Vest, ML Kishigo

- Modacrylic blend Flame Resistant solid material
- Flame Resistant hook and loop front closure
- 2" wide Flame Resistant reflective material
- 3 inside pockets
- · Available in Lime and Orange





Description	Size	Color	Cat. No.
Flame Resistant Classic Vest	Large	Lime	75998-234
Flame Resistant Classic Vest	X-Large	Lime	75998-236
Flame Resistant Classic Vest	XX-Large	Orange	75998-252

Flame Resistant Breathable Mesh Vest, ML Kishigo

- · Modacrylic blend Flame Resistant GlenGuard mesh material
- 2" wide breathable reflective material
- · Flame Resistant hook and loop front closure
- 3 inside pockets



Description	Size	Color	Cat. No.
Flame Resistant Breathable Mesh Vest	Large	Lime	75998-220
Flame Resistant Breathable Mesh Vest	X-Large	Lime	75998-222
Flame Resistant Breathable Mesh Vest	XX-Large	Lime	75998-224

Flame Resistant Economy Vest, ML Kishigo

- Modacrylic blend Flame Resistant solid material
- Flame Resistant hook and loop front closure
- 2" wide laminated reflective material
- · 3 inside pockets



Description	Size	Color	Cat. No.
Flame Resistant Economy Vest	Large	Lime	75998-286
Flame Resistant Economy Vest	X-Large	Lime	75998-288
Flame Resistant Economy Vest	XX-Large	Lime	75998-290

Flame Resistant Premium Black Series Mesh Vest, ML Kishigo

- · Modacrylic blend Flame Resistant GlenGuard mesh material
- 2" wide breathable reflective material
- Indura Flame Resistant black bottom and trim
- · Nomex high temp Flame Resistant zipper
- · 3 inside pockets
- · Optional D-Ring access also available

Description	Size	Color	Cat. No.
Premium Black Series Flame Resistant Mesh Vest	Large	Lime	75998-206
Premium Black Series Flame Resistant Mesh Vest	X-Large	Lime	75998-208
Premium Black Series Flame Resistant Mesh Vest	XX-Large	Lime	75998-210

NEW

Crews® Safety Vests, MCR Safety

- Bright orange, polyester mesh vests feature a Velcro® front closure and elastic side straps for secure fitting
- Vests are packaged 12 per poly bag
- Size: universal



Description	Cat. No.
Safety Vest with No Striping	80082-416
Safety Vest with Yellow Striping	80082-419

Crews[®] Class II Traffic Safety Vests, MCR Safety

- 100% polyester tear-away mesh vests are available in two fluorescent colors
- One horizontal 5cm (2") silver reflective strip and two vertical 5cm (2") silver reflective strips
- Velcro® closures on the front, both shoulders, and garment sides allow for quick and easy donning and removal
- Packaged individually in poly bags

Description	Size	LxW	Cat. No.
Fluorescent Lime Vests	X-Large	64.5 x 142.2 cm (25 ¹³ / ₃₂ x 56")	80082-404
Fluorescent Orange Vests	Large	62 x 132 cm (24 ¹³ / ₃₂ x 52")	80082-406

LUMINATOR™ Reflective Safety Vest, MCR Safety

- VCL2SL is an ANSI/ISEA Class 2 value safety vest made of fluorescent lime polyester solid material
- Vest features a hook and loop front closure, 2" silver reflective stripes, two outer pockets, and one inner pocket



Size	Material	Color	Cat. No.
Large	Polyester	Fluorescent Lime	89236-750
2X-Large	Polyester	Fluorescent Lime	89236-754

OccuNomix Two-Tone Surveyor Style Non-Compliant Vest, OccuNomix

- 100% Polyester woven twill
- 3/4" white gloss tape backed by contrasting trim
- 10 pockets; 2 inner lower, 2 outer lower flapped, 4 pen, and 1 divided
- · Zipper style closure
- · Available in Orange and Yellow

Description	Size	Color	Cat. No.
Two-Tone Surveyor Style Vest, with Zipper Closure and 10 Pockets	Large	Orange	75841-086
Two-Tone Surveyor Style Vest, with Zipper Closure and 10 Pockets	X-Large	Yellow	75841-076

PVC/Polyester Garment, Detachable Hood, Snap Front, MCR Safety

- Jacket features a snap front, take-up snaps at the wrists, detachable hood with drawstring, and two front patch pockets
- Bib pants feature a fly front with snap and take-up snaps at the waist and ankles



Size	Material	Thickness	Color	Cat. No.
Large	PVC / Polyester	.35 mm	Yellow	80082-254
2X-Large	PVC / Polyester	.35 mm	Yellow	80082-260

Dominator Pants, Bib style, MCR Safety

- 388BF bib style pant has a plain front (no fly opening), full elastic suspenders for comfort and ease of movement, and take-up snaps at the ankles and waist
- Addditional 10" x 10" reinforced crotch area adds extra durablilty
- Material is treated to be limited flammability



Dominator Two Piece Suit, Attached Hood, MCR Safety

- Jacket features a zipper front, oversized storm flap, attached hood and inner sleeves to prevent splash back
- Bib pants have full elastic suspenders, plain front, take-up snaps at the ankles, and an additional 10" x 10" reinforced crotch for durability
- · Material is treated to be limited flammability

Size	Material	Thickness	Color	Cat. No.
X-Large	PVC / Polyester	.42 mm	Green	80082-328
2X-Large	PVC / Polyester	.42 mm	Green	80082-316

Schooner Poncho, Attached Hood, MCR Safety

- Ponchos are easy to put on and take off, and especially easy to store
- · One size fits all



Material	Thickness	Color	Cat. No.
PVC	.10 mm	Yellow	80082-386
PVC	.10 mm	Red	80082-388
PVC	.10 mm	Clear	80082-390

Three-Piece PVC/Polyester Rainsuits, Honeywell Safety

- Water-resistant protection
- Resistant to abrasions and tearing
- Each three-piece suit includes bib pants, jacket, and hood
- Ideal for use in traffic safety

Size	Color	Cat. No.
Large	Yellow	89022-392
X-Large	Yellow	89022-394

Standard Cooling Vest with Inserts, Allegro

- Outer and inner layers of 100% cotton
- Four pockets
- · Zipper front closure
- Hook and loop shoulder and side closure for snug fit
- · V-shaped neck
- Hook and loop tabs keep inserts secure
- Royal blue fabric







VWR DISPOSABLE GLOVE GUIDE



The VWR Collection line of disposable gloves offers a variety of choices depending on your application. Whether your needs are production, laboratory or industrial focused, we have you covered. With varying material, thickness and length options available it can be difficult to choose the right level of protection. Use the guide below to understand the features of our VWR Disposable Gloves.

CLEANROOM GLOVES, POWDER-FREE

	Product Line	Packed	Static Dissipative	Thickness, Finger	Length	Texture	Cuff	Color	Ambidextrous	Packaging	Cat. No. Series
				NITR	ILE GI	LOVES					
	VWR® CERTICLEAN® Class 10 Nitrile Gloves	ISO Class 4 (FED-STD- 209E Class 10/M2.5)	Yes	6.3 mil	12 in.	Fingertips	Beaded	White	Yes	100/Bag, 10 Bags/ Case	40101-352
	VWR® CERTICLEAN® Class 100 Nitrile Gloves	ISO Class 5 (FED-STD- 209E Class 100/M3.5)	Yes	6.3 mil	10 in.	Fingertips	Beaded	White	Yes	100/Bag, 10 Bags/ Case	40101-222
	VWR® Maximum Protection Class 10 Nitrile Gloves	ISO Class 4 (FED-STD- 209E Class 10/M2.5)	Yes	5.9 mil	12 in.	Fingers	Tapered, Beaded	White	Yes	100/Bag, 10 Bags/ Case	89130-846
	VWR® Advanced Protection Class 100 Nitrile Gloves	ISO Class 5 (FED-STD- 209E Class 100/M3.5)	Yes	5.9 mil	12 in.	Fingers	Tapered, Beaded	White	Yes	100/Bag, 10 Bags/ Case	89130-836
				LATI	EX GL	OVES					
CERTI Class	VWR° CERTICLEAN°	ISO Class 4 (FED-STD-	No	8.7 mil	12 in.	Fully Textured	Tapered, Beaded	Natural	Yes	100/Bag, 10 Bags/ Case	40101-146
	Class 10 Latex Gloves	209E Class 10/M2.5)	No	8.7 mil	12 in.	Fully Textured	Tapered, Beaded	Natural	Hand-Specific	50 Pair/ Bag, 4 Bags/ Case	40101-044
. Me		No ISO Class 5 FED-STD-	No	8.7 mil	10 in.	Fully Textured	Beaded	Natural	Yes	100/Bag, 10 Bags/ Case	40101-142
	Class 100 Latex Gloves	209E Class 100/M3.5)	No	8.7 mil	12 in.	Fully Textured	Beaded	Natural	Yes	100/Bag, 10 Bags/ Case	40101-158





GENERAL USE GLOVES, POWDER-FREE

	Product Line	Feature	Material	Chemo Rated	Thickness, Finger	Length	Texture	Cuff	Color	Packaging	Cat. No. Series
	VWR® MICROGRIP® PURPLE NITRILE® Poly-Coated Powder-Free Gloves	Polymer Coating for Easy Donning	Nitrile	No	5.5 mil	10 in.	Fully Textured	Beaded	Purple	100/Pack, 10 Packs/ Case	40101-346
	VWR® Powder- Free Nitrile Examination Gloves	Everyday Glove, Ideal for Many Applications	Nitrile	Yes	4.7 mil	9 in.	Fully Textured	Rolled, Beaded	Light Blue	100/Pack, 10 Packs/ Case"	82026-424
	VWR® Soft Nitrile Examination Gloves	Exceptional Tactile Sensitivity and Comfort	Nitrile	Yes	3.9 mil	9 in.	Fingers	Beaded	Blue	100/Pack, 10 Packs/ Case	89038-268
	VWR® Nitrile 200 Examination Gloves	Space-saving and Waste- reducing Packaging	Nitrile	Yes	3.1 mil	9 in.	Fingers	Rolled, Beaded	Blue	200/Pack, 10 Packs/ Case	89428-748
	VWR® Nitrile Extended Cuff Exam Gloves	Extended Cuff and Thicker High Risk Protection	Nitrile	Yes	6.1 mil	12 in.	None	Rolled, Beaded	Blue	50/Pack, 10 Packs/ Case	89521-896
	VWR® Polyethylene	Durable Food				12 in.	Fully	Fully N/A Textured N/A		100/Pack, 10 Packs/ Case	32915-224
÷/	Disposable Gloves	and Service Gloves	Polyethylene	No	1.2 mil	21.5 in. (Elbow Length)	Textured		Transparent	100/Pack, 5 Packs/ Case	32915-272



Personal Protection Solutions From Head to Toe!

HAND & ARM PROTECTION

- Disposable Gloves
- Chemical Resistant Gloves
- Temperature Resisitant Gloves
- Cut Resistant Gloves
- Sterile & Cleanroom Gloves
- Glove Liners
- Protective Sleeves

STERLING™ Nitrile and STERLING™ Nitrile-XTRA™ Exam **Gloves, Kimberly-Clark**



- delicate instruments
- Powder free
- 2.8mil (cuff)



Size	Length	Color	Cat. No.
STERLING™ Nitrile			
Small	24.1 cm (9 ¹ / ₂ ")	Gray	89140-818
Medium	24.1 cm (9 ¹ / ₂ ")	Gray	89140-820
Large	24.1 cm (9 ¹ / ₂ ")	Gray	89140-822
STERLING™ Nitrile-	-XTRA™		
Small	30.5 cm (12")	Gray	94023-908
Medium	30.5 cm (12")	Gray	94023-910
Large	30.5 cm (12")	Gray	94023-912


LAVENDER™ Nitrile Exam **Gloves, Kimberly-Clark**

- Latex-free, powder-free, nonsterile, static dissipative
- Ambidextrous, beaded cuffs, textured fingertips
- Thickness: 2.8 mil (finger)



Size	Length	Color	Cat. No.
Small	24.1 cm (9 ¹ / ₂ ")	Lavender	89166-207
Medium	24.1 cm (9 ¹ / ₂ ")	Lavender	89166-209
Large	24.1 cm (9 ¹ / ₂ ")	Lavender	89166-211

Spring Green Nitrile Exam Gloves, Kimberly Clark Professional




- Textured fingertips enhance grip
- Beaded cuffs for added strength and donning ease
- · Free of natural rubber latex
- · Reduced potential for glove-associated allergic reactions
- Superior quality
- AQL exceeds the ASTM 2.5 standard for critical defects (pinholes)
- Recyclable through the RightCycle® by Kimberly-Clark Professional®

Size	Length	Thickness	Color	Cat. No.
Small	22.8 cm (9")	4.7 mil	Spring green	10204-808
Medium	22.8 cm (9")	4.7 mil	Spring green	10204-810
Large	22.8 cm (9")	4.7 mil	Spring green	10204-812

Microflex® 93-243 Gloves, Ansell

- · Ambidextrous
- Textured grip



Size	Length	Thickness	Color	Cat. No.
6.5-7 (Small)	40.6 cm (16")	4.7 mil	Blue	75795-896
7.5-8 (Medium)	40.6 cm (16")	4.7 mil	Blue	75795-898
8.5-9 (Large)	40.6 cm (16")	4.7 mil	Blue	75795-900

MidKnight™ Nitrile Examination **Gloves, Microflex®**

- Powder free, fully textured for firm grip
- Exceptional tactile sensitivity, comfort, and durability
- · Distinct color masks stains
- Thickness: 5.5mil (finger)

Size	Length	Color	Cat. No.
Small	24.5 cm (9 5/8")	Black	94001-366
Medium	24.5 cm (9 5/8")	Black	94001-368
Large	24.5 cm (9 5/8")	Black	94001-370

Supreno® SE Powder-Free **Nitrile Gloves, Microflex®**

- · Soft, powder-free
- Formulated for improved strength and comfort
- Thickness: 7.9 mil (finger)





HAND & ARM PROTECTION

XCEED™ Powder-Free Nitrile Examination Gloves, Microflex®

- · First ergonomic-certified exam glove in the industry
- Beaded cuffs
- Superior barrier protection
- · Scientifically designed to reduce muscle effort
- Thickness: 3.5 mil (finger)



Size	Length	Color	Cat. No.
Small	23.5 cm (9 1/4")	Blue	89174-540
Medium	23.5 cm (9 1/4")	Blue	89174-542
Large	23.5 cm (9 1/4")	Blue	89174-544

Aloe Sense Nitrile Exam Gloves, Powder-Free, Microflex®

- · Exceptional tactile sensitivity and comfort
- · Extra sensitivity with soothing aloe
- Thickness: 3.5 mil (finger)



Size	Length	Color	Cat. No.
Small	24 cm (9.5")	Blue	89427-560
Medium	24 cm (9.5")	Blue	89427-562
Large	24 cm (9.5")	Blue	89427-564

TouchNTuff® 92-675 Nitrile Gloves, Disposable, Ansell

- Rolled cuffs
- Ambidextrous
- Durable, yet soft for improved comfort
- Powder-free
- Static-dissipative

Size	Length	Thickness	Color	Cat. No.
Small	24.1 cm (9.5")	5 mil	Blue	32889-884
Medium	24.1 cm (9.5")	5 mil	Blue	32889-886
Large	24.1 cm (9.5")	5 mil	Blue	32889-888





- Powder-free, more comfortable fit than other nitrile gloves
- Puncture resistant, same AQL as surgical gloves to ensure barrier protection
- · Ambidextrous, no-slip grip, beaded cuff
- Meet or exceed the bacteriophage penetration test as established by ASTM F1671

Size	Length	Thickness	Cat. No.
Textured Gloves			
Small	24.1 cm (9 ¹ / ₂ ")	4.3 mil	PH8816NB
Medium	24.1 cm (9 ¹ / ₂ ")	4.3 mil	PH8817NB
Large	24.1 cm (9 ¹ / ₂ ")	4.3 mil	PH8818NB
Fully Textured Glo	ves		
Small	24.1 cm (9 ¹ / ₂ ")	4.1 mil	PH8855NSB
Medium	24.1 cm (9 ¹ / ₂ ")	4.1 mil	PH8856NMB
Large	24.1 cm (9 ¹ / ₂ ")	4.1 mil	PH8857NLB
XP Extra Protectio	n Gloves		
Small	29.2 cm (11 ¹ / ₂ ")	5.8 mil	76183-734
Medium	29.2 cm (11 ¹ / ₂ ")	5.8 mil	76183-732
Large	29.2 cm (11 ¹ / ₂ ")	5.8 mil	76183-730

Esteem[®] Stretchy Nitrile Gloves with Neu-Thera[®] Formulation, Cardinal Health[®]

- Lined with same ingredients found in physicianrecommended hand lotions
- · Powder-free, latex-free
- Fully textured
- Meet or exceed ASTM D3578, pass ASTM F1671 bacteriophage penetration test
- Thickness: 4.9 mil (finger)

Size	Length	Color	Cat. No.
Small	24.1 cm (9 ¹ / ₂ ")	Blue	89021-876
Medium	24.1 cm (9 ¹ / ₂ ")	Blue	89021-878
Large	24.1 cm (9 ¹ / ₂ ")	Blue	89021-880

Esteem® TRU-BLU™ Nitrile Examination Gloves, Cardinal Health®

- Beaded cuff resists tearing and minimizes cuff rolldown
- Microtextured for excellent grip in wet or dry applications
- Ambidextrous
- Thickness: 5.1 mil (finger)









Superior Hand Protection for the Life Sciences

Since 1984, SW has developed gloves to meet and exceed the stringent demands of biotech, life science, pathology, pharmaceutical and university laboratories. SW manufacturing uses only premium raw materials and state-of-the-art processes delivering unmatched quality and consistency. SW dedication to meaningful innovation delivers superior protection, hand health benefits and improved productivity.



SW has developed hand protection technologies that deliver the performance, protection and comfort you demand.

ÁCTIValoe



Aloe vera soothes and moisturizes for improved skin health and appearance.

DriTek



Sweat management improves comfort and dexterity.

TouchTek



Reduce risk of skin irritation and sample contamination.

MilTek



Thickness control delivers tear-resistant cuff, barrier safety and optimal tactility.

TracTek



High performance wet grip provides maximum control.

pH Natural[®]



Proprietary pH balance technology helps maintain natural defenses.

Hydrex® Nitrile DriTek® Exam Gloves



- Fully textured grip
- DriTek layer for comfort and easy donning
- Ultra-Durable ANSI Level 3 Abrasion resistance
- Thickness 6.9 mil

Size	Cat. No.
X-Small	76050-998
Small	76051-000
Medium	76051-002
Large	76051-004
X-Large	76051-006
2X-Large	76051-008

AloeForm® X6 Nitrile ACTIValoe® **Exam Gloves**



- Fully textured grip
- Patented ACTIValoe soothes dry irritated hands
- Tested for use with chemotherapy drugs
- Thickness 5.9 mil

Size	Cat. No.
X-Small	76053-590
Small	76053-592
Medium	76053-086
Large	76053-088
X-Large	76053-090
2X-Large	76053-092

Color-Q® Nitrile pH **Natural Exam Gloves**





- Fully textured grip
- pH Natural maintains healthy skin pH
- 2-ply dual color for visual breach detection
- UL / NFPA 1999 certified
- Thickness 5.1 mil

Size	Cat. No.
X-Small	76050-976
Small	76050-978
Medium	76050-980
Large	76050-982
X-Large	76050-984
2X-Large	76050-986

HAND & ARM PROTECTION



Unique Certifications







PowerForm® Nitrile Exam Gloves





- Fully textured grip
- UL / NFPA 1999 certified
- Extended 12" cuff for extra coverage and protection
- Tested for use with chemotherapy drugs
- Thickness 7.1 mil

Size	Cat. No.
X-Small	76051-194
Small	76051-196
Medium	76051-198
Large	76051-200
X-Large	76051-202
2X-Large	76051-204

PowerForm® X5+ Nitrile Exam Gloves





- Fully textured grip
- Excellent tactile sensitivity
- Extended 12" cuff for extra coverage and protection
- Thickness 5.9 mil

Size	Cat. No.
X-Small	76051-228
Small	76051-230
Medium	76051-232
Large	76051-180
X-Large	76051-182
2X-Large	76051-184
-	

PowerForm® S8+ Nitrile Industrial Gloves w/TracTek





- Patent pending TracTek grip
- 2-ply dual color for visual breach detection
- ANSI Level 2 Puncture resistance
- Length 11"
- Thickness 7.0 mil

Size	Cat. No.
X-Small	76051-170
Small	76051-172
Medium	76051-174
Large	76051-176
X-Large	76051-178
2X-Large	76051-226

Supercede® X4 Nitrile Exam Gloves





- Fully textured grip
- High tactile sensitivity
- Tested for use with chemotherapy drugs
- Thickness 4.3 mil

Size	Cat. No.
X-Small	76051-080
Small	76051-082
Medium	76051-084
Large	76051-046
X-Large*	76051-048

Vertex® X6 Nitrile Exam Gloves





- Fully textured grip
- UL / NFPA 1999 certified
- Durable, tear resistant cuff secure donning
- Thickness 5.1 mil

Size	Cat. No.
X-Small	76051-098
Small	76051-186
Medium	76051-126
Large	76051-128
X-Large	76051-130

NeoForm® X8 Neoprene Exam Gloves





- Excellent broad-range chemical resistance
- Ultra-soft and stretchable for comfort and grip
- Tested for use with chemotherapy drugs
- Thickness 6.2 mil

Size	Cat. No.
X-Small	76051-220
Small	76051-222
Medium	76051-224
Large	76051-156
X-Large	76051-188

Flexal™ Nitrile Examination **Gloves. Cardinal Health®**

- · An alternative to latex
- Textured fingertips improve grip even when wet
- · Larger box counts
- Powder-free

• Thickness: 3.9	mil (finger)	
Size	Color	Cat. No.
Small	Purple	89194-776
Medium	Purple	89194-778
Large	Purple	89194-780

AMBITEX® High Visibility Nitrile **Powder-Free Gloves, N6201T** Series, Cardinal Health®

- Highly visibile orange color for clear distinction
- Heavyweight to withstand the toughest tasks
- Extended cuff for added forearm protection
- · Textured surface for improved grip
- Thickness: 6 mil (finger)

Size	Color	Cat. No.
Small	Orange	10860-882
Medium	Orange	10860-864
Large	Orange	10860-846

N-DEX™ Ambidextrous Powder-Free Nitrile Gloves, Best® Manufacturing

- Ambidextrous
- Powder-free
- · Rolled cuffs
- · Smooth finish
- · Green gloves offer high visibility

Size	Length	Thickness	Color	Packaging	Cat. No.
N-DEX™ (Original Gloves				
X-Large	24.1 cm (9 ¹ / ₂ ")	4 mil	Blue	Dispenser Box	47746-950
Large	24.1 cm (9 ¹ / ₂ ")	4 mil	Blue	Dispenser Box	47746-952
Small	24.1 cm (9 ¹ / ₂ ")	4 mil	Blue	Dispenser Box	47746-956
N-DEX™ F	ree Gloves				
Small	24.1 cm (9 ¹ / ₂ ")	4 mil	Green	Dispenser Box	47742-970
Medium	24.1 cm (9 ¹ / ₂ ")	4 mil	Green	Dispenser Box	47742-972
Large	24.1 cm (9 ¹ / ₂ ")	4 mil	Green	Dispenser Box	47742-974

BEST® Nitrile Disposable Gloves, Showa Best Glove

- Gloves feature a rolled cuff and a textured grip
- Economy grade



Size	Length	Thickness	Color	Cat. No.
Small	24.1 cm (9 ¹ / ₂ ")	4 mil	Blue	12000-148
Medium	24.1 cm (9 ¹ / ₂ ")	4 mil	Blue	12000-150
Large	24.1 cm (9 1/2")	4 mil	Blue	12000-152

Showa 6110PF Powder-Free Nitrile Gloves, Showa Best Glove

- Powder Free
- Ambidextrous
- · 100% Nitrile



Size	Length	Thickness	Color	Cat. No.
Small	240mm (9.5")	4.0 mil	Green	10842-382
Medium	240mm (9.5")	4.0 mil	Green	10842-384
Large	240mm (9.5")	4.0 mil	Green	10842-386

N-DEX® Nitrile, 4 mil, Black, **Powder-Free, Industrial Glove, Showa Best Glove**

- · Static dissipative
- · Textured finger tips
- Silicone-free
- Black color finish for industrial applications



Size	Length	Color	Cat. No.
Small	24.1 cm (9.5")	Black	75934-314
Medium	24.1 cm (9.5")	Black	75927-838
Large	24.1 cm (9.5")	Black	75927-840

N-DEX® Nitrile, 4 mil, Powder-Free, 9.5", Medical Exam Glove, **Bagged, Showa Best Glove**

- Bagged packaging to keep product safe
- · Low modulus formulation for comfort
- Textured finger tips for added grip



Size	Length	Color	Cat. No.
Small	24.1 cm (9.5")	Blue	76012-926
Medium	24.1 cm (9.5")	Blue	76012-928
Large	24.1 cm (9.5")	Blue	76012-930

N-DEX® Nitrile, 5 mil, Powder-Free, 12", Medical Exam Glove, **Bagged, Showa Best Glove**

- Bagged version for added product protection
- 12" length for additional protection of the wrist
- · Low modulus formulation for added comfort



Size	Length	Color	Cat. No.
Small	30.5 cm (12")	Blue	76013-050
Medium	30.5 cm (12")	Blue	76013-052
Large	30.5 cm (12")	Blue	76013-054

Microflex® 93-260 Thinnest Chemical Resistant Disposable Glove



Nitrile & Neopene extended cuff

The glove's unique, three-layer construction features a soft interior specifically designed to enable easy donning and doffing. Its flexible middle layer delivers maximum protection against acids and bases, while the durable exterior delivers maximum protection against organic solvents. Because the glove's tough exterior stands up longer to demanding physical and chemical conditions, workers may change gloves less frequently resulting in enhanced productivity.

Microflex® 93-260 Gloves are suitable for applications in Blending, compounding materials; Handling aerospace equipment and parts; Handling of painting tools including spray guns and robots; Handling unexpected leaks, spills, or other releases; Maintenance and equipment clean up; Mounting and dismantling, assembly; Petrochemicals processing; Routine and experimental testing; Sample taking and lab processing; Transferring liquid and solids.

Silicone free, textured fingers, 0.65 AQL, 7.8 mil palm, 11.8 mil fingers, 11.8" length.





Size	Length	Thickness	Color	Cat. No.
Extra Small	11.8"	7.8 mil	Green/Blue	75832-934
Small	11.8"	7.8 mil	Green/Blue	75832-936
Medium	11.8"	7.8 mil	Green/Blue	75832-938
Large	11.8"	7.8 mil	Green/Blue	75832-940
X-Large	11.8"	7.8 mil	Green/Blue	75832-942
XX-Large	11.8"	7.8 mil	Green/Blue	75832-944

N-DEX® Nitrile, 8 mil, Powder-Free, 9.5" Medical Exam **Glove, Showa Best Glove**

- 8 mil thickness for added protection
- · Powder-free
- · Medical exam gloves



Size	Length	Color	Cat. No.
Small	24.1 cm (9.5")	Blue	76013-286
Medium	24.1 cm (9.5")	Blue	76013-288
Large	24.1 cm (9.5")	Blue	76013-290

Supermax Perform™ Nitrile Powder Free Gloves

- Thinnest nitrile glove for ultimate comfort (2.5 mil)
- · Greater tactile sensitivity
- Designed for optimal performance
- · Textured fingers, Beaded cuff
- Ambidextrous/Non-sterile
- Eco friendly packing



Size	Length	Color	Cat. No.
Small	24 cm (9.4")	Teal green	75997-480
Medium	24 cm (9.4")	Teal green	75997-482
Large	24 cm (9.4'')	Teal green	75997-408

RIVAL™ 200 Pack Accelerator Free, Soft Modulus, Exam Grade Nitrile Gloves, TechNiGlove

- Accelerator-free
- Powder-free
- · Soft modulus
- 100% Nitrile

Large



Blue


4 mil

NItrile Examination Gloves, Powder-Free Chemo Rated, Tronex®

• Fingertip textured for improved grip

24.1 cm (9 1/2")

- · Outstanding comfort, durability, and elasticity
- Excellent barrier protection from bloodborne pathogens
- Thickness: 3.9 mil (finger)



Examination Gloves, Nitrile, Extra-Thick, Tronex®

- Fully textured for sustained grip during use
- · Maximum durability and performance
- Barrier protection from bloodborne pathogens
- Thickness 9.6 mil (finger)



Size	Length	Color	Cat. No.
Small	30.5 cm (12")	Blue	10153-100
Medium	30.5 cm (12")	Blue	10153-102
Large	30.5 cm (12")	Blue	10153-104

Oualatrile® 8BOF09 Oualatrile Blue Nitrile 9" Powder-Free Gloves, ORP

- · Rugged 8 mil thickness
- 3x puncture resistance of vinyl or natural rubber latex gloves
- Naturally Anti-static, surface resistance 10° ohms
- · Geogrip 360sm fully textured fingers and palms



Size	Length	Thickness	Color	Cat. No.
Small	22.9 cm (9")	8 mil	Blue	89066-026
Medium	22.9 cm (9")	8 mil	Blue	89066-028
Large	22.9 cm (9")	8 mil	Blue	89066-030

NitriShield™, Premium Nitrile Gloves, Powder-Free, MCR Safety

Reversible



Size	Length	Thickness	Color	Cat. No.
Small	24.1 cm (9 1/2")	4.5 mil	Blue	80081-527
Medium	24.1 cm (9 ¹ / ₂ ")	4.5 mil	Blue	80081-525
Large	24.1 cm (9 1/2")	4.5 mil	Blue	80081-523

XTRA-PFE™ Latex Examination Gloves, Kimberly-Clark

- Ambidextrous
- Beaded cuff

10791-608

- · For single use only
- AQL 1.5
- Thickness: 10.2 mil (finger)



Size	Length	Color	Cat. No.
Small	30.5 cm (12")	Natural	32934-122
Medium	30.5 cm (12")	Natural	32934-124
Large	30.5 cm (12")	Natural	32934-126

HAND & ARM PROTECTION

PFE Latex Examination Gloves, Kimberly-Clark

- Ambidextrous
- · Beaded cuff
- · For single use only
- AQL 1.5
- Thickness: 6.7 mil (finger)

Size	Length	Color	Cat. No.
Small	24.1 cm (9 ¹ / ₂ ")	Natural	32934-007
Medium	24.1 cm (9 1/2")	Natural	32934-011
Large	24.1 cm (9 ¹ / ₂ ")	Natural	32934-015
Large	24.1 cm (9 ¹ / ₂ ")	Natural	32934-

Evolution One™ Latex Gloves, Microflex®

- Ambidextrous
- · Interior polymer coating for superior antisticking properties in all conditions
- Fully textured, beaded cuff, powder free
- Thickness: 8.7 mil (finger)

Size	Length	Color	Cat. No.
Small	25.4 cm (10")	Natural	32916-532
Medium	25.4 cm (10")	Natural	32916-534
Large	25.4 cm (10")	Natural	32916-536

Diamond Grip™ Latex Gloves, Microflex®

- · Thick textured fingers for gripping in wet and dry conditions
- · Powder free
- · Fully chlorinated
- · Beaded cuff
- Thickness: 9.1 mil (finger)

Size	Length	Color	Cat. No.
Small	24.5 cm (9 5/8")	Natural	32916-506
Medium	24.5 cm (9 5/8")	Natural	32916-500
Large	24.5 cm (9 ⁵ / ₈ ")	Natural	32916-502

Safegrip® Powder-Free Latex Gloves, Microflex®

- · 4X thicker than standard exam gloves, offering added durability in the palm and fingers
- · Ambidextrous, fully textured to provide superior grip in wet and dry conditions
- Thickness: 16.5 mil (finger)

Size	Length	Color	Cat. No.
Small	30 cm (11 13/16")	Blue	32916-600
Medium	30 cm (11 13/16")	Blue	32916-602
Large	30 cm (11 13/16")	Blue	32916-604



ColorTouch® Pink Powder-Free Latex **Examination Gloves, Microflex®**

- · Ambidextrous, beaded cuff
- · Fully textured for a secure grip
- For single use only
- High-quality, polymer-coated latex is easy to don and reduces hand fatique
- Donation of \$1 for each case purchased is made to The Breast Cancer Research Foundation®
- Thickness: 6.7 mil (finger)

- "	
Small 24.5 cm (9 5/8") Pink	89107-528
Medium 24.5 cm (9 ⁵ /8") Pink	89107-530
Large 24.5 cm (9 5/8") Pink	89107-532

Black Dragon® Powder-Free Black Latex Examination Gloves, Microflex®

- Offer comfort and strength in a distinctive black gloves that provides better framing effect
- · Meet maximum powder and maximum water extractable protein requirements
- · Fully textured finish and beaded cuffs
- Thickness: 5.1 mil (finger)

Size	Length	Color	Cat. No.
Small	24.5 cm (9 ⁵ /8")	Black	89173-088
Medium	24.5 cm (9 5/8")	Black	89173-090
Large	24.5 cm (9 5/8")	Black	89173-092

AMBITEX® Latex Powder-Free Exam Gloves, L200 **Series, Cardinal Health®**

- · Lasting protection against biological contaminants
- Made from natural rubber for comfort and dexterity
- · Textured surface for improved grip
- · Thickness: 5.0 mil (finger)

Color	Cat. No.
Cream	10860-812
Cream	10860-802
Cream	10860-672
	Cream Cream

AMBITEX® DuraSilk® Latex Powder-Free Exam Gloves, L800 Series, Cardinal Health®

- · Long lasting protection against biological contaminants
- Textured surface for improved grip

Hard-working comfort and grip

- · Made from natural rubber for comfort and dexterity
- Thickness: 8.0 mil (finger)

Color	Cat. No.
Cream	10860-820
Cream	10860-810
Cream	10860-800
	Cream Cream











Supermax Vibrant™ Latex Gloves

- · Ambidextrous, 5.0mil palm thickness
- Micro-textured finish delivers improved grip
- Advanced rinsing process improves quality and purity
- Powder free, nonsterile, single use



VWR® Glove Box Holders, Acrylic

- · Constructed of tough, clear acrylic
- Polyester foam insert securely holds glove boxes





Small	24 cm (9.4")	Beige	75997-488			
Medium	24 cm (9.4")	Beige	75997-490	Capacity	H x W x D	Cat. No.
Large	24 cm (9.4'')	Beige	75997-492	1 Box	14.1 x 26 x 11 cm (5 ¹ / ₂ x 10 ¹ / ₄ x 4 ⁵ / ₁₆ ")	89011-720
				2 Boxes	29.5 x 26 x 11 cm (11 ⁵ / ₈ x 10 ¹ / ₄ x 4 ⁵ / ₁₆ ")	89011-722
				3 Boxes	29.5 x 38.5 x 11 cm (11 ⁵ / ₈ x 15 ³ / ₁₆ x 4 ⁵ / ₁₆ ")	89011-724

Supermax Distinct™ Honeycomb™ **Textured Latex Gloves**

Length

- · Extraordinary grip, 5.0mil palm thickness, creamy white color
- Patented Honeycomb texture for extraordinary gripping
- · Each batch air tested to detect pinholes
- Polymer-coating enhances donning, keeps hands smooth, reduces latex reactions
- · Beaded cuff snugs wrists, eliminates roll-up, minimizes entry of liquids
- · Ambidextrous, beaded cuff
- Powder free, nonsterile, single use

Size	Length	Color	Cat. No.
Large	24 cm (9.4")	Creamy white	75997-404
Medium	24 cm (9.4")	Creamy white	75997-402
Small	24 cm (9.4'')	Creamy white	75997-400

SensaTouch™ Gloves, Disposable, **Industrial Grade, MCR Safety**

• Reversible



Size	Length	Thickness	Color	Cat. No.
Small	24.1 cm (9 ¹ / ₂ ")	5 mil	Natural-white	80081-415
Medium	24.1 cm (9 ¹ / ₂ ")	5 mil	Natural-white	80081-413
Large	24.1 cm (9 ¹ / ₂ ")	5 mil	Natural-white	80081-411

VWR® Glove Box Holders, **Epoxy-Coated**

• Steel wire racks hold most major glove box brands





Capacity	H x W x D	Cat. No.
1 Box	10.2 x 14 x 20.8 cm (4 x 5 ¹ / ₂ x 8 ³ / ₁₆ ")	89011-726
3 Boxes	$25 \times 9.6 \times 43.2 \text{ cm} (9^{13}/_{16} \times 3^3/_4 \times 17'')$	89011-728

Disposable Gloves, Zero Waste Box, TerraCycle®

- · Reduce landfill waste
- Support your company's sustainability goals





Description	Size	Box Dimensions	Cat. No.
Disposable Gloves Recycling Box	Medium	11 x 11 x 40"	75993-594
Disposable Gloves Recycling Box	Large	15 x 15 x 37"	75993-592

Rightcycle® Recycling Program for Garments or Gloves, Kimberly-Clark Professional®

- Diverts waste from landfill
- · Easy and affordable
- · Achieve or exceed sustainability goals



Description	Cat. No.
Rightcycle® Garment Recycling Program; You Pay Shipping Only!	89429-354
Rightcycle® Gloves Recycling Program; You Pay Shipping Only!	89429-356

NeoPro® Powder-Free Chloroprene Gloves, Microflex®

- Synthetic material with comfort close to latex, provides unique protection against variety of chemicals
- · Exceptional film consistency, manual dexterity, tactile sensitivity, reduced hand fatigue
- · Extended beaded cuff, ideal for highrisk environments
- Textured fingertips for secure grip
- Thickness: 6.7 mil (finger)



Size	Length	Color	Cat. No.
Small	24.5 cm (9 ⁵ /8")	Green	32916-790
Medium	24.5 cm (9 5/8")	Green	32916-792
Large	24.5 cm (9 ⁵ /8")	Green	32916-794



MilTek™ controlled thickness delivers tactile sensitivity with touchscreen compatibility.

DriTek™ moisture control improves comfort and dexterity in long term applications.

Unique multilayer construction achieves **ANSI level 3 abrasion** rating and long-lasting durability.

HYDREX® NITRILE DRITEK™ EXAM GLOVES

• Fully textured grip

DriTek™ layer for comfort and easy donning

• Ultra-Durable ANSI Level 3 Abrasion resistance

• White inner layer for visible breach detection

TECHNOLOGIES

DriTek™ TouchTek™ MilTek™







Specifications

Color	Blue
Length	9.5"
Finger Thickness	6.9 mil
Palm Thickness	6.1 mil

Size	Cat. No.
X-Small	76050-998
Small	76051-000
Medium	76051-002
Large	76051-004
X-Large	76051-006
XX-Large	76051-008

NeoPro® EC Powder-Free Chloroprene Gloves, Microflex®

- Synthetic material with comfort close to latex, provides unique protection against variety of chemicals
- Exceptional film consistency, manual dexterity, tactile sensitivity, reduced hand fatigue
- · Extended beaded cuff, ideal for high-risk environments
- · Textured fingertips for secure grip
- Thickness: 8.3 mil (finger)

Size	Length	Color	Cat. No.
Small	30 cm (11 13/16")	Green	32916-690
Medium	30 cm (11 13/16")	Green	32916-692
Large	30 cm (11 13/16")	Green	32916-694

Micro-Touch® Affinity® 3770 Polychloroprene Examination Gloves, Ansell

- A polymer coating provides excellent donnability for this polychloroprene glove
- Thickness: 6.3 mil (finger)



Size	Length	Color	Cat. No.
Small	23.9 cm (9.4")	Green	10146-674
Medium	23.9 cm (9.4")	Green	10146-676
Large	23.9 cm (9.4")	Green	10146-678

Derma Free® Vinyl Gloves, Microflex®

- Powder Free
- · Beaded cuffs
- Ambidextrous
- Nonsterile

Large

- Synthetic Vinyl Construction
- Thickness: 3.9 mil (finger)

mickiess. 3.9 iiii (iiiigei)				
Size	Length	Color	Cat. No.	
Small	22.9 cm (9")	Clear	32916-802	
Medium	22.9 cm (9")	Clear	32916-804	

Clear

High Five Industrial Grade Blue Disposable Vinyl Gloves, Powder-Free, Microflex®

22.9 cm (9")

- · Exceptionally stretchy gloves offer a great fit
- Powder-free





TouchNTuff* 93-300 Nitrile Gloves with Long Cuff, Powder-Free, Ansell

- High degree of dexterity for precision work
- · Silicone-free
- High level of comfort and increased forearm protection



Size	Length	Thickness	Color	Cat. No.
Small	27.7 cm (10.9")	5 mil	Green	10049-908
Medium	28.7 cm (11.3")	5 mil	Green	10049-910
Large	30 cm (11 13/16")	5 mil	Green	10049-913

Esteem® Stretchy Vinyl Examination Gloves with Neu-Thera®, Cardinal Health®

- · Beaded cuff
- Ambidextrous
- · Smooth finish
- Thickness: 4.1 mil (finger)



Size	Length	Color	Cat. No.
Small	26.7 cm (10 ¹ / ₂ ")	Blue	89042-010
Medium	26.7 cm (10 ¹ / ₂ ")	Blue	89042-012
Large	26.7 cm (10 ¹ / ₂ ")	Blue	89042-014

Memphis Glove® Sensatouch™ Powder-Free Disposable Vinyl Gloves, MCR Safety

• Medical grade PS

32916-806

HIGH# EVE

- Ideal for electronics assembly, food processing, laboratory work, and general pharmaceutical use
- Component materials comply with FDA regulations for food contact



Size	Length	Thickness	Color	Cat. No.
Small	24.1 cm (9 1/2")	5 mil	Clear	80081-297
Medium	24.1 cm (9 1/2")	5 mil	Clear	80081-295
Large	24.1 cm (9 ¹ / ₂ ")	5 mil	Clear	80081-293

Jackson Safety® G80 NITRILE Chemical Resistant Gloves, Kimberly-Clark

- Manufactured from a modified nitrile formulation for increased durability and enhanced chemical resistance
- All gloves feature a textured palm and fingertips for an enhanced grip
- · Consistent cotton flock lining ensures added comfort
- Improved AQL of 0.65 (versus the previous rating of 1.5) results in fewer pinholes





HAND & ARM PROTECTION

NeoTouch® 25-101, Chemical-**Resistant Gloves, Neoprene, Ansell**

- · Alternative to natural rubber latex, protects against Type I allergies
- Resistant to acids, bases and alcohols
- Exam- and food-grade, complies with FDA foodhandling requirements
- · Roll-beaded cuff, powder free

Size	Length	Thickness	Color	Cat. No.
Small	24.1 cm (9 ¹ / ₂ ")	5 mil	Green	89011-904
Medium	24.1 cm (9 ¹ / ₂ ")	5 mil	Green	89011-906
Large	24.1 cm (9 ¹ / ₂ ")	5 mil	Green	89011-908

NeoTouch® 25-201, Chemical-**Resistant Gloves, Neoprene, Ansell**

- · Powder-free
- · Excellent chemical resistance
- Superior comfort
- · Roll-beaded cuffs

Description	Size	Length	Thickness	Color	Cat. No.
NeoTouch 25-201	Small	28 cm (11")	5 mil	Green	89412-170
NeoTouch 25-201	Medium	28 cm (11")	5 mil	Green	89501-596
NeoTouch 25-201	Large	28 cm (11")	5 mil	Green	89412-172

Solvex® 37-145 Nitrile Gloves, Ansell

- Curved finger design and contoured palm to reduce fatigue
- · Embossed texture improves grip for easier handling of wet objects
- · Hand-specific
- · Powder-free
- · Straight cuffs

Description	Size	Length	Thickness	Color	Cat. No.
Unlined					
Style 37-145	8-8.5	33 cm (13")	11 mil	Green	32890-090
Style 37-145	9-9.5	33 cm (13")	11 mil	Green	32890-092

33 cm (13")

Neoprene® 29-865 Unsupported Gloves, Ansell

Hand-specific

Style 37-145

- · Straight cuffs
- · Sand patch finish
- · Case-hardened for increased resistance

Size	Length	Thickness	Color	Cat. No.
7-7.5	16.5 cm (6.5")	18 mil	Black	32890-052
8-8.5	17.8 cm (7")	18 mil	Black	32890-054
9-9.5	17.8 cm (7")	18 mil	Black	32890-056



TouchNTuff® 92-600, Nitrile Gloves, Powder-Free, Ansell

- Superior puncture resistance
- · Exceptional durability and fingertip sensitivity
- · Silicone-free



Size	Length	Thickness	Color	Cat. No.
Small	24.1 cm (9 ¹ / ₂ ")	4.72 mil	Blue	34800-500
Medium	24.1 cm (9 1/2")	4.72 mil	Blue	34800-502
Large	24.1 cm (9 1/2")	4.72 mil	Blue	34800-504

Thickness Color

TRIonic® Controlled Environment Acid **Gloves, Triple-Polymer, MAPA® AdvanTech**

- · Superior resistance to many aggressive chemicals
- · Chlorination process allows for easy donning, doffing, and double gloving
- · Precise fit for comfort and reduced hand fatigue
- Meet or exceed ASTM D3577 requirements for AQL, F739 for permeation, and D471 for degradation
- ISO Class 4 (FED-STD-209E Class 10/M2.5)
- In compliance with FDA CFR 21 170-199

Description Size Model Length

• CE marked



Grip Texture 9 STANSOLV® Nitrile Gloves,

MAPA® AdvanTech

- · Case-hardened finish for added chemical resistance
- · Easy on/off

32890-094

Green



Packaging

Size	Length	Thickness	Color	Cat. No.
8	33 cm (13")	11 mil	Green	32917-857
9	33 cm (13")	11 mil	Green	32917-858
10	33 cm (13")	11 mil	Green	32917-859

Jackson Safety® G40 Polyurethane Coated Gloves, Kimberly-Clark

- An affordable choice for light assembly and other applications where dexterity and extra protection are key
- · Excellent dexterity and grip with a thin-mil feel for tactical sensitivity
- · Abrasion and tear resistant

Description	Size	Color	Cat. No.
G40 Polyurethane Coated Gloves	Medium	Black	94001-408
G40 Polyurethane Coated Gloves	Large	Black	94001-410
G40 Polyurethane Coated Gloves	X-Large	Black	94001-412



Cat. No.

32916-229

32916-250

32916-271

32916-235

32916-234

32916-293



Procoat™ PVC-Coated Gloves. **Protective Industrial Products**

- · Foam-insulated lining provides protection from moisture and cold temperatures
- Rubberized safety cuffs protect wrist area, and help gloves slide on and off with ease
- Rubber material is laminated between two layers of fabric
- · Smooth finish and high-visibility orange color



Size	Length	Color	Cat. No.
Men's	30.5 cm (12")	Orange	20001-780

ChemTek™ 38-514 Butyl **Gloves, Ansell**

- Hand specific
- · Beaded cuffs
- Superior resistance to chemicals



Size	Model	Length	Thickness	Color	Cat. No.
7	38-514	35.6 cm (14")	14 mil	Black/Gray	89011-854
8	38-514	35.6 cm (14")	14 mil	Black/Gray	89011-856
9	38-514	35.6 cm (14")	14 mil	Black/Gray	89011-858

ChemTek™ 38-612 Chemical-Resistant Viton and Butvl Gloves, Ansell

- Extra protection against chemical splashes
- · Low-cost protection againts aggressive chemicals
- · Ergonomically designed for comfort
- · High tactile sensitivity



Size	Length	Thickness	Color	Cat. No.
8	19.1 cm (7.5")	12 mil	Black	10119-106
9	18.5 cm (7.3")	12 mil	Black	10119-108
10	19.6 cm (7.7")	12 mil	Black	10119-110

SHOWA 874 Butyl II, Chemical Resistant Gloves, Best Glove

- Butyl 14 mil
- · Unlined butyl rubber
- · Hazmat glove
- · TAA compliant



Size	Length	Thickness	Color	Cat. No.	
Smooth Finish					
Large	35.6 cm (14")	14 mil	Black	28888-342	
X-Large	35.6 cm (14")	14 mil	Black	28888-344	
Rough Finish					
8	35 cm (14")	14 mil	Black	28888-402	
9	35 cm (14")	14 mil	Black	28888-322	

Butyl Gloves, Honeywell Safety

- · High permeation resistance to gas and water vapors
- · Resistant to oxygenated solvents and most oxidizing chemicals
- · Remain flexible and sensitive, even at lower temperatures
- · Hand specific, curved design improves fit and comfort
- · Rolled cuff



Size	Length	Thickness	Color	Cat. No.
Smooth Finish				
8	28 cm (11")	13 mil	Black	32887-920
9	28 cm (11")	13 mil	Black	32887-922
8	35.6 cm (14")	32 mil	Black	32887-970
9	35.6 cm (14")	32 mil	Black	32887-972
Rough Finish				
8	28 cm (11")	13 mil	Black	32887-910
9	28 cm (11")	13 mil	Black	32887-912
10	35.6 cm (14")	32 mil	Black	32887-952
11	35.6 cm (14")	32 mil	Black	32887-954

Glove Box Gloves, Honeywell Safety

· Wide variety of styles and sizes to meet diverse glove box applications







Description	Size	Length	Thickness	Color	Cat. No.
Ambidextrous	10.5	81.3 cm (32")	15 mil	Black	11000-566*
Hand-Specific	9.75	81.3 cm (32")	15 mil	Black	32940-073
Ambidextrous, Butyl	9.75	81.3 cm (32")	15 mil	Black	82031-254*
Ambidextrous, Hypalon®/Neoprene	9.75	81.3 cm (32")	30 mil	Black	82031-274*
Ambidextrous, Butyl	9.75	81.3 cm (32")	30 mil	Black	82031-296
Ambidextrous, Butyl	10.5	81.3 cm (32")	30 mil	Black	82031-298
Ambidextrous, Butyl	9.75	81.3 cm (32")	15 mil	Black	94002-638*

^{*}These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

Neoprene Glove Box Gloves, Honeywell Safety











Description	Size	Length	Thickness	Color	Cat. No.
Hand-Specific	9.75	81.3 cm (32")	15 mil	Black	32888-350
Ambidextrous	9.75	81.3 cm (32")	30 mil	Black	56223-143
Ambidextrous	10.5	81.3 cm (32")	30 mil	Black	56223-145*
Hand-Specific	9.75	81.3 cm (32")	30 mil	Black	56223-149
Ambidextrous	9.75	81.3 cm (32")	30 mil	Black	82031-196
Hand-Specific	9.75	81.3 cm (32")	30 mil	Black	82031-310*

^{*}These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

Supermax® Aurelia® Single-Use Gloves

The Supermax Aurelia brand is present in over 145 countries worldwide, from America, to Canada, Europe, the Middle East, Asia and the South Pacific. All Aurelia gloves conform and are tested to the highest international standards, each batch is air-tested to detect pinholes. Featured gloves are ambidextrous and come in a variety of sizes; visit **vwr.com/supermaxaurelia** to find all options.

Supermax Robust™ Plus Extended Cuff Nitrile Gloves

- Made from high-quality 100% blue nitrile
- Extended 12" cuff, finger textured
- Latex and powder-free
- Meets ANSI level 4



Size	Cat. No.
Large	75999-300

Supermax Amazing™ Nitrile Gloves

- 2 mil palm thickness
- Textured fingers, Beaded cuff
- Latex and powder-free
- Light purple color



Size	Cat. No.
Large	75997-420

Supermax Robust™ Blue Nitrile Gloves

- 5 mil thickness for improved puncture resistance
- Special nitrile (NBR) compound, protein free
- Micro-textured finished delivers improved grip
- Latex and powder free



Size	Cat. No.
Large	75997-436

Supermax Bold™ Black Nitrile Gloves

- 5 mil thickness for improved puncture resistance
- Textured fingers for improved gripping action
- Latex and powder-free
- Black color



Size	Cat. No.
Large	75997-466

Supermax Quest™ White Nitrile Gloves

- Lightweight with superior durability,
 3.0 mil palm thickness
- Fingertip-textured finish grips even extra-thin objects
- Greater chemical resistance compared to other materials
- Latex and powder-free



Size	Cat. No.
Large	75997-428

Supermax Protege™ Stretch Nitrile Gloves

- 4.0 mil palm thickness
- Fingertip-textured finish even grips extra-thin objects
- Greater chemical resistance compared to the other materials
- Latex and powder-free, rivals latex comfort and ergonomics



Size	Cat. No.
Large	75997-446

Supermax Blush® Nitrile Gloves

- Optimal stretchability
- Textured fingers for improved gripping action
- Latex and powder-free
- Pink color



Size	Cat. No.
Large	75997-656

Supermax Sonic® Indigo Blue Nitrile Gloves

- Revolutionary ultra-thin formulation adapts seamlessly to users hands
- 2.2 mil thickness for improved tactile sensitivity
- Finger textured finish
- Soothing indigo blue color



Size	Cat. No.
Large	75999-292

Supermax Transform™ Nitrile Gloves

- Ultra-thin 2.8 mil for superior tactile sensitivity
- Textured fingers, beaded cuff
- Improved barrier protection
- New TransBlue color



Size	Cat. No.
Large	75997-502

Nitri-Knit™ Supported Nitrile Gloves, Honeywell Safety

- Superior resistance to cuts, snags, and punctures
- · Interlock knit liner adds strength and comfort
- Treated with permanent antibacterial and anti-mildew agent
- Color-coded stitching makes size identification fast and easy
- Compliant with USDA and FDA CFR 21 food-processing regulations

Description	Size	Length	Color	Cat. No.
Not Insulated	7	61 cm (24")	Blue/Pink Stitching	89092-984
Not Insulated	8	61 cm (24")	Blue/Blue Stitching	89092-986
Not Insulated	9	61 cm (24")	Blue/Green Stitching	89092-988

Silver Shield*/4H* Gloves, Honeywell Safety

- Resist permeation of more than 280 chemicals
- Compacted, flexible five-layer film is 2.7mil thick
- Protect hands in chemical and petrochemical laboratories, spill cleanups, and other hazardous applications
- Ambidextrous, disposable, usable as secondary inner layer for maximum protection

Description	Size	Length	Thickness	Color	Cat. No.
PE/EVOH	8	36.8 cm (14 ¹ / ₂ ")	2.7 mil	Silver	11000-648
PE/EVOH	9	40.6 cm (16")	2.7 mil	Silver	11000-646
PF/FVOH	10	40.6 cm (16")	2 7 mil	Silver	11000-644

Two-Tone® Neoprene Natural Rubber Gloves, MAPA® Professional

- Recessed diamond-grip pattern provides a nonslip grip, even on hard-to-grasp materials
- Two-color construction ensures visual indicator of glove wear-through
- Yellow, soft, natural rubber provides flexibility and comfort
- · Cotton flock lining absorbs perspiration and enables easy on/off
- Flat cuff
- Hand-specific

Size	Length	Thickness	Color	Cat. No.
8-8.5	33 cm (13")	28 mil	Blue/Yellow	32917-206
9-9.5	33 cm (13")	28 mil	Blue/Yellow	32917-209
10-10.5	33 cm (13")	28 mil	Blue/Yellow	32917-212



Temp-Tec NL-56, Knitted Neoprene Gloves, MAPA® Professional

- Insulated neoprene gloves
- · Positive non-slip roughed grip
- Two-color construction for a visual indicator of glove wear-through



Size	Model	Length	Color	Cat. No.
8	Temp-Tec NL-56	35.6 cm (14")	Blue/Black	32920-012
9	Temp-Tec NL-56	35.6 cm (14")	Blue/Black	13450-196
10	Temp-Tec NL-56	35.6 cm (14")	Blue/Black	32920-017

VWR® CryoGuard Cryogenic Gloves

- · Multi-layer and insulated
- · Lightweight, flexible, and durable
- · Moisture-wicking liner
- Waterproof
- · Various lengths available





Size	Length	Color	Cat. No.
Water-Resista	nt Glove		
Medium	Wrist	Blue	97008-198
Large	Wrist	Blue	97008-200
Medium	Mid-Arm	Blue	97008-206
Large	Mid-Arm	Blue	97008-208
Medium	Elbow	Blue	97008-214
Large	Elbow	Blue	97008-216
Waterproof Gl	ove		
Large	Mid-Arm	Blue	97008-240
Medium	Elbow	Blue	97008-246
Large	Shoulder	Blue	97008-256

Comprehensive Selection of Products

To offer our customers the best possible selection of products, VWR maintains strategic alliances with thousands of manufacturers. We offer the industry's widest, most objective range of products with the best support, and introduce thousands of new products every year to fulfill innovative requests. To order, call **1.800.932.5000** or visit **vwr.com**.



HAND & ARM PROTECTION

Cryo-Gloves® Low-Temperature Gloves, Tempshield

- · Lightweight, breathable, comfortable
- Provide warmth while retaining flexibility, even after prolonged exposure to cryogenic atmospheres
- Offer superior thermal protection when working with ultra-low temperature freezers, blast freezers, dry ice, and in coldrooms
- Also for use with LNG (liquefied natural gas), liquid helium, and liquid oxygen in

Description	Size	Length	Color	Cat. No.
Low-Temperature	Glove			
Wrist Length	Medium	29 - 32.5 cm (11 7/16 - 12 ¹ / ₂ ")	Pink	89166-343
Mid-Arm Length	Large	34.5 - 39 cm (13 ¹ / ₂ - 15 1/4")	Pink	89166-363
Waterproof Glove	2			
Elbow Length	Medium	44 - 48.3 cm (17 1/4 - 19 1/4")	Pink	89166-377
Shoulder Length	Small	62.5 - 68.5 cm (24 3/4 - 27")	Pink	89166-389
Low-Temperature	Glove			
Wrist Length	Medium	29 - 32.5 cm (11 7/16 - 12 1/2")	Blue	32884-187
Mid-Arm Length	Large	34.5 - 39 cm (13 ¹ / ₂ - 15 1/4")	Blue	32885-758
Elbow Length	Large	44 - 48.3 cm (17 1/4 - 19 1/4")	Blue	32884-085
Shoulder Length	Medium	62.5 - 68.5 cm (24 3/4 - 27")	Blue	32884-122
Waterproof Glove	2			
Wrist Length	Medium	29 - 32.5 cm (11 7/16 - 12 1/2")	Blue	32884-023
Mid-Arm Length	Large	34.5 - 39 cm (13 ¹ / ₂ - 15 1/4")	Blue	32884-031
Elbow Length	Large	44 - 48.3 cm (17 1/4 - 19 1/4")	Blue	32884-048
Shoulder Length	Large	62.5 - 68.5 cm (24 ³ / ₄ - 27")	Blue	32884-057

Kevlar® Nomex® 2610 Seamless Heat **Resistant Gloves. Wells Lamont**

- Protects up to 500°F
- Excellent thermal properties
- Fully lined
- · Continuous cuff

Size	Color	Cat. No.
Small	Yellow	75836-504
Medium	Yellow	75836-506
Large	Yellow	75836-508

KELKLAVE Autoclave Gloves, Wells Lamont®

- White Terry Cloth Construction

12.7 cm (5")

· Clute Cut and Gauntlet Cuff

Size

Large

Large



Natural



SCIENCEWARE® Clavies™ Biohazard Autoclave Gloves, Bel-Art

- Heat-resistant
- · Machine wash, air dry



Length	Color	Cat. No.
33 cm (13")	Orange	32885-805
45.7 cm (18")	Orange	32885-826

SCIENCEWARE® Hot Hand® Protector Mitt, Bel-Art

- · Safely grip hot or cold objects
- End pockets for thumb and fingers fit any hand size
- Gripping surfaces are studded for positive grip



Size	Material	Color	Cat. No.
Universal	Silicone Rubber	Red	56614-528
Universal	Silicone Rubber	Blue	89094-596
Universal	Silicone Rubber	Green	89094-598

Oualatherm® 75G 23" Qualatherm 450 Wet/Dry **Thermal Protection, QRP**

- Packaged for ISO 5 (Class 100)
- Wet or dry contact temperatures from -78 to 450°F (-61.4 to 232°C)
- PolyTuff silicone elastomer is sulfur-free



Qualatherm® 70G 12" Qualatherm 450 Wet/Dry **Thermal Protection, QRP**

- Packaged for ISO 5 (Class 100)
- Wet or dry contact temperatures from -78 to 450°F (-61.4 to 232°C)
- · PolyTuff silicone elastomer is sulfur-free
- Excellent resistance to chemicals, solder, and fluxes



				SILC	Length	Tillettiless	COIOI	cuti ito:
				Medium	30.5 cm (12")	116 mil	White	32889-013
e	Length	Color	Cat. No.	Large	30.5 cm (12")	116 mil	White	32885-780
ne	28 cm (11")	Natural	20091-452					

80091-460



Qualatex® HiProXC 612HC Qualatex HiPro XC Latex 12" AMBI Gloves, ORP

- Lowest extractables and particulates
- · Free from plasticizers, silicone, and powders



Size	Length	Thickness	Color	Cat. No.
Small	30.5 cm (12")	6 mil	White	14003-594
Medium	30.5 cm (12")	6 mil	White	14003-592
Large	30.5 cm (12")	6 mil	White	14003-590

ActivArmr® 80-813 Foam Neoprene **Flame Resistant Gloves, Ansell**

- Gloves provide EN407 Level 4 flammability resistance
- HRC 2 rating for arc flash protection
- ANSI Level 4 cut protection (EN388 Level 5)



Size	Length	Color	Cat. No.
8	22.9 cm (9")	Black/Green/Yellow	89413-046
9	27.2 cm (10.7")	Black/Green/Yellow	89413-048
10	25.9 cm (10.2")	Black/Green/Yellow	89413-050

FlexTech™ Y9236 Hi-Vis Cut **Resistant Gloves with Nitrile Palm, Wells Lamont**

- 15-gauge seamless knit
- Hi-vis shell
- · Reinforced thumb crotch
- · Knit wrist construction
- Blend of high performance and cooling fibers
- · Sandy nitrile palm coating
- · Outstanding fit, comfort and flexibility

Size	Color	Cat. No.
Small	Black/Yellow	75875-670
Medium	Black/Yellow	75875-672
Large	Black/Yellow	75875-674

NEW

Whizard® Polyester/ **Wire Cut-Resistant Glove** Liners, Wells Lamont®

- Lightweight Alternative to Steel Mesh Gloves
- Ergonomically Designed for Comfort
- Reusable and Ambidextrous
- · Cuff Color Denotes Sizes
- · Polyester Fiber and Stainless Steel Provide **Cut Resistance**



Size	Length	Color	Cat. No.
Small	21.6 cm (81/2")	Black	32935-392
Medium	21.6 cm (8 ¹ / ₂ ")	Black	32935-394
Large	21.6 cm (8 ¹ / ₂ ")	Black	32935-396

Spectra® Fiber Cut-Resistant Glove Liners, Wells Lamont®

- Ultrahigh Molecular Weight Polyethylene Fiber Provides Moderate Cut Resistance with **High Reusability**
- Lightweight, Low Coefficient of Friction Allows Sharp Objects to Slide Across the Surface
- Gloves Can Be Used Outside

Size	Length	Color	Cat. No.
Small	21.6 cm (8 ¹ / ₂ ")	Green	32935-481
Medium	21.6 cm (8 ¹ / ₂ ")	Orange	32935-483
Large	21.6 cm (8 ¹ / ₂ ")	Blue	32935-485

Jackson Safetv™ G60 PURPLE NITRILE® **Cut Resistant Gloves, Kimberly-Clark**

- Ideal for metal fabrication, glass/sharp part handling, and automotive assembly
- Flexible, nitrile-dotted palm for enhanced grip
- · Dyneema® fabric enhances breathability



Size	Color	Cat. No.
Small	White and Black	89011-804
Medium	White and Black	89011-806
Large	Purple	89011-808

Jackson Safety® G60 Level 2 **Polyurethane Knuckle Coated Cut Resistant Gloves, Kimberly-Clark**

- · Stretch KEVLAR® liner provides cut resistance and a comfortable fit
- · Excellent dexterity and oil grip for improved productivity
- Polyurethane provides a barrier against oil penetration on the palm and up to the knuckles
- Suitable for intermittent heat contact up to 212°F (patent pending)
- Meets ANSI/EN 388 Level 2 cut resistance

Size	Color	Cat. No.
Medium	Gray/Yellow	89427-006
Large	Gray/Yellow	89427-008
X-Large	Gray/Yellow	89427-010

Jackson Safety® G60 Level 3 Cut **Resistant Gloves with Dyneema®** Fiber, Kimberly-Clark

- ANSI Level 2/EN388 Level 3 cut resistance
- · Dyneema® yarn with nylon, Lycra® fiber, and glass liner provides cut resistance and a comfortable fit
- · Excellent dexterity and dry and oil grip for improved productivity
- Gray polyurethane coating enhances grip
- · Meets EN 420 including length
- · Gray and salt and pepper color
- · Color coded hem for sizing

Description	Size	Color	Cat. No.
G60 Level 3 Cut Resistant Gloves with Dyneema® Fiber	Medium	Blue	89230-478
G60 Level 3 Cut Resistant Gloves with Dyneema® Fiber	Large	Purple	89230-480
G60 Level 3 Cut Resistant Gloves with Dyneema® Fiber	X-Large	Gray	89230-482



HAND & ARM PROTECTION

Lightweight KevlarKleen® Gloves, Ansell

- SType 70-400 cut-resistant
- Knit from 100% Kevlar® continuous filament fiber



Size	Length	Color	Cuff Color	Cat. No.
Large	22.9 cm (9")	Yellow	Red	56614-204
Small	28 cm (11")	Yellow	Blue	56614-200
Medium	28 cm (11")	Yellow	Green	56614-202

HyFlex® CR+ Cut-Resistant Gloves, Ansell

- · Great cut protection
- · Elasticized wrist
- · Slightly coarse finish



Size	Length	Color	Cat. No.
8	20.36 cm (8"-10")	Blue	80090-004
9	20.36 cm (8"-10")	Blue	80090-006
10	20.36 cm (8"-10")	Blue	80090-008

HyFlex® 11-518 Ultralight-Duty Cut Protection Gloves, Ansell

- · Enhanced flexibility
- · Superior tactile sensitivity
- Breathable and lightweight material

Excellent resistance to abrasions			(SA)
Size	Length	Color	Cat. No.
6	20.9 cm (8.23")	Blue	10062-916
7	21.9 cm (8.62")	Blue	10062-918
8	23.4 cm (9.21")	Blue	10062-920

HyFlex® 11-627 CR2 Cut **Protection Gloves, Ansell**

- · Palm coating for good grip
- · Comfortable wear with great dexterity
- High level of abrasion and cut resistance



Size	Length	Color	Cat. No.
7	22.1 cm (8.7")	Gray	89008-970
9	24.4 cm (9.6")	Gray	89008-974
10	25.4 cm (10")	Gray	89008-976

HyFlex® 11-644 High Performance Industrial Cut Protection Gloves, Ansell

- · Naturally molding gloves
- Excellent resistance to tears and cuts
- Tough coating provides a sure grip



Size	Length	Color	Cat. No.
8	23.2 cm (9.13")	Gray	10063-044
9	24.3 cm (9.56")	Gray	10063-046
10	25.3 cm (9.96")	Gray	10063-048

SHOWA 541 Polyurethane Palm Coated, A2 Cut Resistant Glove, Gray, Best Glove

- Palm Coated
- · Ergonomic design
- · Excellent grip in oil
- A2 Cut Resistance

Size	Length	Color	Cat. No.
Medium	27.9 cm (11")	Gray	94024-048
Large	27.9 cm (11")	Gray	94024-050
X-Large	27.9 cm (11")	Gray	94024-052

UltraTech Dyneema® Gloves, MCR Safety

- 9676 UltraTech Dyneema® glove features a 13 gauge certified DSM Dyneema® blended shell with PU coated palm and fingers
- 9676 carries a CE score of 4343 and ANSI cut level of 2



Size	Length	Color	Cat. No.
Small	28.4 cm (11 ¹ / ₅ ")	Gray	89087-958
Medium	29.5 cm (11 3/5")	Gray	89087-956
Large	30.9 cm (12 ¹ / ₅ ")	Gray	89087-954

TRIlites® 994 Tri-Polymer Gloves, MAPA® AdvanTech

- · Powder-free for no cross-contamination
- · Rolled cuff
- Unlined
- Ambidextrous
- · Color: purple

Packaging	Cat. No.
Bags	32916-142
Bags	32916-144
Bags	32916-146
	Bags Bags

Size	Length	Thickness	Color	Packaging	Cat. No.
Medium	25.4 cm (10")	6 mil	Purple	Bags	32916-142
Large	25.4 cm (10")	6 mil	Purple	Bags	32916-144
X-Large	25.4 cm (10")	6 mil	Purple	Bags	32916-146
Medium	25.4 cm (10")	6 mil	Purple	Dispenser Boxes	46600-162
Large	25.4 cm (10")	6 mil	Purple	Dispenser Boxes	46600-164
X-Large	25.4 cm (10")	6 mil	Purple	Dispenser Boxes	46600-166

MaxiFlex® Endurance™ Seamless Knit Nylon Gloves, Protective Industrial Products

- · Gloves incorporate unique Micro Dots on palm for excellent grip
- · Ultra cool and comfortable to wear
- · Excellent dexterity, sensitivity, and tactility
- · Designed to produce minimal lint and dust
- · Minimal penetration keeps inner liner soft





HyLite® 47-400 Nitrile Gloves, 3/4 Dipped, Ansell

- Exceptional puncture and abrasion resistance
- · Excellent flexibility and dexterity
- · Easy handling of rough materials



Size	Length	Color	Cat. No.
8	27.3 cm (10.75")	Blue	32889-828
9	27.3 cm (10.75")	Blue	32889-832
10	27.3 cm (10.75")	Blue	32889-834

Cowhide Driver's Gloves. **Wells Lamont®**

- For Multipurpose Work
- · Made from Grain Cowhide
- · Bound Hem, Gunn Pattern, and Elastic-Shirred Back
- Straight or Keystone Thumb



Description	Size	Color	Cat. No.
Premium Gloves with Straight Thumb	Medium	Green	32935-449
Premium Gloves with Straight Thumb	Large	Brown	32935-450
Premium Gloves with Straight Thumb	X-Large	Blue	32935-451

Bronze Solution Grain Leather Driver Gloves, Economy Choice, Wells Lamont

- Bound Hem
- · Four Sizes Available



Description	Size	Color	Cat. No.
Leather Driver, Straight Thumb	Large	White	80091-888
Leather Driver, Straight Thumb	Medium	White	80091-890
Leather Driver, Straight Thumb	X-Large	White	80091-894

Grain Leather Y0143 Driver Gloves, Wells Lamont

- · Grain leather
- · Split back
- Gunn cut, keystone thumb
- Bound hem

X-Large





- · Keystone thumb design for comfort and extended wear
- · Elastic bands on backs keep gloves securely on hands
- Premium grade
- Color: gray

Size	Length	Color	Cat. No.
Large	25.4 cm (10")	Gray	20001-459
Medium	25.4 cm (10")	Gray	20001-461
Small	25.4 cm (10")	Gray	20001-463

Cotton Canvas Gloves, Protective Industrial Products

- Single-palm, clute cut pattern
- Knitted wrists hold gloves in place and keep out debris
- Medium weight (10oz. and 12oz.) designs provide enhanced protection and extended wear
- · Color: natural
- · Size: men's

Length	Color	Cat. No.
35.6 cm (14")	Natural	20001-942
22.9 cm (9")	Natural	20001-954
22.9 cm (9")	Natural	32932-245
	35.6 cm (14") 22.9 cm (9")	35.6 cm (14") Natural 22.9 cm (9") Natural

KIMTECH PURE® G3 NXT™ Nitrile Gloves, Kimberly-Clark

- Powder free
- · Textured fingertips for control and grip
- · Ambidextrous
- Beaded cuff



Size	Length	Color	Cat. No.
Small	30.5 cm (12")	White	14214-538
Medium	30.5 cm (12")	White	14214-540
Large	30.5 cm (12")	White	14214-542

KIMTECH PURE® G3 Sterile Latex Gloves, Kimberly-Clark

- Ideal for critical environments
- · Hand specific

75836-528

- · Sterilized by gamma radiation
- · Traceability system and irradiation certifications meet internal validation requirements

	Cat. No.
al	32933-885
al	32933-883

Size	Length	Thickness	Color	Cat. No.
7	30.5 cm (12")	9 mil	Natural	32933-885
7.5	30.5 cm (12")	9 mil	Natural	32933-883
8	30.5 cm (12")	9 mil	Natural	32933-881

Natural

WELLS LAMONT Industrial

Spec-Tec® Sterile M102 Glove Liner

- Cut-Resistant Liners Feature **Excellent Tactile** Sensitivity
- Sterile
- Knit Cuff
- ANSI Cut Level 1
- Ambidextrous





- Sterile
- Cut Resistant
- Thin-Gauge Stainless Steel Construction
- Washable
- ANSI Level 4 Cut Protection



Spec-Tec[™] Stretch Sterile M104 Glove Line

- Ambidextrous
- High Performance Fiber with Lycra
- Latex Free
- Good Tactile Sensitivity
- ANSI Level 2 Cut Protection

Size	Cat. No.
Small	80091-126
Medium	80091-124
Large	80091-122

Size	Cat. No.
Small	52428-890
Medium	52428-892
Large	52428-894
X-Large	52428-896

Size	Cat. No.
Small	80091-132
Medium	80091-130
Large	80091-128

Cotton Lisle Inspection Gloves

- Hand and Product Protection for Light **Duty Inspection Purposes**
- Lightweight
- Men's and Women's
- Cotton Lisle (100%)
- Ambidextrous

Size	Cat. No.
Lightweight, Women's	32935-461
Lightweight Men's	32935-460

FlexTech[™] Gloves, **Thermal Hi-Vis** Synthetic Shell with Latex Palm

- Brushed Fleece Lining
- Washing Machine Friendly
- For Construction, Ground Traffic Control, and General Applications
- Palm Coated
- Seamless Nylon

Size	Cat. No.
Medium	10066-724
Large	10066-726



Whizard® Stainless **Steel Mesh Glove**

- Ergonomically designed
- Patented self-adjusting tensioning system
- Micro plasma welded rings
- No gaps to trap soil
- Ambidextrous
- Easy to clean

Size	Cat. No.
X-Small	80091-048
Small	80091-050
Medium	80091-052
Large	80091-054
X-Large	80091-056
XX-Large	80091-058



KIMTECH PURE® G5 STERLING™ Nitrile Gloves, Kimberly-Clark

- Powder-free, latex-free, silicone-free
- · Tactile sensitivity with tensile strength
- · Static dissipative in use
- Suitable for use in the manufacture of pharmaceuticals, medical devices, electronics, disk drives, flat panel displays, and semiconductors
- · Ambidextrous, beaded cuff, textured fingertips

Length	Color	Cat. No.
30.5 cm (12")	Gray	89093-006
30.5 cm (12")	Gray	89093-008
30.5 cm (12")	Gray	89093-010
	30.5 cm (12") 30.5 cm (12")	30.5 cm (12") Gray 30.5 cm (12") Gray

KIMTECH PURE® G5 Sterile Natural Rubber Latex Gloves, Kimberly-Clark

- · Hand specific, tapered, beaded cuff
- Low in natural rubber proteins, powder free
- 9mil fingertip thickness for added protection
- · Easy donning and removal
- · Textured for wet/dry grip
- Processed to lower particle counts and ionic/ elemental extractables

Size	Length	Thickness	Color	Cat. No.
7	30.5 cm (12")	9 mil	Natural	32933-939
7.5	30.5 cm (12")	9 mil	Natural	32933-951
8	30.5 cm (12")	9 mil	Natural	32933-945

Protegrity® CP Sterile Latex Gloves with Nitrile, Cardinal Health®

- · Triple layer, powder free
- Comfort of natural rubber latex with the strength of nitrile for exceptional grip and tactile properties
- Hand specific, beaded cuff, bisque finish
- Sterilized by gamma irradiation to SAL 10-6

Size	Length	Color	Cat. No.
6.5	30.5 cm (12")	White	PH2Y72N2
7.5	30.5 cm (12")	White	PH2Y72N4
8.5	30.5 cm (12")	White	PH2Y72N6

CP100™ BT Sterile Latex Hand-Specific Gloves, Cardinal Health®

- Ambidextrous, beaded cuff
- Fully textured palm and fingers provide a secure grip
- Clean processed, powder free



Size	Length	Thickness	Color	Cat. No.
7.5	30.5 cm (12")	7 mil	White	PH2Y5004
8	30.5 cm (12")	7 mil	White	PH2Y5005
8.5	30.5 cm (12")	7 mil	White	PH2Y5006



- Clean processed, powder free
- · Excellent strength, textured grip, comfortable fit
- · ESD properties
- 29.2cm (11 1/2") length
- · Ambidextrous, beaded cuff

Size	Length	Thickness	Color	Cat. No.
Small	29.2 cm (11 ¹ / ₂ ")	5 mil	White	PH2Y1850
Medium	29.2 cm (11 ¹ / ₂ ")	5 mil	White	PH2Y1851
X-Large	29.2 cm (11 ¹ / ₂ ")	5 mil	White	PH2Y1853

CR100® Sterile Latex Gloves, Cardinal Health®

- Sterile, clean processed, powder free
- Comfortable flex-and-stretch design
- · Low particulate levels
- Anti-slip, textured finish enhances the grip for better handling
- Hand specific, beaded cuff with reinforced ribs prevents constriction and reduces rolldown
- Sterilized by gamma irradiation to SAL 10⁻⁶ in accordance with AAMI guidelines

Size	Length	Thickness	Color	Cat. No.
7.5	30.5 cm (12")	7 mil	Natural	PH2Y1627
8	30.5 cm (12")	7 mil	Natural	PH2Y1628
8.5	30.5 cm (12")	7 mil	Natural	PH2Y1629

Esteem® CP Sterile Synthetic Gloves, Cardinal Health®

- Superior protection against bacteria and particulates
- · Highly breathable and fluid-resistant
- · Low particle shedding
- · Soft and hypoallergenic
- · Malleable noseband ensures custom, secure seal

Size	Length	Color	Cat. No.
7	30.5 cm (12")	White	PH2Y72PL70
7.5	30.5 cm (12")	White	PH2Y72PL75
8	30.5 cm (12")	White	PH2Y72P180

Duraprene™ CP Sterile Synthetic Gloves, Cardinal Health®

- · Nitrile and neoprene blend
- · Latex free, powder free
- Hand specific, beaded cuff



Size	Length	Thickness	Color	Cat. No.
7.5	30.5 cm (12")	8 mil	Yellow	89027-164
8	30.5 cm (12")	8 mil	Yellow	89027-166
8.5	30.5 cm (12")	8 mil	Yellow	89027-168



A Proprietary Glove Mold for Natural Hand Movement

Cardinal Health™ Cleanroom Gloves combine innovation with state-of-the-art technology to help provide protection, performance and expertise when you need it most. In addition, wearer comfort is a top priority.



Taking wearer comfort into consideration, Cardinal Health developed a proprietary glove mold with performance in mind using an independent thumb feature that replicates the anatomical position of the resting hand. The thumb on the Cardinal Health™ Glove Mold is prominent and positioned away from, or in front of, the finger plane to allow for natural movement in the fingers, thumb and palm.

Independent study:

In order to demonstrate the benefit of this proprietary glove mold feature, Cardinal Health sponsored an independent study through a third-party lab comparing samples produced on two different glove molds — one with an independent thumb feature and the other without. The study simulated the flexion (i.e. movement towards the palm) and extension (i.e. movement away from the palm) of the thumb on an artificial hand, measuring the force required to flex and extend the thumb.

The results of the study demonstrated that the samples featuring the independent thumb required less force for similar displacements of the thumb than those without an independent thumb feature. 1

From protection to performance, we have you covered.

- Esteem* CP Sterile Polyisoprene Cleanroom Gloves Recommended for ISO 6/Class 1000 or higher
- Duraprene[™] CP Sterile Neoprene Cleanroom Gloves Recommended for ISO 5/Class 100 or higher
- Protegrity® CP Sterile Latex Glove with nitrile coating Recommended for ISO 6/Class 1000 or higher

To order, contact your VWR sales representative, call **1.800.932.5000** or visit **vwr.com/cardinalgloves**

For ordering information see page 78.



¹ Bennet, M. A. & Tekamp, D. A. Surgical Glove Comparison Testing. Stress Engineering Services. February 2012.

© 2015 Cardinal Health. All Rights Reserved. CARDINAL HEALTH, the Cardinal Health LIOG, ESSENTIAL TO CARE, ESTEEM, DURAPRENE, and PROTEGRITY are trademarks or registered trademarks of Cardinal Health. Lift. No. 29FERIT-5402547 (09/2015). PRC (10/2015).

Multi-Flex® Clean Class 100™ Latex Gloves, Cardinal Health®

- Powder free, clean processed to protect sensitive environments
- · Hand specific, tapered cuffs
- Thin, antislip fingertips ensure optimum fit, sensitivity, and dexterity required for small parts manufacturing procedures.



Size	Length	Thickness	Color	Cat. No.
6.5	30.5 cm (12")	7 mil	Natural	PH2Y1602
7.5	30.5 cm (12")	7 mil	Natural	PH2Y1604
8	30.5 cm (12")	7 mil	Natural	PH2Y1605

Nitrilite® 93-311, Nitrile Gloves, Ansell

- · Strength and comfort in critical environments
- Significantly reduces particulate and extractable levels
- Powder free with no plasicizers, silicone, or pigments
- Ideal for electronics manufacturing, medical laboratories, pharmaceutical, and research laboratories

Size	Length	Color	Cat. No.
Small	30.5 cm (12")	White	47748-212
Medium	30.5 cm (12")	White	47748-214
Large	30.5 cm (12")	White	47748-216

TouchNTuff® 83-300 Polyisoprene Gloves, Ansell

- Comfortable and ultra-soft polyisoprene film for reduced hand fatigue
- Enhanced grip characteristics, ideal for wet itemhandling applications
- Contains no natural rubber latex, minimizing Type I allergy
- · Inner coating enables ease of dry and wet hand donning

Size	Length	Thickness	Color	Cat. No.
7	31 cm (12.2")	8.3 mils	White	10054-558
8	31 cm (12.2")	8.3 mils	White	10054-562

CE4 System Latex Ambidextrous Gloves, Microflex®

- For use in ISO Class 4 (FED-STD-209E Class 10/ M2.5) controlled environments
- Silicone free, powder free
- Microtextured surface enhances wet or dry grip
- Provides superb aesthetics, dexterity, tactile sense, fit, feel, and comfort

Size	Length	Color	Cat. No.
Small	30.5 cm (12")	Natural	32916-718
Medium	30.5 cm (12")	Natural	32916-720
Large	30.5 cm (12")	Natural	32916-722



TechNiCleaned Class 10 Nitrile Cleanroom Gloves, TechNiGlove

- Class 10
- 100% Nitrile
- 12" ambidextrous
- Powder-free
- For use in semiconductor, disc drive, flat panel, electronic, and pharmaceutical manufacturing

Size	Length	Thickness	Color	Cat. No.
Small	30.5 cm (12")	5 mil	Green	89414-984
Medium	30.5 cm (12")	5 mil	Green	89414-986
Large	30.5 cm (12")	5 mil	Green	89414-988

TechNiPak Class 100 Nitrile Cleanroom Gloves, TechNiGlove

- · Plastic (PVC) dispenser box
- Class 100
- 9.5" length, powder-free
- 100% Nitrile
- Ambidextrous

Size	Length	Thickness	Color	Cat. No.
X-Small	24.1 cm (9 1/2")	5 mil	Blue	89415-066
Small	24.1 cm (9 ¹ / ₂ ")	5 mil	Blue	89415-068
Medium	24.1 cm (9 1/2")	5 mil	Blue	89415-070

TechNiCleaned Pharmaceutical Class 100 Nitrile Cleanroom Gloves, TechNiGlove

- Class 100
- 100% Nitrile
- 12" ambidextrous
- Powder-free
- For us in semiconductor, disc drive, flat panel, electronic, and pharmaceutical manufacturing

Size	Length	Thickness	Color	Cat. No.
Small	30.5 cm (12")	5 mil	Blue	89415-044
Medium	30.5 cm (12")	5 mil	Blue	89415-046
Large	30.5 cm (12")	5 mil	Blue	89415-048

VWR® PureTouch Cut-Resistant Glove Liners

- Sturdy, launderable, and reusable
- Compatible underglove for all cleanroom requirements
- 13-gauge white nylon with HPPE
- Ambidextrous
- · Color-coded for visual size identification
- · Sturdy, launderable, and reusable





Description	Size	Thickness	Color	Cat. No.
VWR® PureTouch Full Finger Liners	Small	$2 \text{ mm} \pm 10\%$	Green	76102-378
VWR® PureTouch Full Finger Liners	Medium	$2 \text{ mm} \pm 10\%$	Orange	76102-380
VWR® PureTouch Full Finger Liners	Large	2 mm ± 10%	Blue	76102-382
VWR® PureTouch Full Finger Liners	X-Large	2 mm ± 10%	Red	76102-384

HAND & ARM PROTECTION

VWR® Glove Liners

- · Ambidextrous glove liners
- · Reduces perspiration and wicks away moisture
- Low-lint, 100% 15 denier nylon composition
- Sturdy, launderable, and reusable
- · Color-coded cuffs indicate size
- Pre-laundered; will not shrink





Description	Size	Color	Cat. No.
Full Finger Liners	Medium	White	94000-610
Full Finger Liners	Large	White	94000-612
Full Finger Liners	X-Large	White	94000-614

BCR® Polyester Glove Liners, Berkshire

- · Liners can be re-laundered and used again
- No seams on the gloves that could unravel and cause contamination
- Composition allows moisture to be absorbed and wicked away from skin during extended wear
- · Ambidextrous for easy stock control
- · Color coded cuffs to identify sizes
- · Polyester glove liners can be sterilized by beta or steam

Description	Size	Color	Cuff Color	Cat. No.
BCR® Polyester Half-Finger Glove Liner	Regular	White	White	32891-470
BCR® Polyester Half-Finger Glove Liner	Regular	White	White	10810-322
BCR® Polyester Full-Finger Glove Liner	Regular	White	White	32891-474

BCR® Polyester Cleanroom Glove Liners, Berkshire

- · Special fiber construction allows for moisture absorption during extended wear
- · Constructed using special seamless techniques
- · No-run and non-ravel
- · Ambidextrous for easy stock control
- · Launderable for multiple reuse

Packaging	Cat. No.
Bulk, 200 Pairs per Pack	89212-859

BCR® Nylon Glove Liners, Berkshire

- Liners can be re-laundered and used again
- No seams on the gloves that could unravel and cause contamination
- Composition allows moisture to be absorbed and wicked away from skin during extended wear
- · Ambidextrous for easy stock control
- · Color coded cuffs to identify sizes







Reusable Nylon Glove Liners, Wells Lamont®

- Ambidextrous
- Washable
- Full-Finger and Half-Finger Styles Available
- Other Applications: Gowning or Inspection Gloves
- High-Stretch Nylon Construction

Description	Size	Length	Color	Cat. No.
Half-Finger Liners	Women's	17.8 cm (7")	White	32935-567
Half-Finger Liners	Men's	17.8 cm (7")	White	32935-569

Highly Reusable Nylon Glove Liners, Wells Lamont®

- Ambidextrous
- Full-Finger Style
- · Regular Cuff
- Gloves Prevent Skin Irritation
- Nylon




One-Size-Fits-All Nylon Glove Liners, Wells Lamont®

- Knitted Construction
- Ambidextrous
- · Half-Finger and Full-Finger Styles Available
- · Full-Finger Liner Also Works as Gowning or

inspection Glove		
Description	Color	Cat. No.
Half-Finger Liners	White	32935-480
Full-Finger Liners	White	32935-536

Nylon Glove Liners, Wells Lamont®

- · Latex-Free, Fitted Cuffs
- Nylon Construction (100%)
- Ambidextrous
- Full Finger or Half-Finger Liners Available
- Reusable





DuPont™ Tychem® QC Sleeves

- Elastic at both ends
- Bound seams
- · Universal sizing



Size	Length	Color	Cat. No.
Universal	45.7 cm (18")	Yellow	13450-338

Flame-Resistant Sleeves, Kevlar® with Cotton Lining, Wells Lamont®

- Yellow
- Four Sizes Available



Length	WxL	Cat. No.
25.4 cm (10")	7.6 x 25.4 cm (3 x 10")	80091-774
35.6 cm (14")	7.6 x 35.6 cm (3 x 14")	80091-780
45.7 cm (18")	7.6 x 45.7 cm (3 x 18")	80091-790
61 cm (24")	7.6 x 61 cm (3 x 24")	80091-802

Double-Layered Sleeves, Kevlar®, Wells Lamont®

- · Seamless Construction
- CPPT Test Grade: 1207 g (23/5 lb.)
- Kevlar Material
- Double Layered
- Strong Cut Resistance

Description	Length	Cat. No.
Sleeves with Thumb Hole	45.7 cm (18")	14226-928
Sleeves without Thumb Hole	45.7 cm (18")	32935-690

Whizard® Defender **Armguard, Wells Lamont**

- High Performance Yarn and Stainless Steel Construction
- Clip Provided
- ANSI Level 4





- · Combination of High Performance Fiber with Stainless Steel
- Kevlar
- · Knit Structure Allows for Air Circulation
- Cut Resistant
- For Use in Applications Requiring Protective Apparel

Length	WxL	Color	Cat. No.
25.4 cm (10")	7.6 x 25.4 cm (3 x 10")	Green/Yellow	80091-776
55.9 cm (22")	7.6 x 55.9 cm (3 x 22")	Green/Yellow	80091-798

Terrycloth Sleeves, Wells Lamont®

- Cut and Heat-Resistant Sleeves
- · Medium and Extra Heavyweight Available
- Terry Cloth
- Elastic Tops
- White





SKC High Performance Cut and Flame Resistant Sleeves, Wells Lamont

- · Patented combination of fibers
- · Blousy fit
- Elastic on both ends
- · Available in several lengths with or without a thumb hole

Description	Length	Cat. No.
SKC Sleeve	10"	10859-892
SKC Sleeve with Thumb Hole	24"	10859-950

Vinyl Sleeves, Ansell

- · Great protection against punctures and abrasions
- Resistance against acids and chemical splashes



Length	Thickness	Color	Cat. No.
45.7 cm (18")	8 mil	White	47727-570
45.7 cm (18")	4 mil	Clear	47729-370
45.7 cm (18")	6 mil	Blue	80078-899



HAND & ARM PROTECTION

VWR® Basic Protection **Disposable Sleeve**



- Garments feature serged seams
- · Reliable protection in a variety of applications

Description	Size	Length	Color	Cat. No.
VWR® Basic Protection Sleeve	Universal	49.5 cm (19.5")	White	89208-758

VWR® Advanced Protection Disposable Sleeve



- Disposable fabrication
- · Reliable protection in a variety of applications

Description	Size	Length	Color	Cat. No.
VWR® Advanced Protection Sleeve	X-Large	54.6 cm (21.5")	White	89208-810

VWR® Advanced **Protection Sleeves**



- · Significant fluid and particulate barrier
- Durable, lightweight fabric
- · Excellent breathability and water vapor transmission rate
- Soft tactile feel



Size	Length	Color	Cat. No.
X-Large	54.6 cm (21 ¹ / ₂ ")	White	414004-420
Universal	49.5 cm (191/2")	White	414004-421

Convertors® Disposable Sleeves, Sterile, Cardinal Health®

- · Low linting
- · Elastic at both ends



Length	Color	Cat. No.
54.6 cm (21 ¹ / ₂ ")	Blue	CV599

DuPont™ Tyvek® Sleeve Covers

- · One size fits most
- · Elastic at both ends
- · Serged seams



Length	Color	Cat. No.
45.7 cm (18")	White	10010-136

VWR® Sterile Sleeves

- · Excellent breathability and water vapor transmission rate
- Superior fluid and particulate barrier
- Lowest level of particle shedding
- Durable yet soft, cloth-like fabric



Size	Length	Color	Cat. No.
Universal	49.5 cm (19 ¹ / ₂ ")	White	414004-510
X-Large	54.6 cm (21 ¹ / ₂ ")	White	414004-511

DuPont™ Tyvek® IsoClean® Sleeves

- Universal size
- · Elastic at both ends



Length	Color	Sterility	Packaging	Cat. No.
Standard Sleev	ves			
45.7 cm (18")	White	Sterile	Individually Packaged	89125-646
Clean-Processe	ed Sleeves			
45.7 cm (18")	White	Sterile	Individually Packaged	89127-354

KIMBERLY-CLARK® Sterile Sleeve Protector, KIMBERLY-**CLARK PROFESSIONAL®**

- Sterile sleeve protector
- Double bagged for protection



Size	Color	Cat. No.
Universal	Blue	15628-276

KIMTECH PURE® A5 Sterile Sleeve Protector with CLEAN-**DON™ Technology, KIMBERLY-CLARK PROFESSIONAL®**







- SMS material construction ensures a cloth-like comfort
- Type 6 PPE Category III for "parts of the body"
- Sterility assurance level is 10⁻⁶

Color	Sterility	Cat. No.
White	Sterile	89428-610



FOOT PROTECTION

- Shoes & Boots
- Shoe Covers
- Boot Covers

Personal Protection Solutions From Head to Toe!

Steelite™ Compositelite **Safety Boot, Portwest**

- Protective composite toecap
- Direct injected dual density construction
- · Lightweight PU cushioned midsole
- · Slip-, fuel-, and oilresistant PU outsole
- Removable EVA cushion footbed
- 100% metal-free
- Anti-static



Size	Material	Color	Cat. No.
9	Split Leather (PU/PU Outsole)	Black	76104-030
10	Split Leather (PU/PU Outsole)	Black	76104-032
11	Split Leather (PU/PU Outsole)	Black	76104-034

Steelite™ Compositelite Operis Shoe, Portwest



- Puncture-resistant composite midsole
- Direct injected dual density construction
- Lightweight PU cushioned midsole
- Slip-, fuel-, and oil-resistant rubber outsole
- · Heat-resistant outsole
- 100% metal-free
- Anti-static



Size	Material	Color	Cat. No.
9	Nubuck (PU/Rubber Outsole)	Black/Orange	76104-134
10	Nubuck (PU/Rubber Outsole)	Black/Orange	76104-136
11	Nubuck (PU/Rubber Outsole)	Black/Orange	76104-138

Steelite™ Compositelite Trekker Shoe, Portwest



- Protective composite toecap
- · Direct injected dual density construction
- Lightweight PU cushioned midsole
- Slip-, fuel-, and oil-resistant outsole
- · Removable EVA cushion footbed
- 3D breathable mesh lining
- · Anti-static

• 100% metal-free

Size	Material	Color	Cat. No.
9	Cow Suede Leather (PU/PU Outsole)	Black	76104-216
10	Cow Suede Leather (PU/PU Outsole)	Black	76104-218
11	Cow Suede Leather (PU/PU Outsole)	Black	76104-220

NEW

Steelite™ Protector **Shoe, Portwest**

- · Protective steel toecap
- Puncture-resistant steel midsole
- · Direct injected dual density construction
- Lightweight PU cushioned midsole
- · Slip-, fuel-, and oil-resistant outsole
- · Removable EVA cushion footbed
- Anti-static

Size	Material	Color	Cat. No.
9	Split Leather (PU/PU Outsole)	Black	76104-162
10	Split Leather (PU/PU Outsole)	Black	76104-396
11	Split Leather (PU/PU Outsole)	Black	76104-398

NEW

Steelite™ Arx Safety Trainer, Portwest

- Protective steel toecap
- · Puncture-resistant steel midsole
- Cement construction
- Lightweight EVA cushioned midsole
- Slip-, fuel-, and oil-resistant rubber outsole
- · Heat-resistant outsole
- Removable EVA cushion footbed
- Anti-static

Size	Material	Color	Cat. No.
9	Split Leather (EVA/Rubber Outsole)	Black	76104-458
10	Split Leather (EVA/Rubber Outsole)	Black	76104-820
11	Split Leather (EVA/Rubber Outsole)	Black	76104-822





All of the Portwest products on this page are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

FOOT PROTECTION

Steelite™ Lusum Safety Trainer, Portwest

- Protective steel toecap
- · Puncture-resistant steel midsole
- Cement construction
- · Lightweight EVA cushioned midsole
- Slip-, fuel-, and oil-resistant rubber outsole
- · Heat-resistant outsole
- · Removable EVA cushion footbed
- Anti-static

9 Cow Suede Leather (EVA/Rubber Outsole) Black/Yellow	76404 000
	76104-892
10 Cow Suede Leather (EVA/Rubber Outsole) Black/Yellow	76104-894
11 Cow Suede Leather (EVA/Rubber Outsole) Black/Yellow	76104-896

NEW

Steelite™ Ladies Safety Trainer, Portwest

- Protective steel toecap
- · Puncture-resistant steel midsole
- · Cement construction
- Lightweight EVA cushioned midsole
- · Slip-, fuel-, and oil-resistant rubber outsole
- · Heat-resistant outsole
- · Removable EVA cushion footbed
- Anti-static

Description	Size	Material	Color	Cat. No.
Black	9	Split Leather (EVA/Rubber Outsole)	Black/Blue	76104-916
Black	10	Split Leather (EVA/Rubber Outsole)	Black/Blue	76104-918
Black	11	Split Leather (EVA/Rubber Outsole)	Black/Blue	76104-920
Black/Pink	9	Split Leather (EVA/Rubber Outsole)	Black/Pink	76104-932
Black/Pink	10	Split Leather (EVA/Rubber Outsole)	Black/Pink	76104-934
Black/Pink	11	Split Leather (EVA/Rubber Outsole)	Black/Pink	76104-936

NEW

Steelite™ Trekker Shoe, Portwest

- Protective steel toecap
- Puncture-resistant steel midsole
- Direct injected dual density construction
- Lightweight PU cushioned midsole
- Slip-, fuel-, and oil-resistant PU outsole
- · Removable EVA cushion footbed
- · 3D breathable mesh lining
- Anti-static

Size	Material	Color	Cat. No.
9	Cow Suede Leather (PU/PU Outsole)	Black	76104-990
10	Cow Suede Leather (PU/PU Outsole)	Black	76104-992
11	Cow Suede Leather (PU/PU Outsole)	Black	76104-994

NEW

VWR® Cleanroom Safe & ESD Steel Toe Shoes

- Electrostatic discharge protection
- Synthetic leather uppers
- · Non-skid polyurethane sole





Size	Color	Cat. No.
Women's Cleanro	om Safe & ESD Shoes	
6.5	White	75983-194
7	Black	10022-228
7	White	75983-196
Men's Cleanroom	Safe & ESD Shoes	
9	Black	75877-372
Women's Cleanro	om Safe & ESD Shoes	
7.5	Black	10022-230
Men's Cleanroom	Safe & ESD Shoes	
9	White	75983-172
9.5	Black	10022-214
9.5	White	75983-174

NEW

Steelite™ Mustang Boot, Portwest

- · Protective steel toecap
- Puncture-resistant steel midsole
- · Direct injected dual density construction
- Lightweight PU cushioned midsole
- Slip-, fuel-, and oil-resistant TPU outsole
- 360° ankle support system
- · Removable EVA cushioin footbed
- Anti-static

Size	Material	Color	Cat. No.
9	Crazy Horse Leather (PU/TPU Outsole)	Brown	76104-848
10	Crazy Horse Leather (PU/TPU Outsole)	Brown	76104-850
11	Crazy Horse Leather (PU/TPU Outsole)	Brown	76104-852

NEW

Steelite™ Compositelite Operis Boot, Portwest

- Protective composite toecap
- Puncture-resistant composite midsole
- Direct injected dual density construction
- · Lightweight PU cushioned midsole
- Slip-, fuel-, and oil-resistant rubber outsole
- · Heat-resistant outsole
- 100% metal-free
- Anti-static

Size	Material	Color	Cat. No.
9	Nubuck (PU/Rubber Outsole)	Black/Orange	76104-046
10	Nubuck (PU/Rubber Outsole)	Black/Orange	76104-048
11	Nubuck (PU/Rubber Outsole)	Black/Orange	76104-050



All of the Portwest products on this page are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

Steelite[™] Compositelite Welders Boot, Portwest

- Protective composite toecap
- Puncture-resistant composite midsole
- Direct injected dual density construction
- · Lightweight PU cushioned midsole
- Slip-, fuel-, and oil-resistant rubber outsole
- · Heat-resistant outsole
- · Ergonomic quick release buckle
- Anti-static





Size	Material	Color	Cat. No.
8	Split Leather (PU/Rubber Outsole)	Black	76104-346
9	Split Leather (PU/Rubber Outsole)	Black	76104-348
10	Split Leather (PU/Rubber Outsole)	Black	76104-350

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

Steelite™ Total Safety Wellington Boot, Portwest

- · Protective steel toecap
- Puncture-resistant steel midsole
- Dual density PVC/Nitrile construction
- Slip-, fuel-, and oil-resistant PVC/ Nitrile outsole
- · 100% waterproof
- · Washable nylon inner lining
- 15" height
- Anti-static

And State				
Size	Material	Color	Cat. No.	
8	PVC/Nitrile (PVC/Nitrile Outsole)	Black	76104-474	
9	PVC/Nitrile (PVC/Nitrile Outsole)	Black	76104-476	
10	PVC/Nitrile (PVC/Nitrile Outsole)	Black	76104-478	

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

Sureflex Boots with Safety-Loc™ Outsole, Onguard

- 100% waterproof; resists animal fats, oils, chemicals
- PVC/nitrile soles, high performance PVC compound uppers, and steel toes
- · Slip resistant
- For use in chemicals, farming, and food processing



Size	Cat. No.
9	89031-588
10	89031-590
11	89031-592

Viking Boots, Onguard

- Sturdy, provides complete waterproof protection
- · Fits over most work shoes and boots
- · Flexible even in cold weather
- Kick-off lugs and noncorrosive metal snaps for easy removal
- · Special fold line for snug fit, if required
- · Self-cleaning, maximum slip-resistant sole

Description	Size	Color	Cat. No.
10.2 cm (4") Galosh	Medium	Black	21921-700
25.4 cm (10") Overboot	Large	Black	21921-710
25.4 cm (10") Overboot	XX-Large	Black	21921-714
43.2 cm (17") Overboot	Medium	Black	21921-716
43.2 cm (17") Overboot	Large	Black	21921-718

Slicker Boots, Onguard

- Offer complete waterproof protection and high chemical resistance
- Stay flexible even in cold weather
- Non-absorbent polyester lining allows for hygienic cleansing of the boot interior
- Nonconductive adjustable polyester strap with plastic buckle and snaps
- · Kick-off lug for easy boot removal

Size	Cat. No.
10	21921-804
11	21921-806
12	21921-808

SF Chemical Overboots, Honeywell Safety

- One-piece molded construction helps to eliminate possible leaks in reinforced areas
- Overboots feature a slip-coated interior and a slip-resistant, self-cleaning outsole
- Tested to meet chemical requirements of the Military Spec MIL-0-43995C and the Commercial Spec A-A-59520



Size	Color	Cat. No.
Medium	Black	63550-148
Large	Black	63550-150
X-Large	Black	63550-152


These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

HAZMAX® Strapper Boots, Onguard

- Over-the-shoe boot provides maximum resistant to chemicals and hazardous materials
- Injection molded-seamless construction
- Nonconductive adjustable polyester strap with non-metallic buckle and snaps
- High-visibility green upper with black, easy-to-clean, nonslip cleated sole
- · Heel kick-off lug for easy removal
- · Available in men's sizes only







FOOT PROTECTION

Economy Steel Toe Boot, Onguard

- For use in wet, muddy conditions where chemical resistance is not required
- · Injection-molded, one-piece construction for complete waterproof protection
- Steel toe meets or exceeds ANSI Z41 PT91 I/75 C/75 standard for impact and compression
- · Available in men's sizes only

Si 9



Servus™ Strap-On Rubber **Overshoes, Honeywell Safety**

- Each 100% waterproof boot features an adjustable side strap for a snug fit
- · Tough, comfortable net lining for easy on and off
- 46cm (18") high overshoe has a Cross Rib™ outsole



Size	Cat. No.	Size	Color	Cat. No.
9	21921-764	8	Yellow	35557-570
10	21921-766	9	Yellow	35557-572
11	21921-768	10	Yellow	35557-574

Polyblend Boots, Onguard

- Two-stage, injection-molded, one-piece construction for complete waterproof protection
- · Polyurethane/PVC composition provides a high degree of chemical resistance
- · Non-slip soles give workers positive footing
- Pull-up/kick-off lugs make entry and removal easy
- · Steel shank adds comfort



Size	Cat. No.
9	11000-088
11	11000-092
10	11000 000

Description	Size	Cat. No.
Plain Toe	10	21921-726
Plain Toe	11	21921-728
Steel Toe	9	21921-734
Steel Toe	10	21921-736

Rubber Work Overshoes, Tingley

- Boot height: 25.4 cm (10")
- It stretch easily over even the bulkiest workshoes
- · Injection-molded, seamless construction, making them 100% waterproof



Size	Color	Cat. No.
Small	Black	83007-898

Servus® XTP™ Safety Knee **Boots, Honeywell Safety**

- Boots feature extended, ribbed steel shanks for support, steel toes for protection, and contour comfort
- · Graduated heights decrease chafing of calf
- · Boots are black and grey with a yellow midsole trimline





Servus® CT™ Economy Knee **Boots, Honeywell Safety**

- Meets ASTM F2413-11 M I/75 C/75
- Scalloped top-line design to accommodate flexing and helps to prevent rubbing and chafing on legs, for added comfort
- · Molded contour heel cup and removable FOOT FORM contour cushion insoles

Size	Cat. No.
9	11000-088
11	11000-092
13	11000-096

VWR® Basic Protection SPP Shoe Covers



- · Maximum breathability
- Low linting





Description	Size	Length	Color	Cat. No.
Heavy Weight Anti-Skid Shoe Covers	Universal	39.4 cm (15 ¹ / ₂ ")	Blue	89233-794
Standard Shoe Covers	Universal	44.5 cm (17 ¹ / ₂ ")	Blue	97041-234
Anti-Skid Shoe Covers	Universal	44.5 cm (17 ¹ / ₂ ")	Blue	97041-236

VWR® Basic Protection CPE Shoe Covers

- · First-line barrier
- · Economical and lint free
- · Excellent fluid resistance







Size	Color	Cat. No.
X-Large	Blue	414004-512
X-Large	White	414004-513

VWR® Advanced Protection Anti-Skid Shoe Covers

- Specially formulated polypropylene/ polyethylene microporous film
- · Excellent fluid and barrier protection
- Highly durable, ensure long-lasting abrasion and skid resistance
- Standard or static-dissipative formats
- · Tested and manufactured in ISOcertified facility
- · Lot controlled and validated through independent lab testing







KIMTECH PURE® A7 Ankle High Shoe Cover, KIMBERLY-CLARK PROFESSIONAL®

- · Helps reduce contamination in controlled environments
- Decrease the risk of slips and falls
- Protects the shoelace area
- · Delivers higher barrier of liquid protection and superior grip



Size	Color	Cat. No.
Universal	White	10847-812
X-Large	White	10847-818

Dimensions **Standard Shoe Covers**

BEE-SAFE™ Non-Skid Polypropylene Shoe Covers, High-Tech Conversions

- Non-skid soles are available for greater traction
- · Elastic band gives secure yet comfortable fit around the shoes
- Disposable



Material	Dimensions	Color	Cat. No.
100% Spunbound Polypropylene	40 x 17 cm (15.7 x 6.7")	Blue	10146-122
100% Spunbound Polypropylene	43 x 17 cm (16.9 x 6.7")	Blue	10146-124



Material	Dimensions	Color	Cat. No.
100% Spunbound Polypropylene	40 x 17 cm (15.7 x 6.7")	Blue	10146-122
100% Spunbound Polypropylene	43 x 17 cm (16.9 x 6.7")	Blue	10146-124

DuPont™ ProShield® NexGen® Shoe Covers

- Skid-resistant sole
- · Serged seams

Medium


- 5" high with elastic top
- Thickness meets ASTM D751




Universal	39.4L x 15.9H cm (151/2 x 61/4")	Blue	414004-498
X-Large	43.2L x 17.1H cm (17 x 63/4")	Blue	414004-499
XX-Large	47L x 17.8H cm (181/2 x 7")	Blue	414004-500
Static Dissipa	tive Shoe Covers		
Universal	39.4L x 17.8H cm (151/2 x 7")	Blue	414004-644
X-Large	43.2L x 17.8H cm (17 x 7")	Blue	414004-645

KIMBERLY-CLARK® XTRA-TRACTION™ **Cleanroom Shoe Covers, KIMBERLY-CLARK PROFESSIONAL®**







Sewn seams

Size	Color	Cat. No.
Medium/Large	Blue	89135-426
X-Large/XX-Large	Blue	89135-428

KIMTECH PURE® A8 UNITRAX" **Shoe Covers, KIMBERLY-CLARK PROFESSIONAL®**



White



- · Protects workers in critical process manufacturing and quality control environments
- · Recommended for use in clean environments

Size	Color	Cat. No.
Universal	White	89428-606
X-Large/XX-Large	White	89428-608

VWR® Maximum Protection Fluid-Impervious Butterfly-**Style Shoe Covers**



- Fluid-impervious material with seamless bottom to repel water
- · Skid resistance on wet and smooth surfaces

43.2 L x 17.8 H, cm (17 x 7")

- · Excellent particulate barrier
- Low linting

X-Large

Serned seam



414004-647

Sergeu Seallis			
Size	Dimensions	Color	Cat. N
Universal	39.4 L x 16.5 H, cm (15 ¹ / ₂ x 6 ¹ / ₂ ")	Blue	414004-64
Universal	39.4 L x 16.5 H, cm (15 ¹ / ₂ x 6 ¹ / ₂ ")	White	414004-646
X-Large	43.2 L x 17.8 H, cm (17 x 7")	Blue	414004-642

10016-130

FOOT PROTECTION

VWR® Maximum Protection Non-Skid Shoe Covers

- Non-skid sole provides maximum traction on wet and smooth surfaces
- · Superior coefficient of friction
- Impervious material construction
- Clean, low-linting fabric
- Serged seams





Size	Dimensions	Color	Cat. No.
Universal	35.6 L x 12.7 H, cm (14 x 5")	White	414004-480
Universal	35.6 L x 12.7 H, cm (14 x 5")	Blue	414004-486
Large	32.4 L x 12.7 H, cm (12 ³ / ₄ x 5")	White	414004-483
X-Large	38.7 L x 16.5 H, cm (151/4 x 61/2")	Blue	414004-487

VWR® Maximum Protection High Tack Shoe Covers

- · High coefficient of friction
- 100-gram basis weight
- · Heat-sealed seams
- · Ideal for wet surfaces






Size	Dimensions	Color	Cat. No.
Universal	$39.4L \times 16.5H \text{ cm} (15^{1}/_{2} \times 6^{1}/_{2}")$	Blue	414005-083
X-Large	43.2L x 17.8H cm (17 x 7")	Blue	414005-084


KLEENGUARD® A40 Liquid and Particle Protection Shoe Covers, KIMBERLY-CLARK PROFESSIONAL®

- Used in applications where Tyvek® material is typically worn
- Lamination of microporous film and spunbond nonwoven material
- Dry particle holdout of 100% between 0.3–0.5μm



VWR Signature™ Shoe Covers made with DuPont™ Tyvek® IsoClean® Material





- Single use, serged seams and elastic tops for a secure fit
- · Flat, non-skid PVC soles




Size	Height	Color	Cat. No.
Medium	12.7 cm (5")	White	89128-792
Large	12.7 cm (5")	White	89128-794

DuPont™ Tyvek® IsoClean® with PVC Sole

- · Flashspun polyolefin
- Effective barrier to dry particles, microorganisms, and nonhazardous liquids
- Serged seams, elastic top
- · Skid-resistant sole

Size	Color	Cat. No.
Large	White	89125-644
X-Large	White	89127-348

VWR® Irradiated Non-Skid Shoe Covers





- · Constructed of impervious material
- Clean, low-linting fabric





Size	Color	Cat. No.
Large	White	414004-479
X-Large	White	414004-477
Universal	White	414004-476

KineticButler Shoe Cover Dispenser, Protexer

- Designed for low, moderate, or high volume areas where speed, safety, and compliance are critical
- Hands-free application enables workers to enter facilities without dropping tools or touching dirty shoes
- Dispensers available in two sizes: large unit has handle for safety and stability while applying shoe covers, small unit more easily transported
- Requires no electricity for operation





BootieButler® Shoe Covers, Protexer

- Super anti-skid, slip-resistant pattern
- · Antistatic material
- · Lightweight and durable for extra-long wear



Industrial-Grade Boot Covers, Yuleys Clean Step System, HexArmor

- Hands-free on-and-off usage
- · Slip-reducing tread design
- Heel-locking grip system
- Autoclavable
- Superior chemical and abrasion resistance
- · Greater flexibility at extreme temperatures
- · Silicone free

Description	Size	Length	Color	Cat. No.
Industrial-Grade Work Boot Covers	В	26.7 to 27.9 cm (10 1/2 to 11")	Blue	10147-404
Industrial-Grade Work Boot Covers	C	27.9 to 29.8 cm (11 to 11 3/4")	Blue	10147-406
Industrial-Grade Work Boot Covers	D	29.8 to 31.3 cm (11 3/4 to 12 5/16")	Blue	10147-416
Industrial-Grade Work Boot Covers	E	31.3 to 32 cm (12 5/16 to 12 5/8")	Blue	10147-418

Hazmat Boot Covers, Onguard

- Seamless, waterproof protection from hazardous materials
- · Made of 0.7mm latex rubber
- Ribbed and textured sole provides safe, dependable traction
- · High visibility yellow color
- · Strong enough to be reusable, economical enough to be disposable

Size	Cat. No.
Large	21921-844
X-Large	21921-846



Silver Shield®/4H® Booties, **Honeywell Safety**

- Five-layer fabric compacted into 2.7mil
- High-energy polymer (EVOH) with a low-energy polymer (PE), impervious to at least 90% of all organic chemicals for 4 hours at 35°C (95°F)



- · Wear as a liner or as a cover
- · One size fits all



North™ Latex Booties, **Honeywell Safety**

- 30.5cm (12") stretchable latex
- · Slip-resistant, textured outsole
- Disposable

Large

X-Large

• 100% Waterproof



VWR® Boot Covers

- Economical
- · Disposable
- Made of clear, polyethylene film





Size	Thickness	Cat. No.
Medium	1.75 mil	56614-051
Large	3 mil	56614-302

THE PROTECTION APPAREL BROCHURE

A comprehensive portfolio of cool, clean, comfortable apparel organized by unique levels of protection: Basic, Advanced, Maximum, Signature, Irradiated, and Sterile. Single-Use or Reusable, VWR Protection is uniquely tailored to serve your demanding requirements ranging from general-use applications to strict manufacturing cleanroom environments. Visit vwr.com/ControlledEnvironment for more information.



FOOT PROTECTION

DuPont™ ProShield® NexGen® Boot Covers

- · Skid-resistant sole
- · Serged seams

Large

- 18" high, elastic top
- · One size fits most





VWR Signature™ Boot Covers made with DuPont™ Tyvek® Material

- · High level of protection and comfort for all cleanroom applications
- · Nonwoven material protects against dry particulate and nonhazardous liquids
- Soles made from PVC, coarsely textured interior prevents slipping inside and outside the garment
- 45.7cm (18") high upper with elastic at leg opening
- Supplied with ankle ties



VWR® Maximum Protection Fluid-Impervious Ankle-High Boot Covers

- Fluid-impervious material with seamless bottom to repel water
- · Skid resistance on wet and smooth surfaces
- Excellent particulate barrier
- · Low linting





Size	Dimensions	Color	Cat. No.
X-Large	42 L x 28 H, cm (16 ¹ / ₂ x 11")	Blue	414004-638
Universal	38.1 L x 28 H, cm (15 x 11")	White	414004-640

Size	Color	Cat. No.
Large	White	89013-156
X-Large	White	89013-158

DuPont™ Tyvek® Boot Covers with Tyvek® Sole

- · Flashspun, high-density polyethylene
- One size fits most
- Serged seams
- Elastic top
- Thickness meets ASTM D1777



Height	Color	Cat. No.
45.7 cm (18")	White	10016-956

VWR® Maximum Protection Non-Skid High-Top Boot Covers

- Superior coefficient of friction ensures maximum traction
- · Maximum skid resistance on wet and smooth surfaces
- · Serged seams for extra protection
- · Clean, low-linting fabric





Description	Size	Dimensions	Color	Cat. No.
Elastic Tops and Ankles	X-Large	38.1 L x 45.7 H, cm (15 x 18")	White	414004-415
Elastic Tops and Ankles	Universal	35.6 L x 44.5 H, cm (14 x 17 ¹ / ₂ ")	White	414004-414
Elastic Tops and Ankle Ties	Universal	35.6 L x 47 H, cm (14 x 18 ¹ / ₂ ")	White	414004-418
Elastic Tops and Ankle Ties	X-Large	38.1 L x 48.3 H, cm (15 x 19")	White	414004-419

DuPont™ Tyvek® Boot Covers with Tyvek® FC Skid-Resistant Sole

- Flashspun, high-density polyethylene
- One size fits most
- Serged seams
- Thickness meets ASTM D1777



Size	Color	Cat. No.
Large	White	10016-958
X-Large	White	10016-960

designed for protection

Make Sure You Have the **Right Protective Equipment**

Protect yourself, your staff and your space with VWR's trusted portfolio of protection products.

Visit vwr.com/protection for more information.



DuPont™ Tyvek® IsoClean® Boot Covers

- · Flashspun polyolefin
- Serged or bound seams, ankle ties
- Resistant to penetration, chemically and biologically inert, low linting, and antistatic treated
- Gamma sterilized to SAL 10-6



Description	Size	Height	Color	Seam Type	Sterility	Packaging	Cat. No.
Standard Boot Covers							
With Ankle Ties	Large	45.7 cm (18")	White	Serged	Sterile	Individually Packaged	89127-324
With Ankle Ties	Medium	45.7 cm (18")	White	Serged	Sterile	Individually Packaged	89127-328
With Ankle Ties	X-Large	45.7 cm (18")	White	Serged	Sterile	Individually Packaged	89127-332
Clean-Processed Boot Cov	ers						
With Ankle Ties	Large	45.7 cm (18")	White	Bound	Sterile	Individually Packaged	89127-336
With Ankle Ties	X-Large	45.7 cm (18")	White	Bound	Sterile	Individually Packaged	89129-686

DuPont™ Tyvek® IsoClean® Boot Covers with Gripper™ Sole

- Balance of protection, durability and comfort
- · Serged seams, elastic ankles and tops
- Skid-resistant sole



Size	Height	Length	Color	Cat. No.	
Clean-Processed Boo	ot Covers	·			
Large	45.7 cm (18")	33.6 cm (13 ¹ / ₄ ")	White	10147-888	
X-Large	45.7 cm (18")	38.7 cm (15 ¹ / ₄ ")	White	10147-980	
Clean-Processed and	Clean-Processed and Sterile Boot Covers				
Large	45.7 cm (18")	33.6 cm (13 ¹ / ₄ ")	White	10016-092	
2X-Large	45.7 cm (18")	43.8 cm (17 ¹ / ₄ ")	White	10016-088	

KIMTECH PURE® A5 Clean Processed Apparel, KIMBERLY-CLARK PROFESSIONAL®

- High standard of protection and comfort
- Cloth-like SMS material, contains no natural rubber or latex
- Manufactured in ISO-certified facility, individually bagged under cleanroom conditions
- Optional hoods and boot covers designed for use with coveralls



Description	Size	Color	Sterility	Cat. No.
Boot Covers	Small/Medium	White	Nonsterile	89166-200
Root Covers	X-I arne/XX-I arne	White	Nonsterile	89166-202

KIMTECH PURE® A5 Sterile Boot Covers with CLEAN-DON™ Technology and Grasp Ties, KIMBERLY-CLARK PROFESSIONAL®

- Two steps in one saves time, minimizes risk of contamination
- Edged vinyl sole to reduce slipping and liquid penetration
- Side grasp ties for secure fit
- Type 6 PPE Category III
- SAL 10⁻⁶



Size	Color	Cat. No.
Small/Medium	White	89203-942
Universal	White	89203-944





We Set Science in Motion to Create a Better World.

From breakthrough discovery to agile delivery of innovative products and services, Avantor® and VWR are one company.

Our shared vision: to be your trusted partner, providing discovery-todelivery solutions, high-performance materials and expert support for your unique personal protection and facility requirements.

Learn more about our new company at www.SettingScienceinMotion.com

YOUR NEW LAB, FIT FOR YOUR PURPOSE

At VWR, we understand your need for a customized lab that enables scientists to innovate without limitations. Comprehensive product choice at **vwr.com** is just the beginning. We extend above and beyond by offering a complete Lab Set-Up solution that includes:

- Money-Saving Offers
- The VWR Furniture Team
- VWR Specialists
- Dedicated Support
- Differentiated Services

Request your FREE 2018 Lab Set-Up Guide at **vwr.com/labsetup**, where you can also find all Money-Saving Offers.



After requesting your Lab Set-Up Guide at **vwr.com/labsetup**, VWR will provide helpful information suited to your project timeline.



Ergonomics and Matting

Fall Protection

First Aid

Hand Care

Spill Control & Waste Disposal


Radiation Protection

Lockout/Tagout

Monitoring & Detection

Material Handling & Storage

Signs, Printers & Labels










Outstanding Ergonomic Support

Ideal for High Cart and Trolley Traffic

VWR® Ergonomic Mats

- Stimulate the body to increase blood circulation and alertness
- Molded beveled edges eliminate tripping hazards
- Silicone- and latex-free
- Solid mat throughout no hollow bubbles that collapse
- Anti-static and meets ISO Class 5 (Class 100) compliance
- Easy-to-clean, closed-cell/non-porous top surface
- Highly resistant to chemicals and UV light

Color	W x L	Cat. No.
Economy Bubble Mats		
Black	0.6 x 1.2 m (2 x 4')	89185-336
Black	0.9 x 0.9 m (3 x 3')	89185-370
Black	0.9 x 3 m (3 x 10')	89185-384
Bubble Mats		
Blue	0.6 x 0.9 m (2 x 3')	89184-910
Blue	0.6 x 1.2 m (2 x 4')	89184-912
Blue	0.6 x 1.8 m (2 x 6')	89184-916
Blue	0.9 x 1.5 m (3 x 5')	89184-950
Gray	0.6 x 0.9 m (2 x 3')	89185-016
Gray	0.6 x 1.2 m (2 x 4')	89185-018
Gray	0.6 x 1.5 m (2 x 5')	89185-020
Economy Smooth Mats	5	
Black	0.6 x 0.9 m (2 x 3")	89185-440
Black	0.6 x 1.2 m (2 x 4")	89185-442
Black	0.9 x 1.5 m (3 x 5")	89185-480
Smooth Mats		
Blue	0.6 x 0.9 m (2 x 3')	89185-122
Blue	0.9 x 1.8 m (3 x 6')	89185-164
Blue	0.6 x 1.5 m (2 x 5')	89185-126
Gray	0.6 x 0.9 m (2 x 3')	89185-228
Gray	0.6 x 1.5 m (2 x 5')	89185-232
Gray	0.9 x 1.8 m (3 x 6')	89185-270



ERGONOMICS AND MATTING

PIG® Grippy® Floor Mat, New Pig

- · Highly efficient and absorbent mat soaks in moisture and wicks it away from the center to prevent puddling on the surface
- · Design allows liquids to disperse evenly so the mat dries out quickly



Dimensions	Absorbency	Color	Packaging	Weight	Cat. No.
36" x 100'	8 Gal./Roll	Black	1 Roll	Medium Weight	10811-188
36" x 50'	4 Gal./Roll	Black	1 Roll	Medium Weight	10811-190
36" x 5'	4 Gal./Roll	Black	10 Mats/Roll	Medium Weight	10811-218
36" x 10'	4 Gal./Roll	Black	5 Mats/Roll	Medium Weight	10811-220

PIG® Grippy® Traffic Mat® Rug, PIG®

- · Holds tight but peels up easily
- · No bunching, rippling, flipping or shifting
- · Heat-fused and needle-punched for incredible durability



Description	Dimensions	Absorbency	Cat. No.
Adhesive Backing, Mediumweight	36" W x 100' L	Up to 11.5 gallons per roll	89508-230

PIG® Traffic Mat® Poly-Back **Absorbent Rug, New Pig**

- · Absorbs and retains oils, coolants, solvents, and water
- · Dark gray color hides grime, so mat stays on the job longer
- · Rolls are ideal for walkways and large areas to soak up leaks and overspray
- · Cuts easily with scissors or utility knife
- Can be incinerated after use to reduce waste or for fuels blending
- Poly backing prevents absorbed liquids from reaching floors

Description	Dimensions	Cat. No.
Mediumweight	91.4 cm x 30 m (36" x 100')	56620-074

PIG® Traffic Mat® Heavy-Duty Absorbent Rug, New Pig

- · Absorbs and retains oils, coolants, solvents, and water
- · Dark gray color hides grime, so mat stays on the job longer
- · Rolls are ideal for walkways and large areas to soak up leaks and overspray
- · Cuts easily with scissors or utility knife
- Can be incinerated after use to reduce waste or for fuels blending
- Heavy-duty rug is twice as heavy and absorbent as standard Traffic Mat Rug

Description	Dimensions	Cat. No.
Heavyweight	91.4 cm x 46 m (36" x 150')	89205-916

PIG® Traffic Mat® Absorbent Rug, New Pig

- · Absorbs and retains oils, coolants, solvents, and water
- · Dark gray color hides grime, so mat stays on the job longer
- · Rolls are ideal for walkways and large areas to soak up leaks and overspray
- · Cuts easily with scissors or utility knife
- · Can be incinerated after use to reduce waste or for fuels blending

Dimensions	Cat. No.
91.4 cm x 91 m (36" x 300')	56620-072
	Dimensions 91.4 cm x 91 m (36" x 300')

ERGOMAT® Classic Antifatique Mats, ERGOMAT®

- · Durable, easy to clean, shock absorbent, static dissipative
- For use in ISO Class 5 (FED-STD-209E Class 100/ M3.5) cleanrooms
- Ideal for dry, nonabrasive areas
- 1.6cm (5/8") thick with four beveled edges



ERGOMAT® Nitril Antifatique Mats, ERGOMAT®

- Mats can be made in any size and shape, and are beveled on all edges to eliminate tripping hazards
- Mats are 1.1cm (7/16") thick to provide the appropriate balance between compression and rebound, necessary for an effective ergonomic mat
- · Nitril mats will not swell, expand, or curl when exposed to oils or a variety of chemicals
- Mats are latex-free and can be cleaned by a variety of methods, including high pressure water jets

WxL	Color	Cat. No.
0.6 x 0.9 m (2 x 3')	Black	12999-188
0.6 x 1.8 m (2 x 6')	Black	12999-190
0.6 x 1.2 m (2 x 4')	Black	89169-708
0.6 x 3.6 m (2 x 12')	Black	89169-722
0.9 x 1.5 m (3 x 5')	Black	89169-742
1.2 x 1.8 m (4 x 6')	Black	89169-778









ERGOMAT® Anti-Fatigue Mats, Ergomat


- Extreme chemical and uv resistance except for organic solvents
- With up to a 12 year warranty in dry applications
- Cleanroom ISO class 5 (class 100)



WxL	Cat. No.
2 x 4'	89169-906
3 x 5'	89169-940
3 x 7'	89169-944
3 x 8'	89169-946

ERGOMAT® Complete Smooth Anti-Fatigue Mats, ERGOMAT


- Fire retardant, open cell, virgin polyurethane
- · Tolerates mild exposures of oil and other liquids
- Silicone free, latex free, antistatic, UV resistant
- Certified for use in ISO Class 5 (100) cleanrooms



WxL	Color	Cat. No.
61 x 91.44 cm (2 x 3')	Gray	22230-828
91.44 x 152.4 cm (3 x 5')	Gray	22230-890
121.92 x 609.6 cm (4 x 20')	Gray	22230-976

ERGOMAT® Industry Mats ERGOMAT®

- Heavy-duty nitrile
- For areas with extreme moisture or heavy fluid flow, from water to cutting oils
- Anti-slip surface and 5.1cm (2") molded bevels for increased safety
- Suitable for use in ISO Class 5 (FED-STD-209D Class 100/M3.5) cleanrooms



WxL	Cat. No.
61 x 91 cm (2' x 3')	22231-186
122 x 18288 cm (4' x 6')	89170-078
122 x 518.16 cm (4 x 17')	89170-100

UltraSoft Tile-Top Anti-Fatigue Mat with Anti-Microbial Sponge, Wearwell®

- · Premium Anti-Microbial sponge
- · Non-porous, Anti-Microbial surface
- 2X the resilience and 3X the life of look-alikes
- Maximized standing area

UltraSoft Tile-Top Anti-Microbial Beveled Mat, Full Roll

• Lay-flat design





- · Industrial strength
- Antifatigue
- · Resists abrasion and most chemical spills



Description	Thickness	WxL	Color	Cat. No.
SpongeCote™ Diamond-Plate Mat	2.4 cm (15/16")	0.9 x 1.5 m (3 x 5')	Black	89020-406
SpongeCote™ Diamond-Plate Mat	2.4 cm (15/16")	0.9 x 1.5 m (3 x 5')	Gray	89020-410
UltraSoft Diamond- Plate Mat	2.4 cm (¹⁵ / ₁₆ ")	0.9 x 1.5 m (3 x 5')	Black with Yellow Border	89020-800

UltraSoft Diamond-Plate Anti-Fatigue Mat, Wearwell®


- · Chemical and abrasion resistant
- 2X the resilience and 3X the life of look-alikes
- · Maximized standing area
- Unique pre-bond bevel and lay-flat design prevent trip hazards



Description	Length	Thickness	Width	Color	Cat. No.
UltraSoft Diamond- Plate Beveled Mat	3'	0.9375"	2'	Black with Chevron	89020-780
UltraSoft Diamond- Plate Beveled Mat	5'	0.9375"	3'	Black with Chevron	89020-796

Tile-Top AM Anti-Fatigue Mat with Anti-Microbial Sponge, Wearwell®

- Premium Anti-Microbial sponge
- Non-porous, Anti-Microbial surface
- 2X the resilience and 3X the life of look-alikes
- · Maximized standing area
- Lay-flat design



Description	Length	Thickness	Width	Color	Cat. No.
Tile-Top Anti-Microbial SpongeCote Beveled Mat	3'	0.5"	2′	Blue	94001-068
Tile-Top Anti-Microbial SpongeCote Beveled Mat	3′	0.5"	2'	Charcoal	94001-070
Tile-Top Anti-Microbial SpongeCote Beveled Mat	5′	0.5"	3′	Black	94001-082
Tile-Top Anti-Microbial SpongeCote Beveled Mat	5′	0.5"	3′	Charcoal	94001-086

Corrugated Switchboard Anti-Fatigue Matting, Wearwell®

- Conforms to ANSI/ASTM D-178-01 Type II, Class 2
- Dielectric Strength: 30,000 volts
- Recommended Maximum Usage per ASTM D178-01: up to 17,000 volts
- Easy to clean corrugated surface design



Description	Length	Thickness	Width	Color	Cat. No.
Corrugated Switchboard Matting, Full Roll	75′	0.25"	2'	Black	89021-394
Corrugated Switchboard Vinyl Matting, Full Roll	75′	0.375"	3′	Black	89020-854

60

0.875"

Charcoal 94001-054

ERGONOMICS AND MATTING

Autoclavable Mat, Wearwell®

- For sterile areas including operating rooms, pharmacies, laboratories, radiology rooms, and hazmat areas
- 100% nonporous, antimicrobial nitrile
- Withstands extensive cycles in autoclave, can also be wiped clean
- Underside features knobs that are positioned for safety and comfort

,			
Thickness	WxL	Color	Cat. No.
1.3 cm (1/2")	61 x 91.4 cm (24 x 36")	Light Gray	89040-123

Sanitizing Footbath Mats, Wearwell®

- Keeps hygienic areas free of contamination and germs
- Thousands of pliable rubber scrapers dislodge contaminants from footwear as soles are immersed in disinfectant solution
- Ideal for food-processing plants



Thickness	WxL	Cat. No.
1.3 cm (1/2")	61 x 81.3 cm (24 x 32")	89021-490
1.3 cm (¹ / ₂ ")	81.3 x 99 cm (32 x 39")	89025-906

Clean Room Adhesive Mats, Wearwell®


- Economical, easy to use, effective dust and dirt control for low-profile carpet, tile, or concrete surfaces
- Tacky surface removes impurities from shoe soles before they can contaminate a cleanroom or anywhere dirt contamination is a hazard
- 30 layers of tough film laminated together in a stack; once the top layer is contaminated, simply pull off and discard


WxL	Color	Cat. No.
45.7 x 91.4 cm (18 x 36")	White	89021-486
45.7 x 114.3 cm (18 x 45")	White	89021-488
45.7 x 91.4 cm (18 x 36")	Blue	89021-748
91.4 x 114.3 cm (36 x 45")	Blue	89021-751
61 x 114.3 cm (24 x 45")	Blue	89021-752
61 x 91.4 cm (2 x 3")	White	89021-760



Heavyweight High Traffic Universal Absorbent Roll, Brady® SPC® Absorbents

- Highly versatile, grey absorbents pick up waterbased, petroleum-based, and non-aggressive chemical fluids
- Heavyweight design specifically useful for continuous leaks and larger spills





Description	Length	Width	Color	Cat. No.
High Traffic Universal Absorbent Roll, Perforated every 18"	150′	15"	Gray	10810-756
High Traffic Universal Absorbent Roll, Perforated every 15"	150′	30"	Gray	10810-840

Personal Antifatigue Mat™ Insoles, MEGAComfort®

- Maximum shock absorption and comfort with industrial footwear
- Soft, contoured arch support
- · Constructed of dual-layered memory foam
- Antifungal, antibacterial, and machine washable



Size	Cat. No.
Antifatigue Insoles	
Men's 8–9/Women's 10–11	89219-220
Men's 10–11	89219-222
Men's 12–13	89219-224
Antifatigue Insoles with Antistatic Threads	
Men's 8–9/Women's 10–11	89219-232
Men's 10–11	89219-234
Men's 12–13	89219-236

MEGASole™ Foam Insoles, MEGAComfort®

- Designed for use in casual and dress footwear
- Dual-layered memory foam enhanced to reduce muscle fatigue and foot, knee, and back pain
- Antifungal, antibacterial, and machine washable



Size	Cat. No.
Men's 3, 4, 5 / Women's 5, 6, 7	94024-034
Men's 8, 9 / Women's 10, 11	94024-038
Men's 10, 11 / Women's 12, 13	94024-040

MULTI-Thotic[™] Insoles with Orthotic Supports, MEGAComfort®

- Cost-effective alternative to custom-made foot orthotics
- Increase support and balance without compromising comfort, helps control abnormal foot motions
- Dual-layered memory foam reduces muscle fatigue and foot, knee, and back pain
- Insoles are antifungal, antibacterial, machine washable, and reduce perspiration
- Comes with two attachable polypropylene arch support pieces, for medium or firm support

Size	Cat. No.
Men's 3, 4, 5 / Women's 5, 6, 7	94024-022
Men's 10, 11 / Women's 12, 13	94024-028
Men's 12, 13	94024-030

Decade[®] Low Profile Wrist Brace, Chase Ergonomics

- Ideal daytime reinforcement for nighttime splint wearers
- · Relieves pain, guards against further injury
- For correct size, measure circumference of wrist at smallest point
- Ambidextrous



Size	Cat. No.
Small, 5 ¹ / ₂ –6 ¹ / ₂ "	56614-952
Large, 7 ³ / ₄ –8 ¹ / ₂ "	56614-956

Decade® 15° Splint Wrist Brace, Chase Ergonomics

- Designed to help relieve the pain associated with carpal tunnel syndrome and other ailments
- Contoured styling and pre-shaped 15° angle aluminum-alloy stay allow "near neutral" wrist positioning
- · Overnight wear can reduce pain and swelling
- Day wear allows functional use of fingers and hand

Description	Size	Color	Cat. No.
Left-Hand Splint	Small, 5 ¹ / ₂ -6 ¹ / ₂ "	Beige	56614-902
Left-Hand Splint	X-Large, 83/4+"	Beige	56614-908
Right-Hand Splint	Small, 51/2-61/2"	Beige	56614-912
Right-Hand Splint	Medium, 63/4-71/2"	Beige	56614-914

Wrist Supports, Valeo

- Dual stiffening, nonmetallic support stays on top and bottom of the wrist
- Comfortable, terry-lined, vented neoprene construction with a nylon outer shell
- 5.1cm (2") wide elastic strap helps to stabilize the wrist
- Easy-to-use hook-and-loop closure
- Washabl
- · Measure wrist circumference to determine size
- Ambidextrous





- · Ambidextrous, made of durable woven elastic
- · Single hook-and-loop closure
- Universal size
- · Machine washable



Description	Cat. No.
Wrist Wrap	56618-084

ProFlex® 350 Gel Knee Pads, Ergodyne®

- Adjustable, breathable neoprene stretch strap adds to the gel comfort
- 12mm NBR gel padding and 20mm EVA padding
- 420D nylon and hypalon rubber composite pad
- · Dry surface technology for optimal grip in dry conditions
- Hook and loop closure

Size	Color	Cat. No.
Universal	Black	89135-630

ProFlex® 315 Textured Cap Knee Pads, Ergodyne®

- Dry surface technology for optimal grip in dry conditions
- · Antimicrobial treatment for odor prevention
- Conveniently available in one size and easily adjustable for an exact fit
- Buckle closure



Size	Color	Cat. No.
Universal	Black with White Cap	56618-280

Heavy-Duty Knee Pads, OK-1® Safety

- Slim and comfortable design slips on and off easily
- Small model pads are designed for wear under work clothing, utilizing a firmly fitting woven elastic cover instead of straps
- Large pads attach to leg with dual elastic straps and self-gripping closures
- Universal sizing



ProFlex® 335 and 335HL Slip-Resistant Rubber Cap Knee Pads, Ergodyen®

- Designed to offer long lasting resistance to abrasion and puncture force
- Antimicrobial treatment is incoporated for odor prevention
- Conveniently available in one size and easily adjustable for an exact fit
- · Black grommets





ERGONOMICS AND MATTING, FALL PROTECTION

Spanbak™ Back Support Belts, Allegro

• Medical grade with suspenders to help reduce the chance of back injury



Size	Waist Size	Cat. No.
Medium	91.4–101.6 cm (36–40")	56614-692
Large	101.6-111.8 cm (40-44")	56614-694

Back Support Belt, OK-1® Safety

- · For moderate lifting requirements
- Includes double-overlapping closure system, open mesh body to reduce heat build-up
- · Two-way stretch elastic is doubled-up for greater support
- Interior rubber keeps the belt in place

 Features susp swivel clip sy 	penders with detachable rstem	
Size	Waist Size	Cat. No.
Large	89–112 cm (35–44")	39870-073

107-132 cm (42-52")

Low Profile Industrial Strength Back Support, Chase Ergonomics

- Provides full power/support for maximum protection from injury
- · Shoulder-strap style reminds worker to lift properly, keeps brace "at hand" during breaks

X-Large



Decade® Industrial Back Supports, Chase Ergonomics

- · Industrial-weight knit elastic cinch and shoulder straps provide long-lasting durability
- · Shoulder strap guides are easily adjustable and triple-lock cinch allows belt to be easily tightened
- · Number of flexible boning stays increases with support size
- · Interior grip material and flexible binding help keep support in place low on the hips
- · Machine washable
- 20.3cm (8") high

Size	Color	Waist Size	Cat. No.
Small	Black	71.1–81.3 cm (28–32")	56660-002
Large	Black	99.1–111.8 cm (39–44")	56660-006



- · Positive vertical locking system with two-way stretch binding
- Rubberized interior stay pockets keep support in place while working
- Orthopedic stays support back muscles and reduce fatigue
- · High-rise cut in front for continued comfort while sitting or bending
- Supports are machine washable and 20.3cm (8") tall in back
- To fit, measure around hips below navel

Size	Color	Waist Size	Cat. No.
Medium	Black	83.8-96.5 cm (33-38")	56660-052
Large	Black	99.1–111.8 cm (39–44")	56660-054
	Dideit	,	

Miller DuraFlex® Ultra and Python® **Ultra Harnesses, Honeywell Safety**

- Sleek, guick-connect chest and leg strap buckles for easy donning
- · Buckles have a dual-tab release mechanism to prevent accidental opening
- Comfort-Touch back D-ring pad is designed with woven, breathable material for cooler extended-wear comfort
- · Pad orients harness for quick, tangle-free donning



Delta™ No-Tangle™ Harnesses, DBI/Sala

- Delta™ No-Tangle™ design for added comfort and easy donning
- Spring loaded stand-up back D-ring ensures fast, easy, and safe connections
- · Parachute buckles on lower shoulder straps for quick and easy adjustment
- · Adjustable non-slip chest strap with easy to use pass-thru buckle
- · Coated hardware for corrosion resistance



39870-075



Description	Size	Color	Connector	Cat. No.
Vest Harness, with Tongue Buckles and Polyester Strap	Medium	Yellow/Navy	Back D-Ring, (2) Waist D-Rings	300006-195
Vest Harness, with Tongue Buckles and Polyester Strap	Large	Yellow/Navy	Back D-Ring, (2) Waist D-Rings	300006-196
Vest Harness, with Tongue Buckle Legs and Polyester Strap	Universal	Yellow/Navy	Back D-Ring	300006-197
Vest Harness, with Tongue Buckles and Polyester Strap	X-Large	Yellow/Navy	(2) Waist D-Rings, Back D-Ring	300051-788
Cross Over Harness, with Pass-Thru Buckle Legs and Polyester Strap	Universal	Yellow/Navy	Front & Back D-Rings	300058-284
Vest Harness, with Tongue Buckle Legs and Polyester Strap	X-Large	Yellow/Navy	Back D-Ring	300075-520
Vest Harness, with Tongue Buckle Legs and Polyester Strap	Universal	Yellow/Navy	Back, Shoulder Retrieval	300075-522
Vest Harness, with Parachute Buckles and Polyester Strap	Universal	Yellow/Navy	Back D-Ring	300075-524
Vest Harness, with Tongue Buckle Legs/Tongue Buckles and Polyester Strap	Universal	Yellow/Navy	Back and Side D-Rings	300075-526

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.



Delta™ II No-Tangle™ Construction Harness, DBI/Sala

- Adjustable non-slip chest strap with easy to use pass-thru buckle
- Delta[™] No-Tangle[™] design for added comfort and easy donning
- Parachute buckles on lower shoulder straps for quick and easy adjustment
- Spring loaded stand-up back D-ring ensures fast, easy, and safe connections
- Built-in belt loops to support a SALA belt or one of your own
- Wrap around no-tangle design slips on like a vest, making it quicker and easier to put on while providing ventilation, comfort, padding and security

Description	Size	Color	Connector	Cat. No.
Construction Vest Harness, with Tongue Buckle Legs and Polyester Strap	Universal	Yellow/Navy	Back & Side D-Rings	300075-528
Construction Vest Harness, with Tongue Buckle Legs and Polyester Strap	Universal	Yellow/Navy	Back D-Ring	300075-538
Construction Vest Harness, with Pass Thru Buckle Legs and Polyester Strap	Universal	Yellow/Navy	Back & Side D-Rings	300075-540

ExoFit™ Harnesses, DBI/Sala

- Incorporates a breathable Aero-Spacer™ Dri-Lex® lining that immediately draws moisture away from the body, keeping workers dry and comfortable
- Ergonomic design incorporates built-in shoulder, hip, and leg padding
- Lycra® edging moves with the wearer, preventing uncomfortable rubbing or chafing and enhancing comfort and mobility
- The industry's first and only one-handed quick connect buckles
- Wrap around, no-tangle design
- · Adjustable non-slip chest strap with intuitive guick connect buckle
- Torso buckles adjust easily, yet hold straps firmly in place to complete the 5-point adjustment system
- Soft, lightweight polyester webbing is strong without feeling stiff or coarse
- Coated hardware for corrosion resistance

Description	Size	Color	Connector	Cat. No.
Vest Harness, with Quick Connect Buckles & Polyester Strap	Medium	Blue/Gray	Back D-Ring	300006-198
Vest Harness, with Quick Connect Buckles & Polyester Strap	Large	Blue/Gray	Back D-Ring	300058-286
Vest Harness, with Quick Connect Buckles & Polyester Strap	Small	Blue/Gray	Back D-Ring	300075-542
Vest Harness, with Quick Connect Buckles & Polyester Strap	X-Large	Blue/Gray	Back D-Ring, Loops for Belt	300075-544
Vest Harness, with Quick Connect Buckles & Polyester Strap	Medium	Blue/Gray	Front & Back D-Rings	300075-554
Vest Harness, with Quick Connect Buckles & Polyester Strap	Large	Blue/Gray	Front & Back D-Rings	300075-556
Vest Harness, with Quick Connect Buckles & Polyester Strap	Medium	Blue/Gray	Back & Side D-Rings	300075-558
Vest Harness, with Quick Connect Buckles & Polyester Strap	Large	Blue/Gray	Back & Side D-Rings	300075-560



EVOTECH™ Full Body Harnesses, MSA

- Covered label pack protects labels from the environment
- NanoSphere® coating on webbing repels dirt, grease, moisture, etc.
- Reflective piping integrated into harness webbing increases visibility in low-light environments
- · Web finials prevent fraying on web ends



ExoFit NEX™ Construction Harnesses, DBI/Sala

- Spring loaded torso buckles for quick and easy adjustment
- · Soft yet extremely durable anti-absorbent webbing
- Strategically placed padding, and protective elements that prolong the service life of the harness
- · With comfort hip pad and belt



ExoFit NEX™ Vest Style Harnesses, DBI/Sala

- Aluminum hardware
- ExoFit NEX™ vest style harness offers the highest level of safety and the utmost comfort
- Spring loaded torso buckles for quick and easy adjustment

Description	Size	Color	Connector	Cat. No.
Vest Harness, with Duo-Lok™ Quick Connect Buckles & Polyester Strap	Small	Blue/Gray	Back D-Ring	300087-268
Vest Harness, with Duo-Lok™ Quick Connect Buckles & Polyester Strap	Medium	Blue/Gray	Back D-Ring	300087-270
Vest Harness, with Duo-Lok™ Quick Connect Buckles & Polyester Strap	X-Large	Blue/Gray	Back D-Ring	300087-272



All of the products on this page are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.





FALL PROTECTION

Miller Manyard® II Shock-Absorbing Lanyards, Honeywell Safety

- Shock-absorbing inner core expands up to 1.1m (3.6') to reduce fall arrest forces to 408kg (900lbs.) or less
- Stretches from 1.2–1.8m (4–6') for maximum maneuverability while reducing chances of tripping, snagging, or dragging
- Heavy-duty, tubular outer jacket serves as a backup to the inner core
- Warning flag signals when lanyard is unfit for service due to previous falls
- Bright red core makes visual inspection easier and more reliable
- Weighs 0.9kg (2lbs.), handles working loads up to 141kg (310lbs.)

Description	Cat. No.
Lanyard with Two 1.9 cm (3/4") Gate Openings	56619-054
Lanyard with One 1.9 cm (3/4") and One 6.4 cm (21/2") Gate Openings	56619-056

Miller Manyard® HP Shock-Absorbing Lanyards, Honeywell Safety

- Super-strong outer jacket with shock-absorbing inner core to reduce fall arrest forces below 480kg (900lbs.)
- Warning flag releases after a fall to indicate that a replacement is needed
- Length: 1.8m (6')



Miller MiniLite® Self-Retracting Lanyards, Honeywell Safety

- Compact, self-retracting, fast-acting break system to limit free falls
- Interior, frame, and components made of corrosion-resistant stainless steel, protected by high-impact cover
- · Visual load indicator
- Tamperproof locking snap hook has 1.9cm (3/4") gate opening
- 2.5cm (1") wide webbing rolls out to 3.4m (11') or retracts to 46cm (18")
- Maximum working load is 141kg (310lbs.), all anchorage connecting options are rated to 2268kg (5000lbs.)

Description	Cat. No.
Lanyard with Steel Twist-Lock Carabiner	56619-148



Rebel™ Self Retracting Lifelines, DBI/Sala

- Lightweight and compact aluminum housing construction
- Unique super strength thin webbing for total security and added length in a compact SRL
- Unique speed sensing brake reduces clearance requirements and limits fall arrest forces to 900 lbs. or less



Length	Cat. No.
11 ft	300075-694

This specific product is not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

Sealed Blok™ Self Retracting Lifelines, DBI/Sala

 Sealed Blok™ self retracting lifeline, galvanized wire rope lifeline





Length	Cat. No.
30 ft	300075-624
15 ft	300075-626
30 ft	300075-628

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

Ultra-Lok™ Self Retracting Lifelines, DBI/Sala

- Stainless steel working components for corrosion resistance
- Limits arresting forces to 900 lbs or less
- · Reserve lifeline retention system for added safety
- · Self-locking swivel snap hook with impact indicator
- Swiveling anchorage loop to prevent twisting of lifeline





Length	Cat. No.
30 ft	300058-322
30 ft	300058-324
20 ft	300075-634

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

Ultra-Lok™ Self Retracting Lifelines, DBI/Sala

- · Limits arresting forces to 900 lbs or less
- · Reserve lifeline retention system for added safety
- · Self-locking swivel snap hook with impact indicator
- Stainless steel working components for corrosion resistance
- Swiveling anchorage loop to prevent twisting of lifeline

Length	Cat. No.
50 ft	300075-636
50 ft	300075-638

Saflok® Carabiners, DBI/Sala

Self-closing/Self-locking gate for increased safety and security



Load Capacity	Cat. No.
3600 lbs. [Max]	300058-294
3600 lbs. [Max]	300058-296

Chain Rebar Assemblies, DBI/Sala

 Chain rebar assembly with self locking snap hooks at leg ends and swiveling aluminum hook



Length	Cat. No.
22 in	300075-650

Concrete Detent Anchors, DBI/Sala

- Allows anchor to be moved from location to location
- Anchor receptacle is installed in concrete
- Good for permanent installs where visual appearance needs to be pleasing



Description	Length	Cat. No.
Concrete Detent Anchor, Ø 7/8"	4 1/4 in [Max]	300075-608

Concrete D-Ring Anchors, DBI/Sala

- Provides cadmium plated D-ring for connection to fall arrest lanyard or lifeline and special red sheering bolt that falls off to expose a green bolt when proper torque is reached
- Removable and partial reusable
- This simple to use concrete anchor is designed to be set into holes drilled in 3,000 psi concrete



Load Capacity	Cat. No.
5000 lb [Max]	300058-302

Confined Space Accessories, DBI/Sala

 Navy blue Fall Protection Carrying Bag, 7.5 in wide x 6.5 in deep x 15.5 in long, can hold up to 50 ft of 5/8" rope



Description	Cat. No.
Fall protection Bag	300075-672

Confined Space Winches, DBI/Sala

 Lightweight Salalift® II Winch for rescue and work support, 60, 90 and 120 ft. lengths available



Weight	Cat. No.
36 lbs.	300075-662

Descent Devices, DBI/Sala

 Fisk Descender™ descent control system designed for durability, thermal capacity and smooth flow, includes instructional DVD



Weight	Cat. No.
1.80 lbs.	300075-610

D-Ring Anchor Plates, DBI/Sala

- D-ring is cadmium plated with stainless steel anchor plate
- Designed to be bolted (with 2 x 1/2" grade 8 bolts, not included) to suitable anchorages
- Other models available with stainless D-ring, and unplated steel plate for welding



Load Capacity	Cat. No.
5000 lb [Max]	300058-298



All of the products on this page are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

FALL PROTECTION, FIRST AID

Fixed Beam Anchors, DBI/Sala

- Also available in models that fit flanges up to 36" wide and 2-1/2" thick
- This fixed beam anchor easily clamps to vertical or horizontal I-beams 1-1/2" thick to provide fixed anchor for lanyards, self retracting lifelines or preengineered horizontal lifelines



Load Capacity	Cat. No.
5000 lb [Max]	300058-306
5000 lb [Max]	300075-620

VWR® 50 Person First Aid Kits, ANSI A+, Type III

- Weatherproof case
- Wall-mountable
- 183 pieces
- · Available in a metal or plastic case



NEW

Description	Dimensions	Pieces Per Unit	Cat. No.
50 Person Bulk Metal First Aid Kit, ANSI A+, Type III	9.75 x 10 x 2.62"	183	76049-038
50 Person Bulk Plastic First Aid Kit, ANSI A+, Type III	9.1 x 9.1 x 2.75"	183	76049-054

Glyder2 Sliding Beam Anchors, DBI/Sala

- Fits flanges up to 1-1/4" thick
- This lightweight and smooth running sliding beam anchor installs and removes from I-beam in seconds to provide anchor and mobility when walking on or under horizontal I-beams
- When used at foot level must be used with DBI-SALA Forcell shock absorbing lanyard (1245006)

	 •	-	•	
Description				Cat. No.
Glyder2 Sliding Beam Anchors				300058-304

VWR® 10 Person First Aid Kit, ANSI A

- Class: A
- Type: III
- Person: 10
- Pieces: 71
- Size: 8" x 5" x 3"
- ANSI/ISEA Z308.1-2015





Description	Dimensions	Pieces Per Unit	Cat. No.
10 Person Bulk Plastic			
First Aid Kit, ANSI A	8 x 5 x 3"	71	76049-204

VWR® First Aid Metal Cabinets, ANSI A+, Type I & II, with Medications



- Wall-mountable
- Available in a 2-shelf or 3-shelf configuation
- Available with 347 or 669 pieces





Description	Dimensions	Pieces Per Unit	Cat. No.
75 Person 2-Shelf Metal First Aid Cabinet, ANSI A+, Type I & II with Medications	14.75 x 10.25 x 4.63"	347	76049-056
100 Person 3-Shelf Metal First Aid Cabinet, ANSI A+, Type I & II with Medications	15 x 16 15 x 5 56"	669	76049-060

NEW

VWR® 25 Person First Aid Kits, ANSI A & ANSI A+

- · Weatherproof case
- Wall-mountable
- Available with 89 or 141 pieces
- · Available in a metal or plastic case
- Available with ANSI Class A or ANSI Class A+



COLLECTION

NEW

Description	Dimensions	Pieces Per Unit	Cat. No.
25 Person Bulk Metal First Aid Kit, ANSI A, Type III	9.5 x 6.5 x 3"	89	76049-034
25 Person Bulk Plastic First Aid Kit, ANSI A+, Type III	9 x 6.31 x 2.37"	141	76049-036



All of the products on this page are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

First Aid Only 10 Person First Aid Kit, ANSI A. **Refill, First Aid Only**

- ANSI Class A compliant
- Perfect to keep at home or in a small office setting



Description_NA	Pieces Per Unit	Cat. No.
10 Person First Aid Kit, ANSI A, Refill	71	76049-058

This specific product is not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

First Aid Only 25 Person ANSI A+, First Aid Refill, First Aid Only

- Class: A+
- Type: I & II
- Person: 25
- Pieces: 141
- Size: 9.5" x 7.25" x 2.75"



Description_NA	Pieces Per Unit	Cat. No
25 Person ANSI A+, First Aid Refill	141	76049-046

This specific product is not available in Canada, Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

First Aid Only 50 Person ANSI A+, First Aid Refill, First Aid Only

- 2015 ANSI compliant
- First aid refill
- Case size 9" x 8" x 2.5"



Description_NA	Pieces Per Unit	Cat. No.
50 Person ANSI A+, First Aid Refill	183	76049-048

This specific product is not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

First Aid Only 3 Shelf ANSI A+, Refill, First Aid with **Medications, First Aid Only**



- First aid refill
- Case size 13.25" x 8.75" x 9.12"



NEW

FIRST AID ONLY.

Description_NA	Pieces Per Unit	Cat. No.
3 Shelf ANSI A+, Refill, First Aid with Medications	669	76049-050

This specific product is not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

SmartCompliance® Organizes

The Way You'll Manage First Aid Making sure your workplace remains OSHA compliant



- Dispenses supplies one at a time, controlling excess usage and overstocking costs
- Patented SmartTab® refill boxes snap into place, simplifying restocking and keeping supplies organized
- Meets or exceeds OSHA regulations and **ANSI** standards
- Every cabinet is assembled in American with pride
- Keeps you in compliance and not overstocked
- ANSI color-coded packaging helps you find items faster
- Visual SmartTab with ezRefill reminder tabs let you know when It is time to reorder
- Bottom shelf and door shelves allow you to customize cabinets to meet your individual business needs









Description	Cat. No.
25-person Medium Metal SmartCompliance First Aid Cabinet, without Medications	76049-062
50-person Large Metal SmartCompliance First Aid Cabinet with Medication	76048-986
150-person XL Metal SmartCompliance First Aid Cabinet without Medications	76049-206

Redi-Care Kit[™] for First **Aid, Honeywell Safety**

- Packaged in soft-sided, durable, red nylon bags
- · Lightweight, portable, economical alternative to standard hard-sided metal or plastic kits
- Several styles have belt loops or can be slipped into pockets



Description	Cat. No.
Redi-Care Kit* for First Aid	11000-765

Bloodborne Pathogen Protection Kit, Certified Safety

- Kit contents are pre-packaged in convenient replaceable units
- All kit units are overwrapped for protection



Description	Cat. No.
Bloodborne Pathogen Protection Kit	56612-970

Body Fluid Cleanup Kit, Honeywell Safety

 Meets ANSI/ISEA Z308.1-2015 standards

eyewash station configurations.

to learn more!

• Flat, sleeve-type box stacks neatly for storage



Description	Cat. No.
Body Fluid Cleanup Kit	56623-026



Alcohol Wipes, Honeywell

- Pre-saturated alcohol wipes for a variety of disinfecting applications
- Medium sized wipes measure 1 x 2.5"



Dimensions	Cat. No.
Alcohol pads Medium Dynarex 20	89186-140

Sterile Gauze Pads, Honeywell Safety

- 12 ply, ideal for cleaning wounds or applying medication
- · USP surgical gauze-mesh provides neat, professional dressing



Dimensions	Packaging	Cat. No.
7.6 x 7.6 cm (3 x 3")	Box of 25	89106-824
5.08 x 5.08 cm (2 x 2")	Pack of 100	89133-086
7.6 x 7.6 cm (3 x 3")	Pack of 100	89133-088

Instant Cold Packs, **Honeywell Safety**

• These instant cold packs are useful as a component part of many first aid kits



Description	Width	Cat. No.
Instant Cold Pak	10.2 cm (4")	10032-824

Emergency Burn Station, Certified Safety

· Complete with all the products needed for a burn emergency



Description	Cat. No.
Certilizer™	56611-161
Unit 608	56612-640
Unit 623	56612-642
Unit 699x	56612-644
Unit 668x	56612-646



All of these products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

AED Lifeline and Lifeline View Automated External Defibrillators, Defibtech


- AEDs Withstand Dust and Water Ingress
- Biphasic Defibrillation Can Resuscitate on the First Shock
- Upgradable Technology, Clear Voice Prompts, and Cutting-Edge Display Monitors
- Lightweight, Durable, and User Friendly
- Units Evaluate Patient Impedance for Proper Pad Connection, Monitors Signal Quality, and Analyzes Patient ECG for Shockable/Non-Shockable Rhythms



Description	Capacity	Dimensions	Battery Life	Charge Time	Weight	Cat. No.
Defibtech Lifeline Automated External Defibrillator	125 Shocks or 8 Hours	22 x 30 x 7 cm (8.5				
(AED), with 5-Year Battery and Prescription	Continuous Operation	x 11.8 x 2.7")	5 Years	< 9 Seconds	1.9 kg (4.2 lbs.)	89401-706
Defibtech Lifeline Automated External Defibrillator	300 Shocks or 16 Hours	22 x 30 x 7 cm (8.5				
(AED), with 7-Year Battery and Prescription	Continuous Operation	x 11.8 x 2.7")	7 Years	< 6 Seconds	2 kg (4.4 lbs.)	89401-708
Defibtech View Automated External	125 Shocks or 8 Hours	18.5 x 24 x 5.8 cm				
Defibrillator (AED), with Prescription	Continuous Operation	(7.3 x 9.5 x 2.3")	4 Years	< 4 Seconds	< 1.4 kg (< 3 lbs.), with Battery	89401-710
	125 Shocks or 8 hours	22 x 30 x 7 cm (8.5				
Defibtech Lifeline AED Starter Kit	Continuous Operation	x 11.8 x 2.7")	5 Years	< 9 Seconds	1.9 kg (4.2 lbs.)	89401-712
Detibtech Liteline AED Starter Kit	Continuous Operation	x 11.8 x 2.7")	5 Years	< 9 Seconds	1.9 kg (4.2 lbs.)	89

Description	Cat. No.
Accessories	
Lifeline Standard 5-Year Battery Pack	89401-714
Lifeline View 4-Year Battery Pack	89401-718
9 Volt Lithium Battery Pack for Lifeline AEDs	89401-720
Lifeline AED Adult Pad Package	89401-722
Lifeline AED Pediatric Pad Package	89401-724
Lifeline View AED Adult Pad Pack	89401-726
Lifeline View AED Pediatric Pad Pack	89401-728
Wall-Mount AED Bracket	89401-760
Wall-Mount AED Cabinet	89401-762
Wall-Mount AED Cabinet with Alarm	89401-764
CPR Rescue Pack with CPR Mask, Eye Shield, and Towel	89401-784

ZING Green Safety Eco Safety Tri View Sign, **AED, ZING Enterprises**



- Made in USA
- · High quality







Description	Material	Length	Width	Cat. No.
ZING Sign AED	Plastic	7.5"	20"	76025-982
ZING Sign AED	Glow Plastic	7.5"	20"	76025-984
ZING Sign AED	Plastic	12"	9"	76025-990
ZING Sign AED	Glow Plastic	12"	9"	76026-038

VWR® Eyewash Stations

- Wall-mountable stations in Single or Double configurations
- 16oz. or 32oz. bottle options
- Includes PhysiciansCare eyewash solution







COLLECTION

Description	Dimensions	Cat. No.
Eyewash Station, Single 16 oz. Bottle	15 x 4 x 11"	76049-022
Eyewash Station, Double 16 oz. Bottles	17.5 x 4 x 11"	76049-028
Eyewash Station, Single 32 oz. Bottle	11.5 x 4 x 15"	76049-030
Evewash Station Double 32 oz Bottles	19 x 4 x 14 5"	76049-032

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

Eyewash Bottles, First Aid Only

- Bottles feature a twist-off top
- Sterile, isotonic buffered solution is perfect for flushing or irrigating the eyes or skin







Description	Size	Cat. No.
Unitized Refills		
Eyewash Bottle	16 oz.	76049-014
Eyewash Bottle	32 oz.	76049-016

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

SCIENCEWARE® Plum Emergency Eye Wash Stations, Open, Closed, and Heated Models, Bel-Art

- 0.9% Saline mimics human tears for effective rinsing
- Universal pictogram directions overcome language barriers
- Bottles have a built-in, flexible eye cup with weep holes
- · Can be dispensed upright or inverted





Description	Dimensions	Cat. No.
Open Eye Wash Stations		
Open Station, with One 500mL (16oz.) 0.9% Saline Bottle	17.8 x 30.5 cm (7 x 12")	89089-142
Open Station, with Two 500mL (16oz.) 0.9% Saline Bottles	22.9 x 30.5 cm (9 x 12")	89089-144
Open Station, with 200mL (6.8oz.) pH Neutralizing and 500mL (16oz.) 0.9% Saline	22.9 x 30.5 cm (9 x 12")	89089-148
Covered Eye Wash Stations		
Covered Station, with Two 500mL (16oz.) 0.9% Saline Bottles	22.2 x 30 cm (8 ³ / ₄ x 11")	89089-146
Covered Station, with 200mL (6.8oz.) pH Neutralizing and 500mL (16oz.) 0.9% Saline	22.2 x 30 cm (8 ³ / ₄ x 11")	89089-150
Heated Eye Wash Stations		
Heated Station, with Two 500mL (16oz.) 0.9% Sterile Saline Bottles	22.2 x 30 cm (8 ³ / ₄ x 11")	89233-894
Heated Station, with 500mL (16oz.) 0.9% Sterile Saline and 200mL (6.8oz.) pH Neutralizing	22.2 x 30 cm (8 ³ / ₄ x 11")	89233-896
Accessories		
Refill Eye Wash Bottles, 1000mL (32oz.) 0.9% Saline		30617-158
Refill Eye Wash Bottles, 200mL (6.8oz.) 0.9% Saline		89089-136
Refill Eye Wash Bottles, 200mL (6.8oz.) pH Neutralizing		89089-138
Refill Eye Wash Bottles, 500mL (16oz.) 0.9% Saline		89089-140

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

Fendall® Saline Eyewash Bottles, Honeywell Safety

- Extended Flow Openings and Twist-off Tops for Easy Access in Emergencies
- Expiry Dates and Lot Numbers for End-User Protection
- User-Controlled Volume Delivery: One, Four, and Eight-Ounce Products
- Sterile
- Buffered

Description	Size	Cat. No.
Personal Eyewash Solution Bottle	29.5 mL (1 oz.)	56611-116
Personal Eyewash Solution Bottle	118 mL (3.9 oz.)	56611-118
Refill Bottle	950 mL (32 oz.)	56611-124

Nesaline

EMERGENCY YE/FACE WASH

Fendall® Saline Eyewash Wall Stations, Honeywell Safety

- Two-sided tape and screws are provided for mounting
- Extended flow openings and twist-off tops for easy access in an emergency
- Each bottle is expiry dated and lot numbered for end-user protection
- Classified as personal/secondary eyewash device

Description	Size	Cat. No.
Single Station	950 mL (32 oz.)	56611-128
Double Station	950 mL (32 oz.)	56611-130



Safeguards work surfaces and makes clean-up a breeze!

- Traps up to 420ml/m² of water, dyes, corrosive chemicals or radioactive solutions
- Non-skid backing prevents soak-through of most solutions



Large Weighted Safety Shields

Highest Impact Resistance of All Transparent Shield Materials

- Meet High Mass Impact Test and High Velocity Impact Test as defined by ANSI Z87.1, sections 9.11 and 9.12, respectively
- Provides front and side protection against flying debris



Height	Weight	Cat. No.
76.2 cm (30")	8.4 kg (18.5 lbs.)	13197-366
91.4 cm (36")	8.9 kg (19.6 lbs.)	47750-422



GHS Safety In The Workplace



*Does not include venting valve

prevents pressure

buildup and drips*

Available in 500ml

and 1000ml sizes

Description	Cap Color	Cat. No.
Acetone, 500 mL (16.9 oz.)	Red	10111-944
Acetonitrile, 500 mL (16.9 oz.)	Yellow	10111-974
Dichloromethane, 500 mL (16.9 oz.)	Yellow	10111-946
Ethyl Acetate, 500 mL (16.9 oz.)	Green	10111-952
Isopropanol, 500 mL (16.9 oz.)	Yellow	10111-954
Methanol, 500 mL (16.9 oz.)	Green	10111-958
Methyl Ethyl Ketone, 500 mL (16.9 oz.)*	Green	10111-816
Toluene, 500 mL (16.9 oz.)*	Red	10111-942
Ethanol, 1000 mL (33.8 oz.)	Natural	10111-976
Isopropanol, 1000 mL (33.8 oz.)	Yellow	10111-966
Sodium Hypochlorite, 1000 mL (33.8 oz.)	Yellow	10111-970

Additional chemical names and sizes available. Visit **VWR.com** for more information.



Fendall[®] Porta Stream[®] I and Porta Stream II Eyewash Stations, Honeywell Safety

- Full flow nozzles cover a wide area around the eyes
- Stations can be wall-mounted or placed on mobile carts or stands
- Bright green color ensures easy identification in emergency situations
- Sturdy, one-piece molded construction of each station features a large fill hole and illustrated operating instructions

Description	Dimensions	Shipping Weight	Cat. No.
Porta Stream I with Saline Concentrate	59.7 x 40.6 x 35.6 cm (23 ¹ / ₂ x 16 x 14")	8.2 kg (18 lbs.)	56611-102
Porta Stream II with Saline Concentrate	66 x 50.8 x 50.8 cm (26 x 20 x 20")	15.9 kg (35 lbs.)	56611-104
Porta Stream II with Fendall Water Preservative	66 x 50.8 x 50.8 cm (26 x 20 x 20")	10.4 kg (23 lbs.)	89030-548

Hydrosep® Eye Wash Bottle, Encon

- Duration of effectiveness is dependent upon type of device
- Proven effective for 180 days in a sealed, pressurized, portable, or air-driven TWS shower system
- Recommended cleaning and fluid replacement every 90 to 120 days in unsealed, gravity-fed eyewashes



Description	Cat. No.
Hydrosep® 4-Pack of 8 fl. oz. Bottles	45500-180

SCIENCEWARE® Fire Blanket, Bel-Art

- Extinguishes small class "A", light oil and grease fires without the mess of foam or chemical agents
- Packaged in instant-access container that can be hung on the wall or stored in any accessible location
- Made of woven fiberglass with textured surface
- All edges serged with fireproof Kevlar® thread



Description	Cat. No.
Fire Cover	56611-199

Fire Blanket, Sellstrom®

- Sparks, flash fires, and flying particles can be easily extinguished
- Adequately sized to wrap a fire victim
- To clean, wash with soft sponge and air dry only
- Sewn-on grommets allow for hanging during cleaning process



Description	Cat. No.
Fire Blanket	33000-159

Water-Jel® Fire Blanket and Heat **Shield, Honeywell Safety**

- No water source or special training required
- · Can be used for all types of burns
- · Comes in handy canister



US	

Combination Carbon Monoxide & Smoke Alarm, Kidde

- Talking alarm announces hazard type detected
- · Low-battery warning

Description

· Without batteries installed

Alarm with 85 dB sound level



300055-002

ONLY	
	Cat

This specific product is not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

Description **Dimensions** Fire Blanket 56613-224 15 x 18 m (5 x 6 ft)

This specific product is not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

ProLine™ Multi-Purpose Dry Chemical Fire Extinguishers, ABC Type, Kidde

- Tough impact-resistant metal valve, handle and lever
- · Powder-coated cylinder for corrosion protection
- · Extinguishing material is monoammonium phosphate
- · Meets most commercial and industrial specifications



Material	Diameter	Charge Weight	UL Rating	Unit Weight	Cat. No.
Steel	13 cm (5 ¹ / ₈ ")	4.5 kg (10 lbs.)	4-A, 60-B:C	8.8 kg (19.5 lbs.)	300000-165
Aluminum	11.4 cm (4 ¹ / ₂ ")	2.3 kg (5 lbs.)	3-A, 40-B:C	3.9 kg (8.5 lbs.)	300050-260
Aluminum	11.4 cm (4 ¹ / ₂ ")	2.3 kg (5 lbs.)	3-A, 40-B:C	3.9 kg (8.5 lbs.)	300050-892
Aluminum	8.4 cm (35/16")	1.2 kg (2.6 lbs.)	1-A, 10-B:C	1.9 kg (4.2 lbs.)	300050-894

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

ProPlus™ Multi-Purpose Dry Chemical Fire Extinguishers - ABC Type, Kidde

- · Rechargeable, easy-to-read gauge
- · Meets most commercial and industrial specifications
- · Tough impact-resistant metal valve, handle and lever
- · Powder-coated cylinder for corrosion protection





Material	Diameter	UL Rating	Weight	Cat. No.
Steel	7 1/4"	120-B:C, 20-A	1.19 lbs.	300050-896
Steel	3"	1-A, 10-B:C	3.60 lbs.	300080-104
Steel	5 1/4"	4-Δ 90-R·C	18 lhs	300080-106

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

Halotron® I Fire Extinguishers, Kidde

- · Leaves no residue
- Acceptable alternative to Halon I2II
- · Agent will not cause thermal shock
- · Class A capability
- · High performance clean agent



These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

Smoke Test™ Brand Smoke **Detector Testers, CRC**

- Simulates smoke to provide a true, functional test for smoke detectors
- · Aerosol spray extends user reach up to 6', allows testing to be done while standing safely on the floor
- · Convenient package makes testing easy, increasing the likelihood that detectors will be tested on a regular basis
- · No harmful residue, plastic safe, non-staining
- · Contains no Class I Ozone Depleting Chemicals

Description	Color	Cat. No.
Aerosol Can	Clear	300038-724

This specific product is not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

Battery Operated Smoke Alarms, Kidde

- · With test button and low-battery indicator
- · Available with dust cover



Description	Cat. No.
Battery Operated Smoke Alarm	300080-128

This specific product is not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region

Fire Extinguisher Glowin-the-Dark Standard "V" Sign, with Picto, Brady

· High visibility "V" shaped signs are designed to be seen from all access points in a facility



Description	Size	Legend	Cat. No.
Acrylic Backed Glow-in-the-			
Dark Standard "V" Sign	6H x 9W x 4D"	Fire Extinguisher (with Picto	55607-306

ZING Green Safety Eco Safety Projecting Sign, Fire **Extinguisher, ZING Enterprises**





- UL Validated for recycled content
- Made in USA
- · High quality

Description	Material	Length	Width	Cat. No.
ZING Sign Fire Extinguisher	Plastic	10"	10"	76024-148
ZING Sign Fire Extinguisher	Plastic	7"	12"	76025-332
ZING Sign Fire Extinguisher	Plastic	7"	2.5"	76025-334

ZING Green Safety Eco Safety Sign, Fire Extinguisher w/ **Arrow, ZING Enterprises**




- Made in USA
- · High quality



Description	Material	Length	Width	Cat. No.
ZING Sign FIRE EXTINGUISHER	Aluminum	10"	7"	76023-158
ZING Sign FIRE EXTINGUISHER	Plastic	14"	10"	76025-700

ZING Green Safety Eco Safety Sign, Fire Extinguisher w/ **Arrow, ZING Enterprises**



- · Made in USA
- · High quality



Description	Material	Length	Width	Cat. No.
ZING Sign FIRE EXTINGUISHER	Glow Plastic	14"	3.25"	76024-374
ZING Sign FIRE EXTINGUISHER	Self-Adhesive	14"	3.25"	76024-436

ZING Green Safety Eco Safety Tri View Sign, Fire **Extinguisher, ZING Enterprises**

- UL Validated for recycled content
- · Made in USA
- · High quality





Description	Material	Length	Width	Cat. No.
ZING Sign Fire Extinguisher	Plastic	7.5"	20"	76025-836
ZING Sign Fire Extinguisher	Glow Plastic	7.5"	20"	76025-838
ZING Sign Fire Extinguisher	Plastic	12"	9"	76025-908
7ING Sign Fire Extinguisher	Glow Plactic	12"	Q"	76025-010

Emergency Showers, WaterSaver Faucet

- Spray pattern is 50.8cm (20") diameter at 152.4cm (60") above the floor
- IPS valve is brass with chrome plating or white epoxy/polyester hybrid powder coating
- Pipe nipple on standard construction is orange powder-coated galvanized steel
- Pipe nipple on ColorTech construction (VFCTES647) is brass

Description	Cat. No.
Vertical Pull Rod, Chrome Valve	59380-010
Horizontal Pull Rod, White Valve	VFCTES647


Safety Shower Stations, **WaterSaver Faucet**

- The high volume deluge shower head has a minimum 75.7L/min. (20gpm) flow and 50.8cm (20") spray pattern.
- Rigid stainless steel pull rods, self-regulating flow controls inside spray head, and an ANSI-compliant sign.



Description	Pipe/Fittings Material	Cat. No.
With 25.4 cm (10") Orange ABS	Plastic Shower Head	
Shower with Eye Wash	Galvanized Steel with Orange Polyethylene Covers	56611-008
Shower with Eye Wash	Orange Powder-Coated Steel	59380-034
Shower with Eye/Face Wash	Orange Powder-Coated Steel	59380-036
Barrier-Free Shower with Eye Wash	Orange Powder-Coated Steel	59380-038
With 20.3 cm (8") Cast Brass Sho	wer Head	
Shower with Eye Wash	White Powder-Coated Brass	VFCTSS912
Shower with Eye/Face Wash	White Powder-Coated Brass	VFCTSS919
Barrier-Free Shower with Eye Wash	White Powder-Coated Brass	VFCTSSBF919

Deck-Mount Swing-Out Eyewashes, WaterSaver Faucet





- · Deck-mounted eyewashes include self-adjusting flow controls, impact-resistant polypropylene body, and flip-top dust covers
- Auto-flow models are activated when the head assembly is swung from storage to operation position
- Flag-handle models are activated when the head assembly is swung from storage to operation position and the flag handle is pushed
- · An ANSI-compliant eyewash sign is included with all units

Description	Cat. No.
Auto-Flow Eyewashes	
Right-Hand, Chrome-Plated	59380-018
Left-Hand, Chrome-Plated	59380-020
Right-Hand, White Epoxy Powder- Coated Brass	VFCTEW805
Flag-Handle Eyewashes	
Right-Hand, Chrome-Plated	59380-022
Left-Hand, Chrome-Plated	59380-024
Right-Hand, White Epoxy Powder- Coated Brass	VFCTEW806

Eyesaver® Eyewash Faucets, Gooseneck Spout, Speakman®

- · 'LIFT' activator for eyewash
- · Aerated plastic spray outlets with flip-top dust caps
- Lead-free brass construction



Description	Cat. No.
Model SEF-1850-4WH Eyewash Faucet with 4" Wrist Blade Handles	89370-972
Model SEF-1850-8 Eyewash Faucet with 8" Spread Gooseneck Spout	89369-690
Model SEF-1850-8-ST Eyewash Faucet with 8" Spread Gooseneck Spout, Serrated Tip, and Vacuum Breaker	89369-682
Model SEF-1850-8-TW Eyewash Faucet with 8" Spread Gooseneck Spout and SE-370 Thermostatic Mixing Valve	89369-684
Model SEF-1850-8-4WH Eyewash Faucet with 8" Spread Gooseneck Spout, 4" Wrist Blade Handles	89370-974
Model SEF-1850-8-4WH-TW Eyewash Faucet with 8" Spread Gooseneck Spout, 4" Wrist Blade Handles, and SE-370 Thermostatic Mixing Valve	89369-688

VWR® SoftCIDE® Extra-Mild Hand Soap

- · Antimicrobial strength
- · Effective against broad spectrum of microorganisms
- · pH balanced for skin





VWR® Antimicrobial **Laboratory Hand Soap-TS**

VWR® SoftCIDE®-ES Antimicrobial Hand Soap

· Designed for frequent hand washing · Effective against broad spectrum of

· Mild on hands

microorganisms · High sudsing power

- Ideal for laboratory and healthcare personnel required to wash frequently
- Fast-acting antimicrobial agent provides efficacy against wide variety of bacteria
- pH-balanced formulation is gentle on the hands





Cat. No.	Size	Description	56614-420	Pump Bottle	46 mL (32 oz.)
89005-478	946 mL (32 oz.)	Pump Bottle	56614-424	Refill Jug	.8 L (1 gal.)

946 3.8 473 mL (16 oz.) Pump Bottle 56700-124

Description	Cat. No.
Accessories	
Pump for 3.78 L (1 gal.) Refill Jug	56614-415
Wall Bracket for 473 mL (16 oz.) Bottle	56614-422

VWR® SoftCIDE®-NA Hand Soap

- · Extra-mild cleansing
- · Frequent-use formula
- · pH balanced for skin







	7
	VWR 43
	DOFTCILL III
П	Line Sosp
ı	THE PERSON NAMED IN COLUMN NAM
U	

Size	Packaging	Cat. No.
27 oz.	Bag-in-a-Box Carton	89137-122
32 oz.	Pump Bottle	89137-124
Description		Cat Na

Description	Cat. No.
Accessories	
Wall-Mounted Dispenser for 800 mL (27 oz.) Bag-in-a-Box	56700-138

Cat. No. 946 mL (32 oz.) Pump Bottle 56700-144

Description	Cat. No.
Accessories	
Wall Bracket for 473 mL (16 oz.) Bottle	56614-422
Wall-Mounted Dispenser for 800 mL (27 oz.) Bag-in-a-Box	56700-138

VWR® Antimicrobial Laboratory Hand Soap-PCMX

- · Designed for laboratory workers who wash their hands frequently
- Will not dry out the skin and replenishes natural oils
- 1% chloroxylenol (PCMX) antimicrobial agent is effective against bacteria and fungi





Description	Size	Cat. No.
Pump Bottle	946 mL (32 oz.)	89005-464
Pump Bottle	473 mL (16 oz.)	89005-470
Refill Jug	3.8 L (1 gal.)	89005-476

VWR® Laboratory Hand Soap-NA

- Ideal for frequent use where risk of bacterial contamination is not an issue
- · Replenishes natural oils and prevents skin from drying or cracking
- Pump bottle





Description	Size	Cat. No.
Pump Bottle	946 mL (32 oz.)	89005-472

LoNa™ Hand Soap and Glove Cleanser, Micronova

- Low sudsing, extremely low ion counts less than 100 parts per billion for sodium
- Formulated for high-tech cleanrooms for before and after gowning
- · Gentle enough to be used on the hands and face
- Pump bottle can be used as stand-alone dispenser or with the VWR® MicroDispenser™ touch-free soap dispenser

Description	Size	Packaging	Cat. No.
LoNa™ Hand Soap and Glove Cleanser	500 mL (16.9 oz.)	Pump Bottle	68400-375

NovaDyne™ General-Purpose Soap, Micronova

- Excellent for use in commercial and industrial settings
- Built-in emollients and good sudsing leave skin smooth and deodorized
- Synthetic pH-balanced formulation is free-rinsing, no tackiness or residue left on skin
- Can be used as stand-alone or with VWR® Touch-free Dispenser 68400-035

Description	Size	Cat. No.
Pump Bottle	500 mL (16.9 oz.)	68400-374

Antibacterial Soap and Instant Sanitizers, Micronova

- · Compliant with OSHA standards
- Hy-G-Clenz Is Effective Against a Wide Range of Gram-Positive and Gram-Negative Bacteria
- NovaClenz Requires No Sink, Water, or Towels
- · AquaHol Sterilizes Hands and Gloves
- NovaClenz Helps to Prevent Transfer of Pseudomonas, Salmonella, and More



Description	Size	Packaging	Cat. No.
Hy-G-Clenz™ Soap	500 mL (16.9 oz.)	Pump Bottle	68400-029
AguaHol™ Sanitizer	500 mL (16.9 oz.)	Pump Bottle	68400-440

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

Bacdown Handsoap, Decon Labs

- Soothing, gentle coconut-based surfactants
- · Can be used repeatedly with minimal skin drying
- Pleasant almond fragrance



Size	Packaging	Cat. No.
1 L (34 oz.)	Poly Bottle	89233-194
5 L (1.32 gal.)	Poly Bottle	89233-196
500 mL (16 oz.)	Poly Bottle	89233-198

Sporicidin® Antimicrobial Hand Soap, Contec®

- · Contains no triclosan, PCMX, chlorhexidine, or alcohol
- Kills up to 99.99% of disease- and odor-causing organisms
- FDA categorized as a "Health Care Personnel Handwash" and "Surgical Scrub"
- Gentle and soothing to the skin, recommended for repeated daily use
- · Effective skin antiseptic and deodorant



This specific product is not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

VWR® AlcoSCRUB® Instant Antiseptic Hand Cleanser

- Fast-acting antimicrobial gel for use when water is not available
- Ideal for reducing bacteria count on hands prior to donning gloves and entering aseptic environment
- · Dries quickly and leaves no sticky residue
- Emollients help moisturize hands and keep them chap-free
- · Contains 62% ethyl alcohol formula

C:	De deseite e	C-4 No
Size	Packaging	Cat. No.
473 mL (16 oz.)	Pump Bottle	56700-116
946 mL (32 oz.)	Pump Bottle	56700-148

Description	Cat. No.
Accessories	
Wall Bracket for 473 mL (16 oz.) Bottle	56614-422
Wall-Mounted Dispenser for 800 mL (27 oz.) Bag-in-a-Box	56700-138

VWR® Hand Sanitizer Gel

- Quick-Drying and Leaves No Sticky Residue
- Ideal for Reducing Bacteria on Hands Prior to Gloving
- Helps Moisturize Hands and Prevent Chapping





Description	Size	Cat. No.
Pump Bottle	473 mL (16 oz.)	89005-474

Alcare® Foamed Alcohol Hand Cleaner, STERIS®

- Ideal for when soap and water are not readily available
- Eliminates 100% of bacteria in 60 seconds
- · Lightly fragrant foam rubs in quickly
- Aerosol can

Size	Container Type	Cat. No.
266 mL (9 oz.)	Nozzle Top Can	16200-136
160 mL (5.4 oz.)	Push Top Can	16200-138





Do You Need Tape for a Controlled Environment? Check Micronova



Micronova has pressure-sensitive tapes with characteristics that meet the demands of applications within the semiconductor and life science industries. Find these products and more today on **vwr.com**



Cleanroom and Controlled Environment Tapes

CR100PC[™] Vinyl Tape/Rubber Adhesive

- Conformable
- Clean peel
- · Ideal for stainless
- 10 colors

- **Applications**
- Packaging
- · Color coding
- · Cleanroom support
- · Autoclave wrap
- Glassware



PCX[™] Polyethylene Tape/Acrylic Adhesive

- · Clean peel
- · Low outgassing
- · Resistant to chemicals/solvents
- 8 colors

Applications

- · Wafer Box sealing
- Packaging
- · Color coding
- · Food processing



Pharmaceutical Production

CSLB[™] Microseal[™] Tape (Polyethylene Tape/Acrylic Adhesive)

- · Lo-tack
- · No tear/clean peel from gloves
- No residue on glass/plastic
- No residue on garments
- · Excellent chemical resistance
- · Perforated every 3" for easy tear

Applications

- · Plate sealing/transportation
- · Glove sealing
- HazMat



Clean Build/Construction Tape

Construction Tape (Polyethylene Tape/Rubber Adhesive)

- · Limited dead-stretch
- · Hi-tack aggressive adhesive
- Resistant to chemicals/solvents
- Serrated edge for easy tear
- **Applications**
- Bonds different surfaces concrete/ glass/stone
- · Heavy duty/high traffic
- Tool wrapping
- · Cleanroom construction and maintenance



Extreme Temperature Tape

Polyimide Film/Silicone Adhesive

- · Resistant to sub-zero and extreme heat
- Clean release even after high heat

Applications

- · Cold storage
- · Over-labeling
- · Freeze dry/Lyopholizers



PURELL® 800 Series Hand Sanitizer Dispenser, GOJO®

- Kills 99.99% of most common germs in as little as 15 seconds without water or towels
- Bag-in-box dispensing system, portion-controlled and ADA-compliant for push force




Description	Size	Cat. No.
Dispenser	800 mL (27 oz.)	89068-686

Description	Size	Cat. No.
Refills		
Hand Sanitizer with Aloe	800 mL (27 oz.)	89068-690
Hand Sanitizer	800 mL (27 oz.)	89068-694

Alcare Plus® Antiseptic Handrub, STERIS®

- Foamed, 62% ethyl alcohol-based surgical scrub
- Emollients provides hand antisepsis and moisturizing at the same time
- Mild formulation for high-frequency professional use



VWR® SoftGUARD® Extra-Strength Barrier Hand Cream

- · Nongreasy cream absorbs immediately
- Prevents and relieves irritation caused by latex chemicals and harsh soaps
- Fragrance free





Size	Packaging	Cat. No.
59 mL (2 oz.)	Flip-Top Bottle	56700-122
89 mL (3 oz.)	Flip-Top Tube	56614-410
237 mL (8 oz.)	Flip-Top Tube	16005-134
473 mL (16 oz.)	Pump Bottle	56614-414

Description	Cat. No.
Accessories	
Pump for 3.78 L (1 gal.) Refill Jug	56614-415
Wall Bracket for 473 mL (16 oz.) Bottle	56614-422
Wall-Mounted Dispenser for 800 mL (27 oz.) Bag-in-a-Box	56700-138

VWR® Hand Cream

- Nongreasy skin moisturizer absorbs quickly upon application
- Prevents irritation from latex gloves, harsh soaps, and other irritants
- Fragrance free, petroleum free





Description	Size	Cat. No.
Tube	89 mL (3 oz.)	89005-466
Pump Bottle	473 mL (16 oz.)	89005-468
Refill Jug	3.8 L (1 gal.)	89005-482

Kindest Kare® Skin Cream, STERIS®

- Aloe vera, vitamin E, and other emollients help soften and moisturize rough, dry skin
- Ideal for use with patients in all-over applications for dry skin and as hand cream for healthcare workers
- · Does not contain petrolatum or mineral oil
- · Light floral scent

Size	Packaging	Cat. No.
0.44 L (15 oz.)	Pump Bottle	89065-008

ProGuard® Professional Handcream, Decon Labs

- Combines emollients to moisturize dry, cracked skin with a barrier film that seals in the moisture, seals out the problems
- Effective in eliminating the irritation caused by latex gloves
- Does not contain perfumes, oils, greases, petroleum, aloe or cocoa butter
- Compatible with and will not compromise the protection of latex gloves

Size	Packaging	Cat. No.
85 g (3 oz.)	_	89233-206
500 mL (16 oz.)	Poly Bottle	89233-208



VWR® SPILL CONTROL PRODUCTS



VWR offers multiple options to help keep your areas and workers safe. Use the guide below to understand the VWR spill control product features

	Product Type	Intended Use	VWR Product Series
	General-Purpose Pads and Rolls	Soaks up leaks and spills fast. Can absorb water-based liquids, petroleum products, and solvents	82028-028
	Oil-Only Pads and Rolls	Ideal for catching drips and soaking up spills. Can absorb oil and fuels, but not water. Visual saturation levels.	82028-020
	Hazmat Pads	Great for small spills, lining benches, and fume hoods	82028-024
	Hazmat Rolls	Ideal for covering larger areas and soaking up leaks and overspray	82028-026
The state of the s	Hazmat Pillows	Large surface area and sorbent filler handles large spills quickly	89169-002
(33)	Hazmat Socks	Can shape or mold in areas like corners and walls to absorb and contain liquids from spreading to larger areas	89169-000
LAS SPLIT	Hazmat Lab Spill Kit	Includes pads, socks, nitrile gloves, safety goggles, and water-resistant yellow bag with tie	89168-998

SpillSolv® Laboratory Spill Kits, MilliporeSigma

- Agents are formulated to rapidly clean up chemical spills and vapors
- Each bottle has a convenient dispensing cap for shaking or pouring



Description	Cat. No.
Six Replacement Bottles for Acid, Caustic, Solvent Spills	EMD-SX1300R-1
Six Replacement Bottles for Acid Spills	EMD-SX1310R-1
SpillSolv® Multipurpose Kit for Acid, Caustic, Solvent Spills	EM-SX1300-1
SpillSolv® Acid Spill Kit for Acid Spills	EM-SX1310-1
SpillSolv® Caustic Spill Kit for Caustic Spills	EM-SX1320-1
SpillSolv® Mercury Spill Kit for Mercury Spills	EM-SX1350-1

Spill Clean-Up Centers and Kits, J.T. Baker®

- To neutralize, clean up, and safely dispose of acid, caustic, and flammable solvent spills
- NEUTRASORB provides rapid, controlled neutralization of concentrated acids, and visible color change as indication of complete neutralization
- NEUTRACIT-2 provides a controlled reaction which eliminates splattering
- SOLUSORB reacts immediately with the solvent, reducing solvent vapors and raising the flash point of the mixture
- Assortment A consists of three spill cleanup kits plus wall-mountable storage cabinet and video
- Supplied with the appropriate neutralizer, safety glasses, scoops, gloves, disposal bags and ties, and labels replacement kits, available separately

Description	Cat. No.
SAF-T-SPILL™ Acid Spill Kit and Components (NEUTRASORB®)	JT4442-2
SAF-T-SPILL™ Solvent Spill Kit and Components (SOLUSORB®)	JT4437-2

PIG® Spill Kit in Cart, New Pig

- Excellent for maintenance crews, labs or other areas prone to small spills
- 8" rubber wheels roll easily over uneven surfaces
- Socks stop spreading spills; Mat and Pillows absorb; Wipers clean surfaces and hands; Repair Putty patch leaks or cracks
- Temporary disposal bags, gloves, goggles, and boot covers make clean-up easier



Description	Cat. No.
Accessories	
Refill for PIG® Spill Kit in Cart . Absorbs up to 60.6 L (16 gal.)	56620-242

Spill Kit in Cart, PIG®

- · Easy to inventory and access
- · Speed to the scene of the spill
- · Fits easily through doors and aisles



Description	Absorbency	Cat. No.
PIG® Spill Kit in Cart	Up to 14 gallons	10860-088

PIG® Spill Kit in Bucket, New Pig

- Prepacked container provides easy access to contents
- Large, color-coded label makes identification fast and accurate
- · Tamper-proof seals help prevent pilfering of spill response supplies
- Use as refill for wall-mount holder (sold separately)
- No wheels



PIG® HazMat Spill Kit in Extra-Large Response Chest, New Pig

- Prepacked chest provides easy access to contents
- Large, color-coded label makes identification fast and accurate
- Tamper-proof seals help prevent pilfering of spill response supplies
- Four-way forklift entry for easy moving



PIG® HazMat You-Supply-the-Drum Spill Kit, New Pig

- Temporary disposal bags help make cleanup easier
- Includes "Spill Kit" decals for easy identification



Capacity	Cat. No.
Up to 128.7 L (34 gal.)	56620-452

PIG® HazMat Economy Spill Kits in Duffel Bag, New Pig

- · Rugged duffel bag is packed with four kits
- · Absorb spills, then keep the bag
- · Makes a great vehicle spill kit

Capacity	Cat. No.
Absorbs up to 75.7 L (20 gal.)	56620-492

PIG® HazMat Spill Kit in High-Visibility Cart, New Pig

- Prepacked, compartmentalized cart provides easy access to contents
- 8" plastic wheels roll easily over uneven surfaces, top and bottom handles make the cart easy to carry
- Cart holds and dispenses 60' roll of PIG Rip-&-Fit Mat for tearing off pads or sections as needed
- Socks stop spreading spills; Mat and Pillows absorb; Repair Putty plugs or patches leaks and cracks
- Disposal bags, gloves, and goggles help make cleanup easier
- Ideal for maintenance crews, labs or other areas prone to small spills
- Not UN rated

Capacity	Cat. No.
Absorbs up to 53 L (14 gal.)	89073-812
Description	Cat. No.
Accessories	



SPILL CONTROL & WASTE DISPOSAL

Universal Plus Spill Response Kit, 2 Gallon, Brady®

- This 2-gallon universal absorbent spill kit is ideal for small spill responses
- Kit includes 2 gallon container, 20 pads, 1 bag, tie, a pair of gloves, goggles, and instruction sheet



Description	Absorbency	Cat. No.
Portable Spill Kit	4.5 gal.	10796-470

SPILFYTER® Mercury Spill Kit, NPS

- Kit includes MERCSORB® amalgamation powder for absorbing mercury droplets plus mercury indicator powder to identify the presence of mercury in suspected contaminated areas
- Mercury indicator powder changes color from yellow to brown upon contact with mercury metal or vapor



Description	Cat. No.
Mercury Spill Kit	56609-203

Spilfyter® HazMat Cleanroom Spill Kit, NPS CORP

- Built-in disposal container in manageable, lightweight size
- · Ideal for labs and cleanroom environments



Description	Absorbency	Color	Cat. No.
Spilfyter® HazMat Drum Spill Kit	10 gal.	White	15551-792

SPILFYTER® Chemical Spill Center

- Space-saving cabinet contains emergency response products and protective gear
- Provides quick response capability for liquid spills
- Cabinet measures $15^5/8$ W x $18^1/2$ H x $9^1/8$ D"



TO BUT THE SECOND

Description	Cat. No.
Chemical Spill Center	56609-224

SPILFYTER® Chemical Classifier Strips, NPS

- Strips simultaneously test for acid/base, oxidizer, fluoride, petroleum product/organic solvent, and iodine/bromine/chlorine risks
- Laminated chemical classifier chart determines possible presence of chemical types according to color changes in strip



PIG® HazMat Mat Pad, New Pig

- Absorbs the widest range of acids, bases and unknown liquids, even 98% sulfuric acid and 30% sodium hydroxide
- Chemical resistant, won't degrade or cause reaction upon contact with corrosive spills
- Eight layers of 100% polypropylene are thermally bonded; won't rip, tear or fray even when saturated
- · Dimple pattern speeds wicking for faster, easier cleanup
- · Highly absorbent, fine-fiber construction won't leave behind liquids or fiber residue

Description	Dimensions	Packaging	Cat. No.
Lightweight	38.1 x 50.8 cm (15 x 20")	200 Pads	56620-688
Heavyweight	38.1 x 50.8 cm (15 x 20")	100 Pads	56220-194

PIG® Absorbent Mat Pads, New Pig

- Polypropylene (made with 50% recycled content) soaks up and retains liquids
- Dimpled for quicker absorption of water-based liquids, petroleum products, solvents, and broad range of chemicals
- Choose light, medium, or heavyweight depending on the amount of liquid you need to absorb
- Can be incinerated after use to reduce waste

Description	Dimensions	Packaging	Cat. No.
Heavyweight	38.1 x 50.8 cm (15 x 20")	50 Pads	56620-726
Heavyweight	76.2 x 76.2 cm (30 x 30")	50 Pads	56620-544
Heavyweight	38.1 x 50.8 cm (15 x 20")	100 Pads	56620-032
Mediumweight	38.1 x 50.8 cm (15 x 20")	125 Pads	56620-044

PIG® Universal Pads and Rolls, New Pig

- Eight-layer pads and rolls combine grip and strength to reduce slip hazards and keep floors clean
- Polypropylene (made with 50% recycled content) soaks up and retains liquids
- Dimpled for quicker absorption of water-based liquids, petroleum products, solvents, and a broad range of chemicals
- Choose light, medium, or heavyweight depending on the amount of liquid
- · Can be incinerated after use to reduce waste

Description	Capacity	WxL	Weight	Cat. No.
Lightweight Pads	83.3 L (22 gal.)	38.1 x 50.8 cm (15 x 20")	7.7 kg (17 lbs.)	56620-034
Heavyweight Roll	152.2 L (40.2 gal.)	76.2 cm x 45.7 m (30" x 150')	13.6 kg (30 lbs.)	56620-040





High Visibility Absorbent Mat Pad, PIG®

- · High-visibility yellow color
- Won't rip, tear or fray even when saturated
- Absorbs most common industrial liquids

Absorbs most common maustral riquius					
Description	Dimensions	Absorbency	Cat. No.		
PIG® High-Visibility Absorbent Mat Pad	15" W x 20" I	Up to 22 gallons per bag	10860-054		

PIG® Barrel Top Absorbent Mat, New Pig

- · Absorbs and retains oils, coolants, solvents, and water
- Dark gray color hides grime, so mat stays on the job longer
- Fits 55-gallon steel drum tops; pre-cut with holes for 3/4" and 2" bungs to provide a perfect fit
- Dispenser box makes it easy to carry and store mats while protecting them from dirt and moisture
- Heavyweight construction is highly durable and absorbent to handle pump drips and dispensing spills



Description	For Use With	Packaging	Cat. No.
Lightweight	For 55-Gallon Steel Drum	25 Pads	56620-678
Heavyweight	For 30-Gallon Steel Drum	25 Pads	89073-834
Heavyweight	For 55-Gallon Steel Drum	25 Pads	56620-036
Heavyweight	For 55-Gallon Steel/Poly Drum	25 Pads	89073-836

PR40 All-Purpose Wipers, PIG

- · Thick and absorbent
- · Quickly soaks up oils, degreasers, and other liquids
- · High-quality binder to increase strength




Description	Size	Cat. No.
PIG® PR40 All-Purpose Wipers	1 Roll	10852-998
PIG® PR40 All-Purpose Wipers	2 Rolls	10853-000


Wet Task® Wiping System Center-Pull Roll, New Pig

- Hydro-entangled cellulose and polypropylene fibers offer medium-duty absorption and strength
- Reinforced to provide extra scrubbing power without shredding or pilling
- · Handy, one-at-a-time dispensing saves material costs










- Eight layers of 100% polypropylene are thermally bonded; won't rip, tear or fray even when saturated
- Dimple pattern speeds wicking for faster, easier cleanup
- Highly absorbent, fine-fiber construction won't leave behind liquids or fiber residue

Description	Dimensions	Cat. No.
Lightweight	76.2 cm x 91 m (30" x 300')	89205-910
Heavyweight	76.2 cm x 46 m (30" x 150')	56620-086

PIG® Absorbent Mat Roll, New Pig

- Eight layers of 100% polypropylene thermally bonded to be exceptionally strong
- · Won't rip, tear or fray even when saturated
- · Dimple pattern speeds wicking of liquid for faster, easier cleanup
- · Highly absorbent, fine-fiber construction won't leave liquids or fiber residue behind



PIG® 4-in-1® Absorbent Mat Roll in Dispenser Box, New Pig

- · Fast-wicking absorbent takes the shape of a pad, roll, wiper, or sock
- · Perforated sections tear off and fold easily for versatile use
- Durable spunbonded polypropylene top layer resists scuffs and tears when used as a roll
- · Soft bottom layer grips floors
- · Absorbs up to 34L (9gal.) of oils, coolants, solvents, and water

Description	Dimensions	Cat. No.
Mediumweight	40.6 cm x 24 m (16" x 80')	56620-080



Custom Spill Kits

VWRCATALYST can help you design and produce spill kits to meet your Environmental Health and Safety requirements.


Let us manage the supply chain, inventory, labor, and logistics for your application:

- · Designed for specific spill hazards
- · Wide variety of PPE options
- Packaging scaled to minimize storage in labs
- · Customized instructions and spill logs

Email us today with your special requests at vwrcatalyst@vwr.com







SPILL CONTROL & WASTE DISPOSAL

PIG® Absorbent Mat Pads in Dispenser Box, New Pig

- Eight-layer pads and rolls combine grip and strength to reduce slip hazards and keep floors clean
- · Dispenser box makes it easy to take, carry and store mats while protecting from dirt and moisture



Description	Dimensions	Packaging	Cat. No.
Lightweight	38.1 x 50.8 cm (15 x 20")	200 Pads	56620-556
Mediumweight	38.1 x 50.8 cm (15 x 20")	100 Pads	89073-820
Mediumweight	38.1 x 50.8 cm (15 x 20")	125 Pads	89073-814
Heavyweight	25.4 x 33 cm (10 x 13")	100 Pads	94001-112
Heavyweight	38.1 x 50.8 cm (15 x 20")	100 Pads	46000-492

SCIENCEWARE® LABMAT™ Bench Liner, Bel-Art

- Disposable
- Supplied in dispenser carton
- Absorbent upper surface and flexible plastic non-skid backing
- Roll length: 15.2 m (50')



2	200	Jauran
	<u>~</u>	(Charmer)
		(Simonary)

Pads	94001-112
Pads	46000-492
Tan.	mar Terre

Universal Spill Response Pad, Dimpled, Brady

- Small, convenient pad size allows employees to fold and carry in pockets for quick response time
- Universal pad is multi-purpose, made to handle water-based liquids and oils
- Dimpled design provides added durability and reduces linting
- · Polypropylene material
- · Gray color

Description	Cat. No.
Pad	10809-790

MAXX Chemical Pad, Brady®

- · Specially developed chemical sorbent
- · Yellow color-coded for safety and easy separation of hazardous waste
- Heavy-weight pad design
- · Will not react with aggressive fluids



Description	Dimensions	Absorbency	Color	Cat. No.
Pad	15W x 19L"	22 gal.	Black on Yellow	10796-288
Pad	12W x 12L"	30 gal.	Yellow	10796-286

Safety Orange, Biohazard Designated, 50 ft. roll 13196-048 White Cut Sheets, Box of 100, 50.8 x 61 cm (20 x 24") 47727-664 White Labmat Liner, 50 ft. roll 54110-300

Choose PIG absorbents to keep your lab clean and safe.



Spill Kits

Respond quickly to hazardous spills with everything you need to clean it up safely.



Grippy® Floor Mat

Prevent slips, trips and falls in high-traffic areas with our adhesive-backed floor mat.

Absorbents

The best you can buy for highly concentrated corrosives; won't degrade or cause a dangerous reaction.

Description	Cat. No.
HazMat Mat Pad, Heavyweight	56220-194
HazMat Mat Roll, Heavyweight	56620-086
HazMat Spill Kit in High-Visibility Bag	56620-494
Grippy® Floor Mat, Medium Weight	10811-188



SPILFYTER® HANDS-IN-BAG® Atmospheric Chambers

- Made of 3mil, high-clarity polyethylene
- Chambers have two or four inlets per side
- · Listed dimensions refer to uninflated chambers



Description	Volume	Opening Dimensions	Overall Dimensions	Cat. No.
2-Hand Chamber	50 L (1⁴/₅ cu. ft.)	30.5 cm (12")	76.2L x 68.6W cm (30 x 27")	15552-192
4-Hand Chamber	500 L (17²/₃ cu. ft.)	76.2 cm (30")	147.3L x 114.3W cm (58 x 45")	15552-194
2-Hand Chamber	1000 L (35¹/₃ cu.ft.)	91.4 cm (36")	147.3L x 129.5W cm (58 x 51")	56616-258

SPILFYTER® Kollect-A-Kem® H-Tech **Liquid Sorbent Pads and Pillows, NPS**

- Low-linting polypropylene fabric rapidly collects essentially all chemicals, acids, or combinations (including water and hydrofluoric acid)
- Soaks up 8 to 10 times its weight in most tough chemicals
- · Material will not disintegrate and can be burned, leaving little ash



Description	Size	Cat. No.
2-Ply Pads	45.7 x 45.7 cm (18 x 18")	56609-223
Pillows	21.6 x 21.6 cm (8 ¹ / ₂ x 8 ¹ / ₂ ")	56616-342
Pillows	21.6 x 44.5 cm (8 ¹ / ₂ x 17 ¹ / ₂ ")	56616-344

PIG® HazMat Chemical **Absorbent Sock, New Pig**

• Made of 100% chemical-resistant skin and fastwicking filler



Capacity	Dimensions	Packaging	Cat. No.
Absorbs up to 3 L (100 oz.) per Sock	7.6 x 116.8 cm (3 x 46")	12 Socks	56620-082
Absorbs up to 7.6 L (2 gal.) per Sock	7.6 cm x 3 m (3" x 10')	6 Socks	46000-772

Phenolic Foam Spill Control Pillows, NPS

- Able to absorb 98% of their capacity in 30 seconds
- · Pillows absorb a total of 10 to 20 times their weight of almost any liquid
- Treat through elution, evaporation, or incineration in accordance with local regulations



Dimensions	Absorbency	Cat. No.
21.6 x 21.6 cm (8 ¹ / ₂ x 8 ¹ / ₂ ")	0.51-0.69 L (0.14-0.18 gal.)	56616-330
21.6 x 43.1 cm (8 ¹ / ₂ x 17")	1.6-2.2 L (0.43-0.58 gal.)	56609-220

ALLWIK® Universal Absorbent Socks, Brady® SPC® Absorbents

- Moldable SOCs wrap around machinery and conform to uneven surfaces to prevent leaks from reaching walkways
- Highly versatile, grey absorbents pick up water-based, petroleum-based, and non-aggressive chemical fluids
- · Gray color masks spills and stains, helping users resist the urge to pick up the absorbent before it is fully saturated
- Made of all-purpose polypropylene, suitable for most industrial applications

Description	Diameter	Length	Color	Cat. No.
ALLWIK® Universal Absorbent Socks	3"	12′	Gray	10810-746

COBRA COIL™ SOCs Socks, Brady

- · Dependable, flexible tube contains and absorbs fluids
- · Molds around corners and conforms to uneven surfaces
- · Available in a wide variety of types and sizes
- · Vermiculite material
- Red color

Description	Cat. No.
Flexi-Sock	10809-788

WorkWipes® Series 60 Heavy-**Duty Wipers, New Pig**

- · Textured surface helps remove dirt and grime
- Ideal for applying disinfectants, degreasers, and solvents
- · Additional applications include grease removal, wiping hands, fast cleanups, and cleaning glass or stainless steel

WxL	Packaging	Weight	Cat. No.
30.5 x 33.7 cm (12 x 131/4")	Quarter-Fold	7 kg (15.5 lbs.)	89073-944
30.5 x 30.5 cm (12 x 12")	Jumbo Roll (1100 Sheets)	6.7 kg (14.8 lbs.)	89073-946
20.3 x 40.6 cm (8 x 16")	Pop-Up Box	6.8 kg (14.9 lbs.)	89073-948

WorkWipes® Reclaimed White T-Shirt in Bag, New Pig

- · Compression-packed bags take up half the space of loosely packed boxes
- · Scanned for metal
- · Sorted for printing
- · Not washed

Packaging	Weight	Cat. No.
Compressed	11.3 kg (25 lbs.)	89073-960

Maintenance Spill Berm, Justrite

- No assembly required; simply unfold and use
- · Encased urethane foam sidewalls offer easy rollthrough access without the need for a ramp
- · Walls quickly spring back into place with no memory loss



Description	Exterior Dimensions	Cat. No.
Spill Berm	36 W x 4 H x 60 L"	10861-176









SPILL CONTROL & WASTE DISPOSAL

Centura® Prefabricated Quick-Disconnect Safety Disposal Cans, Justrite®

- · Provide convenient, hands-free system for safe collection, transfer, and disposal of **HPLC** solvents
- Durable polyethylene safety cans are suitable for pump-fed or gravity-flow waste methods
- Safeguard against accidents and increase vapor and fire protection

19.4H x 11.7W x 32.4D cm (75/8 x

45/8 x 123/4")

- Outfitted with quick-disconnect intake and vapor release fittings
- Compliant with OSHA 29 CFR 1910.106; EPA 40 CFR 264.173

Oval Safety Disposal Can

3.8 L (1 gal.)



Description	Cat. No.
Accessories	
Coalescing/Carbon Filters For Cans with Polypropylene Vapor Release Fitting	82001-070
Coalescing/Carbon Filters For Cans with Stainless Steel Vapor Release Fitting	82001-072
Coalescing/Carbon Filters Carbon Filter Replacements	82001-075
HPLC Manifold Kit	82017-696

Polypropylene/EPDM

Nonmetallic Liquid Disposal Cans, Justrite®

- High-density polyethylene cans safely contain corrosives or liquid flammable wastes
- · Flame arrester guards against outside ignition
- · Built-in carbon insert provides grounding path
- · Large openings are strategically placed for controlled filling and pouring
- Fixed-position handle keeps lid open for easier pouring
- When closed, lid automatically vents at 5psig
- · FM approved

Capacity	O.D. x H	Cat. No.
18.9 L (5 gal.)	30.5 x 50.8 cm (12 x 20")	56609-187
7.6 L (2 gal.)	30.5 x 37.5 cm (12 x 14 ³ / ₄ ")	56610-174

Description	Cat. No.
Accessories	
Stainless Steel Flame Arrester	56609-751



32.4 x 19.4 cm (123/4 x 75/8")

Oily Waste Cans, Justrite®

- · Can be operated by hand or foot-lever opening device
- · Lid closes automatically when not in use
- · Round construction and elevated bottom encourage circulation of air

Polypropylene/EPDM

- One-piece cover facilitates use of collection bags
- Steel construction with powder coat paint finish



82013-208

1.4 kg (3 lbs.)

Description	Capacity	Dimensions	Color	Cat. No.
Oily Waste Can with Foot- Operated Cover	22.7 L (6 gal.)	30.10.D. x 40.3H cm (11 ⁷ / ₈ x 15 ⁷ / ₈ ")	Red	56610-539
	22.7 L (6 gal.)	30.10.D. X 40.3H (11 /8 X 13 /8)	neu	30010-339
Oily Waste Can with Foot- Operated Cover	37.9 L (10 gal.)	35.30.D. x 46.3H cm (13 ¹⁵ / ₁₆ x 18 ¹ / ₄ ")	Red	56610-541
Oily Waste Can with Foot- Operated Cover	79.5 L (21 gal.)	46.60.D. x 59.5H cm (18 ³ / ₈ x 23 ⁷ / ₁₆ ")	Red	56610-540
Oily Waste Can with Hand- Operated Cover	10 gal.	35.40.D. x 46.4H cm (13 ¹⁵ / ₁₆ x 18 ¹ / ₄ ")	Red	10836-818

Waste Disposal Cans, HDPE, Eagle Manufacturing

- For temporary storage of flammable liquid wastes
- Impact-resistant and will not rust or corrode
- Locking spout cap opens to an 80° angle
- Cap assembly opens automatically to relieve excessive internal vapor pressures
- · FM approved

Capacity	O.D. x H	Color	Cat. No.
11.4 L (3 gal.)	31.7 x 36.8 cm (12 ¹ / ₂ x 14 ¹ / ₂ ")	Red	56609-915
18.9 L (5 gal.)	31.7 x 46.9 cm (12 ¹ / ₂ x 18 ¹ / ₂ ")	Red	56609-917
11.4 L (3 gal.)	31.7 x 36.8 cm (12 ¹ / ₂ x 14 ¹ / ₂ ")	White	56618-514
18.9 L (5 gal.)	31.7 x 46.9 cm (12 ¹ / ₂ x 18 ¹ / ₂ ")	White	56618-516

Nalgene® Biohazardous Waste Containers, Thermo Scientific

- Convenient one-step sterilization, with no need to remove autoclavable bag
- Port opening in cover allows convenient onehanded disposal of materials, limiting exposure to infectious waste
- Holds standard-size autoclavable bags
- · Red universal biohazard symbol is molded in English and Spanish
- Leakproof side and bottom construction

Capacity	Dimensions	Cat. No.
5.5 L (1.5 gal.)	210.D. x 26.7H cm (8 ¹ / ₄ x 10 ¹ / ₂ ")	16211-136
18.9 L (5 gal.)	27.90.D. x 38.1H cm (11 x 15")	16211-134
56.8 L (15 gal.)	330.D. x 68.6H cm (13 x 27")	16211-138

Terminal® Biohazard Benchtop Keeper™ Containers, Whitney Products

- For collection of biohazardous items such as pipet tips, petri dishes, test tubes, and slides
- Sturdy, plastic-lined paperboard construction
- Leak-resistant and autoclavable

Capacity	Dimensions	Cat. No.
1.4 L (47.3 oz.)	10.2L x 10.2W x 17.8H cm (4 x 4 x 7")	11214-708
3 L (101.4 oz.)	15.2L x 15.2W x 25.4H cm (6 x 6 x 10")	11214-711

Terminal® Safe Keeper™ Waste Container, Whitney Products

- Equipped with reinforced hole for wall-hanging
- Completely closed bottom to avoid leakage
- Self-adhesive hook is included in each case
- Constructed of sturdy, plastic-lined paperboard for leak resistance
- · Autoclavable

Description	Capacity	LxHxW	Cat. No.
Terminal Safe-Keeper Container	1.1 L (37.2 oz.)	14.6 x 27.9 x 5.1 cm (5 ³ / ₄ x 11 x 2")	11214-717



- For segregation of infectious waste
- · Leakproof, sturdy metal construction
- Simple, foot-operated, self-closing lid to reduce contamination
- Biohazard bag is held securely around the circumference of the can



Capacity	Dimensions	Cat. No.
22.7 L (6 gal.)	30.10.D x 40.3H cm (11 ⁷ / ₈ x 15 ⁷ / ₈ ")	56617-830
37.9 L (10 gal.)	35.30.D x 45.7H cm (1315/16 x 18")	56617-832

Description	Cat. No.
Accessories	
Biohazard Bags	56617-834

Oily Waste Cans, Polyethylene, Eagle Manufacturing

- Impact-resistant
- · Corrosion-resistant
- Rustproof



Capacity	Height	Top Diameter	Color	Weight	Cat. No.
22.7 L (6 gal.)	40.6 cm (16")	34.3 cm (13 ¹ / ₂ ")	Yellow	4 kg (9 lbs.)	56610-216
37.9 L (10 gal.)	45.8 cm (18")	45.8 cm (18")	Yellow	6.4 kg (14 lbs.)	56610-218
53 L (14 gal.)	53.3 cm (21")	45.7 cm (18")	Yellow	7.3 kg (16 lbs.)	56610-220
53 L (14 gal.)	53.3 cm (21")	45.7 cm (18")	Red	7.3 kg (16 lbs.)	56617-335

Laboratory Safety Cans, Eagle Manufacturing

- Flame arrester reduces the possibility of ignition of flammable liquid vapors
- Spout cap with nitrile rubber gasket ensures a leakproof seal
- · Electrically welded construction
- Oval shape conserves space
- · Rolled edge pour spout

Material	Capacity	Height	Cat. No.
Type 316 Stainless Steel	3.8 L (1 gal.)	33 cm (13")	56609-970

Nonmetallic Self-Closing Laboratory Containers, Justrite®

- Specially designed to resist acids and caustics
- Translucent, high-density polyethylene containers are marked in liters, quarts, and gallons for accurate filling and dispensing
- Spring-closing cap provides tight seal



Shape	Capacity	Dimensions	0.D. x H	Cat. No.
		27.30.D. x 36.1H cm		
Round	9.5 L (2.5 gal.)	$(10^3/_4 \times 14^1/_4")$	27.3 x 36.1 cm (10 ³ / ₄ x 14 ¹	/ ₄ ") 56610-192

SPILL CONTROL & WASTE DISPOSAL

Safety Containers, Justrite

- Safely contain hazardous liquids and control vapors to reduce the risk of fire
- Helps comply with OSHA regulations and state/ local fire codes



Description	Capacity	Cat. No.
Safety Can, 2.0 Gallon Poly	2 gal.	14222-208
Safety Can, Poly 5 Gallon	5 gal.	14222-210
Waste Disposal, 7.5 L (2 gal.)	2 gal.	89212-348

Description	Cat. No.
Accessories	
Disconnect Assembly Stainless Steel, 1/4" Fitting	14222-214
Spill Basin Hplc Can	89212-342

BioHazardous Waste Cans, Eagle Mfg

- Meets OSHA requirements for exposures to bloodborne pathogens
- Red color with biohazard symbol



Model	Capacity	Height	Color	Weight	Cat. No.
943BIO	22.8 L (6 gal.)	40.7 cm (16")	Red	4.1 kg (9 lbs.)	56610-177
947BIO	53 L (14 gal.)	53.4 cm (21")	Red	7.3 kg (16 lbs.)	56610-181
945BIO	37.9 L (10 gal.)	45.8 cm (18")	Red	6.4 kg (14 lbs.)	56610-226

Liquid Disposal Safety Cans, Justrite®

- An ideal solution for the containment of liquid flammable or corrosive waste
- Current-carrying, patented carbon insert embedded in the container for proper grounding



Description	Capacity	Cat. No.
Disposal Can, 2G Poly With Gauge	2 gal.	10836-902
Disposal Can, 5G Poly With Gauge	5 gal.	10836-904

Biohazard Waste Cans, Justrite®

 Cans are designed for the safe, temporary collection of biological waste



Description	Capacity	Cat. No.
Biohazard Waste Can, 6G Red	6 gal.	10836-824
Biohazard Waste Can, 10G Red	10 gal.	10836-912
Biohazard Can 10G White with Soundquard	10 gal.	10836-914

Type I Nonmetallic Safety Cans, Justrite®

- Inert and resistant to tough acids, corrosives, and heat
- Feature dual-density flame arrester, self-closing cap, and pressure relief mechanism
- Current-carrying carbon insert imbedded in the can provides proper grounding
- Insert prevents the creation of arc during filling or pouring
- · All cans are FM approved
- Round cans are UL and C-UL listed

Shape	Capacity	Dimensions	O.D. x H	Cat. No.
Oval	1.9 L (0.5 gal.)	11.7W x 19.4L x 24.1H cm (4 ⁵ / ₈ x 7 ⁵ / ₈ x 9 ¹ / ₂ ")	_	56609-592
Oval	3.8 L (1 gal.)	11.7W x 19.4L x 32.4H cm (4 ⁵ / ₈ x 7 ⁵ / ₈ x 12 ³ / ₄ ")	_	56609-594
Round	9.5 L (2.5 gal.)	27.3 O.D. x 36.2H cm (10 ³ / ₄ x 14 ¹ / ₄ ")	27.3 x 36.2 cm (10 ³ / ₄ x 14 ¹ / ₄ ")	56609-595
Round	18.9 L (5 gal.)	32.4 O.D. x 40.6H cm (12 ³ / ₄ x 16")	32.4 x 40.6 cm (12 ³ / ₄ x 16")	56609-621

VWR® Broken Glass Disposal Cartons

- Easy to Assemble
- Disposable Cardboard Construction
- · Safe and Convenient Disposal of Broken Glassware
- · Color-Coded Lids



Description	Dimensions	Cat. No.
Floor Disposal Carton	30.5L x 30.5W x 68.5H cm (12 x 12 x 27")	56617-801
Benchtop Disposal Carton	20.3L x 20.3W x 25.4H cm (8 x 8 x 10")	56617-804

VWR® Biohazard Incinerator Cartons

- Allows safe, convenient disposal and incineration of biohazardous waste
- Negates the need to transfer contents
- The snug-fitting lid has a flap for easily inserting waste material



Description	Dimensions	Cat. No.
Floor Incinerator Carton	30.5L x 30.5W x 68.5H cm (12 x 12 x 27")	56617-807
Benchtop Incinerator Carton	20.3L x 20.3W x 25.4H cm (8 x 8 x 10")	56617-810

Bel-Art Disposal Carton for Glass, SP SCIENCEWARE

- Sturdy design
- Packaged flat and easy to assemble
- · Corrugated cardboard construction
- Supplied with polypropylene bag



Model	LxWxH	Cat. No.
Benchtop	20 x 20 x 25 cm (8 x 8 x 10")	30617-648

VWR® Autoclavable Polyethylene Biohazard Bags, 4 mil

- Bright red color for quick identification
- Clearly labeled with biohazard warnings





VWR® Incineration Bags

- Durable polypropylene construction
- Not autoclavable
- Marked with biohazard symbol





WxH	Cat. No.
30.4 x 61 cm (12 x 24")	11215-822
61 x 76.2 cm (24 x 30")	11215-823
61 x 91.4 cm (24 x 36")	11215-826
96.5 x 122 cm (38 x 48")	11215-824

WxH	Cat. No.
20.3 x 30.4 cm (8 x 12")	14220-106
35.5 x 48.2 cm (14 x 19")	14220-108
48.2 x 58.4 cm (19 x 24")	14220-110
63.5 x 89 cm (25 x 35")	14220-112
91.4 x 114.3 cm (36 x 45")	14220-114

VWR® Autoclavable Biohazard Bags, Double Thick

- Temperature-resistant polypropylene
- Autoclavable
- Biohazard warning label





VWR® Autoclavable Bags, 1.5 mil

- Bags are available clear or red with proper biohazard warnings, or clear without label
- Rated for use at 135°C (275°F)





WxH	Cat. No.
30.4 x 61 cm (12 x 24")	14220-082
61 x 76.2 cm (24 x 30")	14220-084
61 x 91.4 cm (24 x 36")	14220-086
96.5 x 122 cm (38 x 48")	14220-088

VWR® High Strength Autoclavable Infectious Waste Bag



- Designed to handle dangerous materials
- High-strength
- Autoclavable





WxH	Cat. No.
Red Bags, Printed	
20.3 x 30.5 cm (8 x 12")	14220-000
30.5 x 61 cm (12 x 24")	14220-002
48.3 x 61 cm (19 x 24")	14220-004
61 x 91.4 cm (24 x 36")	14220-006
Clear Bags, Printed	
25.4 x 38.1 cm (10 x 15")	14220-008
30.5 x 61 cm (12 x 24")	14220-010
61 x 76.2 cm (24 x 30")	14220-012
61 x 91.4 cm (24 x 36")	14220-014
Clear Bags, Plain	
20.3 x 30.5 cm (8 x 12")	14220-016
25.4 x 38.1 cm (10 x 15")	14220-018
30.5 x 61 cm (12 x 24")	14220-020
61 x 76.2 cm (24 x 30")	14220-022
61 x 91.4 cm (24 x 36")	14220-024

WxH	Cat. No.
Printed Bags	
20.3 x 30.5 cm (8 x 12")	14230-910
30.5 x 61 cm (12 x 24")	14220-090
48.3 x 61 cm (19 x 24")	14230-912
61 x 76.2 cm (24 x 30")	14220-092
61 x 91.4 cm (24 x 36")	14220-096
63.5 x 88.9 cm (25 x 35")	14220-094
76.2 x 91.4 cm (30 x 36")	11215-816
96.5 x 121.9 cm (38 x 48")	14220-098
Plain Bags	
30.5 x 61 cm (12 x 24")	14220-100
61 x 76.2 cm (24 x 30")	14220-102
61 x 91.4 cm (24 x 36")	14220-104

SPILL CONTROL & WASTE DISPOSAL

VWR® Autoclavable Biohazard Bags and Containers

- High-integrity polypropylene
- Available with temperature indicator
- Resists punctures, tears and leaks





Capacity	Thickness	WxH	Bag Size	Container Size	Cat. No.
Red Bags with Indica	tor				
	Double-Thick	61 x 91.4 cm (24 x 36")			14221-994
	Double-Thick	78.7 x 101.6 cm (31 x 40")			14221-996
Clear Bags with Indic	ator				
	2 mil	30.5 x 61 cm (12 x 24")			14220-066
	2 mil	61 x 76.2 cm (24 x 30")			14220-068
	2 mil	61 x 91.4 cm (24 x 36")			14220-070
	2 mil	94 x 122 cm (37 x 48")			11215-680
Red Bags with Indica	tor				
_	2 mil	20.3 x 30.5 cm (8 x 12")			14220-026
	2 mil	35.6 x 48.3 cm (14 x 19")			14220-028
	2 mil	48.3 x 61 cm (19 x 24")			14220-030
	2 mil	63.5 x 88.9 cm (25 x 35")			14220-032
	2 mil	91.4 x 114.3 cm (36 x 45")			14220-034
Orange Bags with Inc	dicator				
g	2 mil	20.3 x 30.5 cm (8 x 12")			14220-046
	2 mil	35.6 x 48.3 cm (14 x 19")			14220-048
	2 mil	48.3 x 61 cm (19 x 24")			14220-050
	2 mil	63.5 x 88.9 cm (25 x 35")			14220-052
	2 mil	91.4 x 114.3 cm (36 x 45")			14220-054
Starter Kits					
7.6 L (2 gal.)			35.6 x 48.3 cm (14 x 19")	22.2 dia. x 25.4 H cm (8 ₃ / ₄ x 10")	14221-160
11.4 L (3 gal.)			48.3 x 58.4 cm (19 x 23")	25.4 dia. x 30.5 H cm (10 x 12")	14221-162
45.4 L (12 gal.)			63.5 x 89 cm (25 x 35")	39.3 dia. x 49.5 H cm (15 1/2 x 19 1/2")	14221-164
Containers Only					
7.6 L (2 gal.)			35.6 x 48.3 cm (14 x 19")	22.2 dia. x 25.4 H cm (8 ³ / ₄ x 10")	14221-154
11.4 L (3 gal.)			48.3 x 58.4 cm (19 x 23")	25.4 dia. x 30.5 H cm (10 x 12")	14221-156
45.4 L (12 gal.)			63.5 x 89 cm (25 x 35")	39.3 dia. x 49.5 H cm (15 1/2 x 19 1/2")	14221-158
			, ,	· ·	

VWR® Autoclavable Bags, Nonhazardous Waste

- High-integrity polypropylene
- Superior tear resistance
- Welded seals





VWR® Autoclavable Polypropylene Bags

- Meet strength requirements in ASTM D 1709-04 for 165g dart drop test
- Can withstand autoclaving temperatures up to 135°C (275°F)





WxH	Cat. No.
20.3 x 30.5 cm (8 x 12")	14220-036
35.6 x 48.3 cm (14 x 19")	14220-038
48.3 x 58.4 cm (19 x 23")	14220-040
63.5 x 88.9 cm (25 x 35")	14220-042
91.4 x 114.3 cm (36 x 45")	14220-044

WxH	Cat. No.
20.3 x 30.5 cm (8 x 12")	95042-548
25.4 x 38.1 cm (10 x 15")	95042-563
30.5 x 61 cm (12 x 24")	95042-554
61 x 76.2 cm (24 x 30")	95042-556
61 x 91.4 cm (24 x 36")	95042-558

VWR® Microcentrifuge Beta Sample Box

- Crushed ice or water fits under the rack
- Holds 36 micro sample tubes





For Tubes	Interior Dimensions	Cat. No.
1.5 mL	20.5L x 9W x 5.7H cm ($8^{1}/_{16}$ x $3^{9}/_{16}$ x $2^{1}/_{4}$ ")	32800-066

Beta Radiation Safety Equipment, Radiation Waste Receptacles, CBS Scientific

- All receptacles feature hinged lids for access
- 3 sizes offered



Description	Exterior Dimensions	Cat. No.
Radiation Waste Receptacle, Large Capacity		
Waste Container With Casters	33W x 73 6H x 33D cm	CBRF-100C

Nalgene® Benchtop Beta Waste Container (with bottle); acrylic, **PE bottle, Thermo Scientific**

- Constructed of 0.95 cm (3/8") thick acrylic
- Cylindrical shield protects personnel from waste material



Capacity	Cat. No.
2 L (64 oz.)	56616-035

Nalgene® Beta Waste Shields, **Acrylic, Thermo Scientific**

- 9mm (3/8") thick acrylic
- · Collapsible for convenient storage
- Contains large hinged door on cover for easy access to waste receptacle
- · Can enclose large container holding solid or liquid waste





Radiacwash™ Decontaminant, **Biodex Medical Systems**

- For safely removing radioactive contaminants from skin, cloth, metal, glass, floors, plastic, and equipment
- · Also removes general contaminants such as soil, grease, and residue



Description	Cat. No.
Pour Bottle	21876-302
Spray Bottle	21876-347
Towelettes	21908-861

Radioactive Waste Poly Bags, Associated Bag


- Translucent yellow polyethylene is preprinted with repeating message that meets Federal Regulation 10-20.203
- Bottom-sealed bags are perforated on a roll for easy tear-off access



Description	Size	Thickness	Cat. No.
Radioactive Waste Poly Bag	24 x 36"	3 mil	47744-622

Safety Shields, Mitchell Plastics™

- Each shield tapers back at an angle for easy viewing and protection
- A variety of shield styles and designs accommodate varied workplace requirements
- Different sizes of balance shields are also available for use with Mettler, Sartorius, and general balances



Description	Dimensions	Thickness	Cat. No.
Biohazard Shield, Cell-Counter	26H x 20.3W x 17.1D cm (10 ¹ / ₄ x 8 x 6 ³ / ₄ ")	9.5 mm (³ / ₈ ")	25405-328
Tapered Biohazard Shield	52H x 45.7W x 30.5D cm (20 ¹ / ₂ x 18 x 12")	6.4 mm (1/4")	25405-332

SCIENCEWARE® Adjustable **Splash Shields, Bel-Art**

- Ergonomically shaped, handles are easily adjusted horizontally and vertically
- Can be pulled close to the body for comfortable working position
- Available in four different styles to fit any bench space or work style



Size	Туре	Cat. No.
Single	Wall	16667-108
Single	Island Bench	16667-110
Double	Wall	16667-114

RADIATION PROTECTION, LOCKOUT/TAGOUT

SCIENCEWARE® Large Weighted Safety Shields, Bel-Art

- 4.7mm (3/16") clear polycarbonate barrier
- · Exceptional impact resistance and optical clarity



Height	Weight	Cat. No.
76.2 cm (30")	8.4 kg (18.5 lbs.)	13197-366
91.4 cm (36")	8.9 kg (19.6 lbs.)	47750-422

Scienceware® Radiation Dots, Bel-Art

- · Adhere to plastics and glass to identify "hot" labware
- Each dot is 6.35mm (1/4") in diameter with the radiation symbol on a yellow background



Diameter	Cat. No.
6.4 mm (1/4")	62866-186

SCIENCEWARE®, Lead-Lined **Polyethylene Storage Boxes, Bel-Art**

- For safe storage of gamma or beta radiationemitting substances
- Store vials, instruments, samples, solutions or waste



Dimensions	Cat. No.
15L x 15W x 20H cm (6 x 6 x 8")	62866-196
25L x 25W x 25H cm (10 x 10 x 10")	62866-290

Wipe Test Smears, Biodex Medical Systems

- Sample any surface contaminated with radioactivity
- · Convenient, easy-to-use cloth discs
- Individual record folders to perform wipe tests as indicated in NRC and Agreement State Regulations



Description	Cat. No.
Wipe Test Smears	21908-872

Pocket-Size Portable Radiation Alert® Monitors, S.E. International

- · Audible beeper can be switched on or off
- · Built-in battery check, long battery life
- · Carrying case is included



Description	Cat. No.
Monitor 4	55408-531
Monitor 4EC	55408-553
MC1K	55408-576

Radiation Alert® PEN Dosimeters. S.E. International

- Temperature ranges -20 to +50°C
- Greater than 50,000 foot altitude for one month
- Relative humidity greater than 95% highly resistant to shock and vibration



Description	Cat. No.
Direct Reading Dosimeters, PEN	89068-906

All Purpose Cable Lockout, Brady®

- Versatile for unusual energy isolating devices that are difficult to lock out
- · Compact, lightweight body made of rugged, impactmodified, glass-filled nylon
- · Chemical, corrosion, and temperature resistant
- Includes nonconductive 2.4m (8') nylon cable, 3mm (1/8") in diameter
- 4 lock holes in handle accommodate most lock shackles and hasps

Description	Cat. No.
Cable Lockout	89011-768

Circuit Breaker Lockouts, Brady®

- Rugged polypropylene and glass-filled, impactmodified nylon
- Accept lock shackles up to 7mm (9/32") in diameter and are easily installed
- · Snap-On lockout snaps into place
- Clamp-On and Oversized lockouts do not require screwdriver due to the patented thumbscrew design



LOCKOUT STATION

Description	Cat. No.
Oversized Lockout for 480/600V Breakers	12222-756
Clamp-On Lockout for 120/277V Breakers	12222-830
Clamp-On Lockout for 120/277V Breakers	12222-832
Clamp-On Lockout for 480/600V Breakers	12222-834
Snap-On Lockout for 120V Breakers	12222-840

Extra-Large Lockout Station (Station Only), Brady Worldwide®

- Pegboard-style holes for hooks are drilled into the back (8 hooks supplied standard)
- · Built-in lock rail holds 20 to 25 locks, depending on lock size
- · Components sold seperately





Gate Valve Lockouts, Brady Worldwide®

- Made of injection-molded polypropylene
- Extremely rugged for superior impact and chemical resistance
- Withstand temperatures from –28.9 to 148.9°C (–20 to 300°F)
- Unique knockout center accommodates OS&Y or "rising stem" valves
- Lockouts accept locks with shackles up to 9.52mm (%") diameter

Description	Material	Color	Cat. No.
Mini Gate Valve Lockout	Injection-Molded Polypropylene	Red	89011-760
Small Gate Valve Lockout	Injection-Molded Polypropylene	Red	89011-762
Medium Gate Valve Lockout	Injection-Molded Polypropylene	Red	12222-780
Large Gate Valve Lockout	Injection-Molded Polypropylene	Red	12222-788

Lockout Tags, Brady Worldwide®

- Rigid polyester surface is easy to write on and stays legible longer than cardstock
- 3/8" diameter brass eyelet accepts most padlock shackles
- Tag size is 5.75"Hx3"W
- Standard package includes 25 tags and nylon fasteners



Description	Size	Material	Color	Cat. No.
Lockout Tags, Economy Polyester	5 75"H v 2"\N/	Economy Polyecter	Black/Red on White	12222-044
Lockout Tags,	3.73 11 X 3 W	Economy Folyester	DIACK/ Ned OII WIIILE	12222-044
Economy Polyester	5.75"H x 3"W	Economy Polyester	Black/Red on White	12222-076
Lockout Tags, Cardstock	5.75"H x 3"W	Cardstock	Black/Red on White	89007-180

Mini Cable Lockout, Brady®

- Perfect for use on disconnect switches and small gate valves
- Six lock holes accommodate most lock shackles and hasps
- Lockout features front legend that reads: "DANGER, LOCKED OUT, DO NOT REMOVE"



Dia. x D	Cat. No.
10.2 x 4.5 cm (4 x 1 ³ / ₄ ")	89011-766

Prinzing® Safetee Donut™ Round Valve Lockouts, Brady®

- Designed to fit around a round valve handle
- Can be secured with a padlock to ensure that valve stays in off or safe position



Fits Valve Handle Diameter	Color	Cat. No.
2.5-6.4 cm (1-2 ¹ / ₂ ")	Red	56606-581
6.4–12.7 cm (2 ¹ / ₂ –5")	Red	56606-582
12.7–16.5 cm (5–6 ¹ / ₂ ")	Red	56606-584

Red Lockout Hasps, Brady Worldwide®

- Answer to safety concerns during group lockout situations
- · Vinyl-coated, high-tensile steel; plated to resist rust
- Lock holes are ¾" diameter to accommodate most standard lock shackles



Description	Material	Color	Cat. No.
Lockout Hasps (1" Diameter Jaws)	Vinyl-Coated High Tensile Steel	Red	12222-228
Lockout Hasps (1.5" Diameter Jaws)	Vinyl-Coated High Tensile Steel	Red	12222-226

Universal Multi-Pole Breaker Lockout, Brady®

- Durable, impact-modified nylon, compatible with most two- or three-pole breakers with a tie-bar
- Tighten thumbscrew to clamp lockout securely over tie-bar, insert lock to prevent clamp from being loosened



Description	Cat. No.
Universal Multi-Pole Breaker Lockout	12222-768
Universal Multi-Pole Breaker Lockout	12222-770

Accredo Safety Ball Valve Lockout, ZING Enterprises

- High quality
- Effective lockout device
- Very durable





Description	Material	Width	Cat. No.
Ball Valve Lockout, 3/8 - 1.4" Dia	Plastic	3.75"	76026-336
Ball Valve Lockout, 1.5 - 2.5" Dia	Plastic	4"	76026-338
Ball Valve Lockout, 2 - 8" Dia	Plastic	4.75"	76026-340

Accredo Safety Cable Lockout Hasp, ZING Enterprises

- · High quality
- Effective lockout device
- Very durable





Description	Material	Width	Cat. No.
Cable Lockout 3'	Plastic	4"	76026-392
Cable Lockout 6'	Plastic	4"	76026-394
Cable Lockout 9'	Plastic	4"	76026-396
Cable Lockout 15'	Plastic	4"	76026-398

Accredo Safety Clamp-On Breaker Lockout-cleat, ZING Enterprises

- No Tools Required for Installation
- Effective lockout device
- High quality





Description	Material	Width	Cat. No.
120/277V Clamp-on Breaker Lockouts w/ cleat	Plastic	1"	76026-350
480/600V Clamp-On Breaker Lockout w/ cleat	Plastic	2"	76026-352
Oversized Breaker Lockout, 480/600V, Switches up to 2 1/4" Wide - 7/8" Thick	Plastic	4"	76026-354

LOCKOUT/TAGOUT

Accredo Safety Electrical Panel Handle Lockout, ZING Enterprises



2.25"







- Nylon Base
- · Stainless Steel Strip
- High quality

Description



rial	Width	Cat. No.
		Tadook Not included

ZING Green Safety RecycLock Safety Padlock, Keyed Alike, 1-1/2" Shackle, 1-3/4"





Electrical Panel Handle Lockout

- · Steel shackle
- · Covered with plastic for corrosion

NIEVAZ	7



76026-342

lesistance		
Description	Width	Cat. No.
ZING Padlock, Keyed Alike, Red	1.5"	76026-028
ZING Padlock, Keyed Alike, Blue	1.5"	76026-032
ZING Padlock, Keyed Alike, Green	1.5"	76026-036

Nylon

ZING Green Safety RecycLock Safety Padlock, Keyed Alike, 1-1/2" Shackle, 3" Long **Body, ZING Enterprises**

- · Solid aluminum body
- · Steel shackle
- Covered with plastic for corrosion resistance



Description	Width	Cat. No.
ZING Padlock, Keyed Alike, Red	1.5"	76026-076
ZING Padlock, Keyed Alike, Green	1.5"	76026-084
ZING Padlock, Keyed Alike, Yellow	1.5"	76026-168

NEW

ZING Green Safety RecycLockout Cable/Hasp Lockout Device, **ZING Enterprises**



Description	Width	Cat. No.
ZING Cable/Hasp Lockout Device - 6'	3"	76026-272
ZING Cable/Hasp Lockout Device - 10'	3"	76026-274

ZING Green Safety RecycLockout Group Lockout Box, ZING Enterprises

- UL Validated for recycled content
- · Made in USA
- · High quality

Description	Material	Width	Cat. No.
ZING Group Lockout Box (Red)	Stainless Steel	4"	76025-968
ZING Group Lockout Box (Yellow)	Stainless Steel	4"	76025-970

NEW

ZING Green Safety Tagout Station, 12 Padlock,

- Capacity to hold 24 padlocks
- 4 lockout hasps
- 10 safety tags with ties



Description	Width	Cat. No.
ZING Lockout Tagout Station, 12 Aluminum Padlocks	15"	76024-250

ZING Green Safety RecycLockout Lockout Tagout Station, 3 Padlock, **ZING Enterprises**

- · Can hold 6 padlocks
- Can hold 4 lockout hasps
- Can hold 3 safety tags with ties





Description	Width	Cat. No.
ZING Lockout Station 3 Padlock Unstocked	11"	76026-242

ZING Green Safety RecycLockout Lockout Tagout Station, 8 Padlock, ZING Enterprises

- · Capacity to hold 16 safety padlocks
- 4 lockout hasps
- 10 safety tags with ties





Description	Width	Cat. No.
ZING Lockout Tagout Station, 8 Aluminum Padlocks	15"	76024-248

Eco Safety Tag Center, 8 Hook

- · Made in USA
- High Quality
- · Helps organize tags





Description	Material	Width	Cat. No.
ZING Sign Tag Center	Plastic	15"	76024-808

NMC Lockout Tags

- Prevent accidental or unexpected start-up or release of stored energy
- Unrippable vinyl, features .95cm (¾") reinforced brass grommet



Size	Material	Legend	Cat. No.
12.54 x 7.62 cm (6 x 3")	Unrippable Vinyl	Danger Do Not Operate Equipment Tag Out	36434-626
12.54 x 7.62 cm (6 x 3")	Unrippable Vinyl	Danger This Tag & Lock To Be Removed Only	56607-832
12.54 x 7.62 cm (6 x 3")	Unrippable Vinyl	Danger Do Not Start	89186-006
12.54 x 7.62 cm (6 x 3")	Unrippable Vinyl	Danger Do Not Operate This Tag & Lock	94016-430
12.54 x 7.62 cm (6 x 3")	Unrippable Vinyl	Danger Electrical Panel Locked Out	94016-438
12.54 x 7.62 cm (6 x 3")	Unrippable Vinyl	Danger Equipment Locked Out	94016-442
12.54 x 7.62 cm (6 x 3")	Unrippable Vinyl	Danger Equipment Tagged Out	94016-448
12.54 x 7.62 cm (6 x 3")	Unrippable Vinyl	Danger Locked Out Do Not Operate	94016-472

NMC Jumbo Self-Laminating Lockout Tags

- Jumbo tags are easy to see from a distance
- Self-laminating polyester overlay



Size	Material	Legend	Cat. No.
18.73 x 10.16 cm (73/8 x 4")	Hvy Paper Self Laminating	Danger Equipment Locked Out By	94016-252
18.73 x 10.16 cm (73/8 x 4")	Hvy Paper Self Laminating	Danger Do Not Operate	94016-254

VWR® Chemical Capture Filtration System

- · Continuously recirculates
- Captures any potential emissions
- Eliminates hazardous vapors





Description	For Use With	Cat. No.
Unit		
VWR® Chemical Capture Filtration System		52428-821
Filters		
AS: Carbon filter for use with	Captair 822 Smart and VWR Chemical Capture Filtration System	10812-238

accuro® Gas Detector Pump, Draeger

- For use with Short-Term Detector Tubes (see 13453-238 series)
- Low-cost, one-handed bellows pump is ideal for measurements in hard-to-reach areas
- Takes short-term measurements with reasonably few strokes when used with Draeger short-term detector tubes



Description	Cat. No.
accuro® Gas Detector Pump	34330-068
accuro® Soft Side Kit	34330-070
accuro® Hard Side Kit	34330-072

Short-Term Detector Tubes, Draeger



Gas or Vapor Tube	No. of Strokes	Standard Measurement Range	Cat. No.
Hydrogen Sulfide	1	20-200 ppm, 2-20 ppm	34331-688
Hydrogen Sulfide	1, 10	10-200 ppm, 1-20 ppm	13450-568
Hydrogen Sulfide	1	1–60 ppm	13453-108
Hydrogen Sulfide	1	0.2–6 ppm	13453-112
Hydrogen Sulfide	10	0.2–5 ppm	13453-144
Hydrogen Sulfide	1	100–2000 ppm	13453-218
Hydrogen Sulfide	10, 1	5-600 ppm	13453-220
Hydrogen Sulfide	1	0.2– 7% volume	13453-364
Hydrogen Sulphide	10	0.5–15 ppm	13453-262
Nitrogen Dioxide			
with SEI Certification	2, 5	5–25 ppm, 0.5–10 ppm	13453-222
Oil		0.1–1 mg/m3	13453-394
		1–10 mg/m3, discoloration	
Oil Mist	100	compared to color standard	13453-434
Oxygen	1	5–23% volume	13450-214
Phosgene	20, 40	0.02-1 ppm, 0.02-6 ppm	13453-152
Sulfur Dioxide	10	1–25 ppm	13453-232
Sulfur Dioxide	10, 20	1–25 ppm, 0.5–5 ppm	13453-280
Sulfuric Acid	100	1–5 mg/m3	13453-412
Water Vapor	1	20-40 mg/L	13453-158
Water Vapor		5–250 mg/m3	13453-350
Water Vapor	3	0.05-1 mg/L	13453-370

Short-Term Detector Tubes, Draeger

- Rapid and accurate readings
- Instantaneous measurement of hazardous substances



				1 0
Extended Measurement Range	Gas or Vapor Tube	No. of Strokes	Standard Measurement Range	Cat. No.
_	Acetic Acid	3	5–80 ppm	13453-296
_	Ammonia	1	5–100 ppm	13453-106
50-700 ppm	Ammonia	10, 1	5–70 ppm	13453-202
_	Ammonia	5	2–30 ppm	13453-246
_	Ammonia	10	0.25–3 ppm	13453-356
-	Benzene	20	5–50 ppm	13453-248
2-30 ppm	Chlorine	10, 1	0.2–3 ppm	13453-216
_	Chloroform	_	2–10 ppm	13453-442
_	Carbon Dioxide	1, 5	0.5-6% volume, 0.1-1.2% volume	13453-204
-	Carbon Dioxide	10	100-3000 ppm	13453-208
-	Carbon Dioxide	1	5-60% volume	13453-376
_	Dimethyl Sulfide	20	1–15 ppm	13453-290
_	Carbon Monoxide	1, 10	100–3000 ppm, 10–300 ppm	13453-210
_	Carbon Monoxide	10	8– 150 ppm	13453-214
10–300 ppm	Carbon Monoxide	10, 2	2–60 ppm	13453-254
-	Carbon Monoxide with SEI Certification	2, 10	100– 700 ppm, 5–150 ppm	13453-212
_	Formaldehyde	10, 20	0.5–5 ppm, 0.2–2.5 ppm	13453-360
_	Hydrazine	10, 20	0.25-10 ppm, 0.1-5 ppm	13453-362
_	Hydrochloric Acid	-	0.2–20 ppm	89027-098
_	Hydrogen	1	0.2–2% volume	13453-142
_	Hydrogen Peroxide	20	0.1–3 ppm	13453-430
_	Carbon Dioxide	1	100–3,000 ppm	13453-374

MONITORING & DETECTION

Chip Measurement System (CMS) Analyzer, Draeger

· Portable, easy to use

Description

• Integrates variety of substance-specific, chemicalsensing chips with handheld reader



CMS Analyzer		34331-684
Description	Range	Cat. No.
Chemical Sensing Chips		
Acetic Acid	2–50 ppm	12777-274
Acetone	40-600 ppm	12777-272
Benzene	0.2-10.0 ppm	34330-036
Carbon Dioxide	1000-25,000 ppm	34330-012
Carbon Dioxide	200-3000 ppm	12777-226
Formaldehyde	0.2–5.0 ppm	47729-682
Hydrochloric Acid	20-500 ppm	34330-034
Hydrogen Peroxide	0.2–2.0 ppm	12777-264
Hydrogen Sulfide	2–50 ppm	34330-010
Isopropanol	40-1000 ppm	12777-260
Mercaptan	0.25-6.0 ppm	12777-258
Methanol	20-500 ppm	12777-256
Nitrous Fumes	0.5–15.0 ppm	34330-014
Perchloroethylene	5–500 ppm	34330-030
Petroleum Hydrocarbons	20-500 ppm	12777-248
Phosgene	0.05–2.0 ppm	12777-224
Sulfur Dioxide	0.4-10.0 ppm	34330-026
Trichloroethylene	5–100 ppm	12777-234
Vinyl Chloride	10-250 ppm	12777-232
Water Vapor	0.4-10.0 mg/L	12777-230
Xylene	10-300 ppm	34331-682

Gas Detection Pump Kit and Hydrogen Sulfide Detection Tubes, Sensidyne®

- Measures gas and vapor concentrations in work area as easily as reading a thermometer
- · Calibration marks indicate gas concentration
- Synthetic rubber sheath allows pump to be held firmly, even with wet gloves
- Fail-safe handle locks in two positions (50 or 100cc)
- · Flow finish indicator makes viewing instantaneous and easy

Range	Cat. No.
0.75-300 ppm	13502-596
1-60 ppm	13502-610
0.5-1.2%	13502-638
0.2–6 ppm	13502-650
0.5-40 ppm	14231-018
	14236-032
	0.75–300 ppm 1–60 ppm 0.5–1.2% 0.2–6 ppm

Organic Vapor Monitors, 3M™

- · Meet and exceed OSHA accuracy requirements
- Overall accuracy is ±25% at a 95% confidence level
- Shelf life of 18 months



Description	Cat. No.
Monitor Only	56614-743
Monitor and Analysis	56614-746

Pac 7000 Single Gas **Detectors, Draeger**

- · Compact, personal monitoring of harmful concentrations of gas in industrial settings
- Audible multitone, visual 180°, and built-in vibration alarm
- TWA and STEL alarms are adjustable
- Monitors may be programmed to remind user to run bump tests at set intervals
- · Fresh air and span calibration, adjustable operating time, concentration and event logger, password protection

ment Range	Cat. No.
pm	89066-164
m	89066-166 89066-168
	00000 100

Technical Product Support

VWR Technical Product Support is your one source for all VWR product technical questions. Consisting of experienced scientists with backgrounds in your area of research, the team is committed to providing you with real-time response and proven industry solutions. For assistance, email us at TechnicalProductSupportNA@ vwr.com or call us at 1.888.897.5463. You can also chat with a representative 8AM-8PM (EST) by finding the Click-to-Chat button on ordering pages, information request pages, and VWR Collection product pages.



NEED HELP? Click to Chat with a Representative.

		Detectable		
Alarm Threshold 1	Alarm Threshold 2	Gas	Measurement Range	Cat. No.
		Carbon		
35 ppm	50 ppm	Monoxide (CO)	0-1999 ppm	89066-164
		Hydrogen		
10 ppm	20 ppm	Sulfide (H2S)	0-100 ppm	89066-166
0-25%	By Customer Request	Oxygen (O2)	0-25%	89066-168
		Hydrogen		
10 ppm	20 ppm	Cyanide (HCN)	0-50 ppm	89066-170
		Carbon		
0.5%	3%	Dioxide (CO2)	0-5%	89066-174
		Ammonia		
50 ppm	100 ppm	(NH3)	0-300 ppm	89066-182
			•	

Pac III Personal Gas Monitors, Draeger

- Field-replaceable sensors detect numerous hazardous gases
- Units measure gas concentration continuously and compare against user-configurable alarm values
- Simple 3-button operation with text-driven menu and password protection
- Standard and hygiene monitors accept interchangeable electrochemical sensors
- Data port for comprehensive data logging, printing, and documentation capabilities

Description	Maximum Range	Cat. No.
Sensors for Standard and Hygiene Monitors		
Carbon Dioxide (CO2)	0-5% volume	34330-607
Chlorine (Cl2)	0-200 ppm	47729-634
Hydrogen Cyanide (HCN)	0-50 ppm	47729-638
Hydrogen Chloride (HCl) and Hydrogen Fluoride (HF)	0-30 ppm	47729-640
Hydrogen Peroxide (H2O2)	0-20 ppm	47729-642
Nitrogen Dioxide (NO2)	0-50 ppm	47729-650
Sulfur Dioxide (SO2)	0-100 ppm	47729-662

Compressed Breathing Air Analysis Kit, Sensidyne®

- The flowmeter is adjustable from 50 to 600cc/minute
- System accepts up to 3000psi with a standard No. 346 CGA fitting

Description



Compressed Breat	hing Air Kit			32011-233
Description	Color Change	Flow Rate	Measurement Range	Cat. No.
Detector Tubes				
Carbon Monoxide	From Yellow to Dark Brown	175 mL/min.	5–100 ppm	13502-660
Water Vapor	From Yellow to Yellowish Green/Blue	500 mL/min.	20-160 mg/m3	14233-747
Oil Mist	From Yellow to Pale Blue	470 mL/min.	0.3-1.5 mg/m3	14233-749
Carbon Dioxide	From Purplish Blue to Pale Pink	175 mL/min.	100–3000 ppm	14233-751
Ovygon	From White to Provin	50 ml /min	2 2/10/14	1/1222 752

Altair® 4X Multigas Detectors, MSA

- · Less calibration gas required with maximum 24 hours run time
- Response and clear times less than 15 seconds
- End-of-sensor-life warning allows for planned sensor replacement reducing down time
- Galaxy™ System-compatible for powerful calibration and fleet-management system
- MotionAlert[™] feature activates when no movement is detected for 30 seconds, indicating "Man down"
- InstantAlert™ feature is a manually activated alarm to alert others of hazardous situations
- Bump check mode provides clear indication of bump check status and provides long-term record storage
- Test to IP67

Detectable Gas	Cat. No.
LEL, Oxygen, Carbon Monoxide, Hydrogen Sulfide, Charcoal	300008-969
LEL, Oxygen, Carbon Monoxide, Hydrogen Sulfide, Phosphorescent	300008-970
LEL, Oxygen, Carbon Monoxide, Charcoal	300008-971

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.



- Rated to IP67 protection levels for dust / water ingress
- Triple -alarm system featuring two bright flashing LEDs, a piercing audible alarm, and a vibrating alarm



Detectable Gas	Cat. No.
Hydrogen Sulfide	300008-962
Carbon Monoxide	300072-526
Oxygen	300072-528

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

VWR® Acid and Solvent Bottle Carriers

- Cone-style lid has 16mm (5/8") opening in the top for insertion of tubing, simplifies the transfer of liquids without pouring
- Truncated style lid permits pouring without the removal of the lid
- Designed to hold standard US reagent bottles





Capacity	Diameter	Height	Style	Cat. No.
Acid Bottle Car	rriers			
2.5 L (5 pt.)	18 cm (71/8")	35 cm (131/2")	Cone Style	56608-811
2.5 L (5 pt.)	18 cm (71/8")	32 cm (12½")	Truncated Style	56608-886
Solvent Bottle	Carriers			
4 L (1 gal.)	20 cm (8")	37 cm (14¾")	Cone Style	56608-864
4 L (1 gal.)	20 cm (8")	35 cm (13¾")	Truncated Style	56608-900

VWR® Rubber Acid Bucket

- Great chemical resistance
- · Safety grip construction
- · Stainless steel handle with rubber grip
- · Internal graduated markings





Capacity	Cat. No.
11.4 L (3 gal.)	17302-117

Nalgene® Bio-Safe Carrier, Polycarbonate, Thermo Scientific

- Closed-system carrier protects user and hazardous samples during transportation
- Tough, break-resistant polycarbonate with excellent visibility
- Easy-to-grasp side handles are molded in
- · Clamps securely hold carrier closed and ensure leakproof seal
- Suitable for use with NALGENE® Unwire™ test tube racks with tube O.D. of 13 or 16mm

Description	Cat. No.
Stainless Steel Handle	56609-111
Carrier	56609-112



MATERIAL HANDLING & STORAGE

Safety Drum Funnels, Justrite®

• Prevent spills when transferring flammable solvents, thinners, oils, or paint wastes



Description	Cat. No.
Drum Funnel, Yellow with 6" Flame Arrester	10836-830
Drum Funnel, Yellow with 32" Flame Arrester	10836-832

Burpless® Poly Drum Funnel, PIG®

- · Pour without venting
- · Resists UV rays, rust, corrosion and most chemicals
- No dangerous splashback



Description	Cat. No.
PIG® Burpless® Poly Drum Funnel	10860-610
PIG® Burpless® Poly Drum Funnel	10860-612
PIG® Burpless® Poly Drum Funnel	10860-614

PIG® Burpless® One-Hand-Sealable Steel Drum Funnel, New Pig

- Latching handle easily opens and closes lid in simple, single-handed operation



Description	Cat. No.
For 5- to 55-gal. Steel Drums and Pails with 2" NPT	89073-811

Drum Gauge, Justrite™

- · Low cost solution to overfilling drums during waste disposal operations
- When drum is almost full, indicator pops up
- Nonmetallic 12.7cm (5") long gauge fits 1.9cm (3/4") bung



Description	Cat. No.
Drum Gauge	56610-506

PIG® Drum Funnel Flame Arrestor, New Pig

- 6" mesh tube extinguishes sparks and flames
- Brass composition is noncorrosive and chemical resistant



Description	Cat. No.
For Steel Drum Funnels	56620-606

Overpack Drums, Eagle

- · Approved for Packing Groups I, II and III
- · Ideal for safe storage, handling and transportation of hazardous materials
- UN Certified to HM-181



Description	Capacity	Diameter	Height	Color	Lid Style	Weight	Cat. No.
Shipping Container, 1H2/X120/S	30 gal	22 ¹ / ₂ in	28 in	Yellow	Screw-top	14 lb	300065-808
Shipping Container, 1H2/X120/S	30 gal	21 in	28 ¹ / ₂ in	Blue	Metal Lever Locking Ring	16 lb	300084-084

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

Overpack and Salvage Drums, UN and DOT, Eagle Manufacturing

- · Constructed of blow-molded high-density polyethylene with UV inhibitors for superior strength
- · Chemically-resistant to most materials
- · Safety yellow with removable head
- Forkliftable
- · Nestable for easy storage
- Suitable for secondary containment storage, transportation, and cleanup

		S	UN		
Description	Capacity	Dimensions	Markings	Weight	Cat. No.
	113.6 L	53.7 O.D. x 72.4 H,	1H2/		
Salvage Drums	(30 gal.)	cm (21 ¹ / ₈ x 28 ¹ / ₂ ")	X100/S	7.3 kg (16 lbs.)	56618-528
	75.7 L	55.9 O.D. x 52.1 H,			
Salvage Drums	(20 gal.)	cm (22 x 20 ¹ / ₂ ")	1H2/X75/S	6.8 kg (15 lbs.)	56618-550

Life Latch® New Generation Pails and Lids, M&M Industries

- · Moisture-resistant, air-tight seal
- White screw-top pail supplied with white gasketed lid
- FDA grade raw materials
- 8 color offset printing
- Tamper evident
- · Patented "no gasket cover" allows products to breathe





Open-Head UN Rated Poly Drum, With Metal Lever-Lock Ring, Eagle Manufacturing

- Durable
- · Lightweight
- · Chemical and weather resistant



Description	Capacity	Diameter	Height	Color	Lid Style	UN Markings	Weight	Cat. No.
Open-Head					Metal Lever Locking		10.7 kg (23.5	
Poly Drums	55 gal.	21"	36³/ ₈ "	Blue	Ring	Y250/S	lbs.)	75845-054

Translucent UN Rated Poly Drum, New Pig

- · FDA-approved resins for containment of food products
- High-density polyethylene construction
- · Molded-in calibration measures liquid volume; no need for meters or gauges
- 360-degree top drum chime makes drums easy to move with drum lifter or other drum-handling device



Steel Open Head Storage Drum, **Industrial Container Services**

- Constructed of 1.1mm thick, 18-gauge steel
- UN certification: 1A2/Y1.6/130/X400





Capacity	Color	Cat. No.
208 L (55 gal.)	Black	56612-454

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

Open-Head UN Rated Poly Drum, New Pig

- · Rigid, high-density polyethylene is lightweight and won't rust
- · Compatible with a wide range of materials, liquids and chemicals
- · Made of USDA- and FDA-Certified and Approved resins for direct containment of food products

Description	Capacity	Cat. No.
Drum, UN1H2/Y100/S, UN1H2/X65/S	53 L (14 gal.)	46000-706
Drum, UN1H2/X120/S, UN1H2/Y180/S	113.6 L (30 gal.)	46000-708



- · Walls eliminate guesswork to help prevent overfilling or running out of materials
- · Made from FDA-approved resins for containment of food products
- High-density polyethylene construction is strong and lightweight
- 5-gallon pail provides efficient storage and transfer of smaller quantities
- Sturdy fold-down handle makes pail easy to carry
- UN1H1/Y1.8/100

Capacity	Cat. No.
18.9 L (5 gal.)	89095-316

Tight-Head UN Rated Poly Drum, New Pig

- Rigid, high-density polyethylene is lightweight and won't rust
- · Compatible with a wide range of materials, liquids and chemicals
- · Meets UN certifications for shipping liquids by land, sea or rail
- 360 and #176;
- Top drum chime makes drums easy to move with drum lifter or other drum handling device

Description	Capacity	Cat. No.
Drum, UN1H1/Y1.8/100	56.8 L (15 gal.)	89208-762
Drum, UN1H1/Y1.8/100	113.6 L (30 gal.)	89208-764
Drum, UN1H1/Y1.9/100	208.2 L (55 gal.)	89208-766

Tight-Head UN Rated Poly Pail, New Pig

- One-piece, blow-molded, high-density polyethylene construction
- · Tight-head container ideal for storing liquids
- · Design allows stacking, saves storage space
- UN Certification 1H1/Y1. 3/100





MATERIAL HANDLING & STORAGE

Utility Carts, Rubbermaid Commercial

- Rounded corners to protect walls and furniture
- Lightweight and maneuverable
- 2 fixed; 2 swivel casters



Load Capacity	Depth	Height	Width	Caster Size	Color	No. of Shelves	Weight	Cat. No.
500 lbs.	39 1/4"	33 1/4"	17 7/8"	5"	Black	2	30.40 lbs.	300000-281
500 lbs.	38 1/2"	38 3/4"	17 1/4"	5"	Beige	2	22 lbs.	300005-914
500 lbs.	45 1/4"	33 1/4"	25 7/8"	5"	Beige	2	41.40 lbs.	300009-774

Heavy-Duty Flat Shelf Utility Carts, Rubbermaid Commercial

- For transporting oversized bulky items
- · Sturdy, structural foam construction
- Won't rust, dent, chip or peel
- · Non-marking casters



Load Capacity	Color	Cat. No.
500 lbs.	Black	300009-775

Heavy-Duty Utility Carts, Rubbermaid Commercial

- Ideal for cleanroom use
- Provide long, rugged wear with no maintenance
- Easy-to-clean seamless construction with no sharp edges
- Leakproof top, integral molded handle, quiet non-marking casters



Load Capacity	Color	Cat. No.
300 lbs	Black	300053-180

Tilt Trucks, Rubbermaid Commercial

- Easy to handle and maneuver through commercial doorways and onto elevators
- Angled front end is designed for convenient dumping
- Inset wheels on 1/2 cu. yd. (.4 m3) and 1 cu. yd. (.8 m3) models protect walls, fixtures and patrons
- Smooth surface is easy to clean and resists pitting and corroding
- · Optional domed lids available




Capacity	Load Capacity	Height	Length	Width	Color	Weight	Cat. No.
1 yd³	1250 lbs.	43 3/4"	72 1/4"	33 1/2"	Black	99 lbs.	300000-190
1 yd³	850 lbs.	43 3/4"	72 1/4"	33 1/2"	Black	91 lbs.	300000-191
1/2 yd ³	850 lbs.	38 5/8"	60 1/2"	28"	Black	77.20 lbs.	300000-193
1/2 yd³	450 lbs.	38 5/8"	56 3/4"	28"	Black	59 lbs.	300000-194



All of the products on this page are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

PIG® Latching Drum Lid, New Pig

- Latching handle easily opens and closes with one hand
- Nitrile gasket and locking mechanism seal lid, reduces vapor emissions keeps drum contents dry and secure



Description	Color	Cat. No.
For 20- and 30-gal. New and Reconditioned Open-Head Steel Drums	Red	89032-428
For 55-gal. New and Reconditioned Open-Head Steel Drums	Black	56620-738
For 55-gal. New and Reconditioned Open-Head Steel Drums	Red	56620-740
For 55-gal. New and Reconditioned Open-Head Steel Drums	Yellow	56620-742

PIG® Poly Drip Decks, New Pig

- Low-profile, 5.75"H design is easy to load or unload; pumps and funnels easy to access
- Molded-in sump catches leaks, drips and spills, keeps storage areas clean and safe
- Low-density polyethylene (LDPE) resists UV rays, rust, corrosion and most chemicals



Description	Load Capacity	Sump Capacity	Cat. No.
Holds Two 55-gal. Steel or Poly Drums	1360.8 kg (3000 lbs.)	83.3 L (22 gal.)	89208-790
Holds Four 55-gal. Steel or Poly Drums	2721.6 kg (6000 lbs.)	166.5 L (44 gal.)	89208-792

PIG® Poly Loading Ramp, New Pig

- Edge guards guide drum trucks and help prevent them from rolling off the sides
- Ribbed surface provides traction for added safety



Description	Cat. No
For 5 ³ / ₄ " H Poly Spill Containment Decks	

PIG® Poly Modular Spill Deck, New Pig

- Unique "flow-through" sump lets liquid pass freely from one sump to another to comply with containment regulations
- Bulkhead fittings and predrilled ports connect to other decks
- Mix & match sections to fit your space and help meet sump capacity requirements
- Special tools and hardware to connect sections included with each system
- Low-density polyethylene (LDPE) resists UV rays, rust, corrosion and most chemicals
- Textured grating adds traction and lifts out for easy sump access
- Translucent white sidewalls allow easy visual inspection

Description	Load Capacity	Sump Capacity	Cat. No.
Holds One 55-gal. Steel or Poly Drum	1500 lb.	11 gal.	56620-610
Holds Four 55-gal. Steel or Poly Drums	6000 lb.	44 gal.	56620-614

Heavy-Duty Poly Spill Containment Pallet, PIG®

- · Guaranteed for life
- · Molded-in sump catches leaks, drips and spills
- Keep your storage areas clean and safe



EcoPolyBlend™ Spill Control Pallets, Justrite®

- Eco-friendly pallets are made of up to 100% recycled, post-industrial polyethylene
- UV-protected polyethylene construction provides maximum resistance against chemical attack
- Self-locating grates remove easily for cleaning
- Sump catches up to 276L (73gal.) of liquid
- Comply with EPA requirement 40 CFR 264.175 and the Uniform Fire Code
- · Supplied with drain

Description	Capacity	Color	Cat. No.
2 Drum Spill Pallet	2 x 55 Gallon Drums	Black	89107-250
2 Drum Spill Pallet	2 x 55 Gallon Drums	Yellow	89107-248
2 Drum Spill Pallet with Plug	2 x 55 Gallon Drums	Black	89107-254
2 Drum Spill Pallet with Plug	2 x 55 Gallon Drums	Yellow	89107-252
3 Drum Spill Pallet	3 x 55 Gallon Drums	Black	89107-258
3 Drum Spill Pallet	3 x 55 Gallon Drums	Black	89107-256
3 Drum Spill Pallet with Plug	3 x 55 Gallon Drums	Black	89107-262
3 Drum Spill Pallet with Plug	3 x 55 Gallon Drums	Yellow	89107-260

EcoPolyBlend™ Spill Control Accumulation Centers, Justrite

- Use to create instant spill protection zones and to organize hazardous materials throughout your facility
- Eco-friendly platforms are made of up to 100% recycled, post-industrial polyethylene
- · All-polyethylene construction provides maximum resistance against chemical attack
- · Multiple centers lock together to hold additional drums
- Supplied with four removable grates for easy cleanup
- Comply with EPA requirement 40 CFR 264.175, NFPA and SPCC requirements

Description	Capacity	Color	Cat. No.
1 Drum Spill Accumulation Center	1 x 55 Gallon Drum	Yellow	89107-282
2 Drum Spill Accumulation Center	2 x 55 Gallon Drums	Black	89107-288
4 Drum Spill Accumulation Center	4 x 55 Gallon Drums	Yellow	89107-290
6 Drum Spill Accumulation Center	6 x 55 Gallon Drums	Black	89107-296

PIG® Puncture Repair Kit, New Pig

- Includes wooden wedges, pegs, cones, and rubber mallet for fixing larger holes
- Fix smaller holes with PIG® Repair Putty, washers, screws, lead wool, and tape
- A great addition to spill response supplies








MATERIAL HANDLING & STORAGE

PIG® Steel Loading Ramp, New Pig

- · Heavy-duty steel construction is strong and durable
- Adjustable legs for use with a range of pallet and deck heights
- Edge guards guide drum trucks and help prevent them from rolling off the sides
- Lip of ramp secures to edge of pallet or deck



Description	Cat. No.
For 4" to 51/4" H Steel or Poly Spill Containment Decks	56620-616

Uninsulated Bonding/ Grounding Wires, New Pig

- Reduces static sparks generated by the movement and flow of flammable liquids
- Helps you meet 29 CFR 1910.106 (e)(6)(ii) for grounding and bonding when transferring Class I flammables



Description	Cat. No.
Alligator Clip Grounding End, Alligator Clip Bonding End, 91.4 cm (3')	56620-208
C-Clamp Grounding End, Hand Clamp Bonding End, 91.4 cm (3')	56620-206

Wide-Mouth Safety Drum Funnels, Justrite®

- Durable, chemical-resistant, heavy-duty 18-gauge galvanized steel with epoxy powder-coat paint
- Funnel 56610-528 has 83.8cm (33") brass fill tube that directs flow to drum bottom, reducing splashing and vapors
- 9.8L (2.6gal.) funnels accept a lock to prevent unauthorized access
- FM approved and compliant with EPA and OSHA regulations

Description	Capacity	Dimensions	Cat. No.
Drum Funnel with Tip- Over Protection System	9.8 L (2.6 gal.)	27.3 Dia. x 25.4 H, cm (10 ³ / ₄ x 10")	56610-000
Drum Funnel	9.8 L (2.6 gal.)	27.3 Dia. x 25.4 H, cm (10 ³ / ₄ x 10")	56610-501
Drum Funnel	9.8 L (2.6 gal.)	27.3 Dia. x 25.4 H, cm (10 ³ / ₄ x 10")	56610-526
Drum Funnel	9.8 L (2.6 gal.)	27.3 Dia. x 25.4 H, cm (10 ³ / ₄ x 10")	56610-528

Series 600 Trucks, Harper Trucks

- Available in two and four wheel models and is designed to handle heavy CRYOGENIC LIQUID GAS CYLINDERS
- This larger sized frame and repositioned front wheels which allow secure handling without excessive force
- The 650A50-51 is designed to handle larger 20" -26" diameter liquid gas cylinders
- This model equipped with the QUAD Hook will handle a wide variety of large gas cylinders
- Newly designed single hook adjusts from 50" to 60" in height which makes it more versatile for handling a variety of cylinder types
- All available with pneumatic or mold on rubber tires

				Wheel		
Load Capacity	Height	Width	Color	Diameter	Weight	Cat. No.
870 lb	59 in	28 in	Harper Green	16 in, 10 in	83 lb	300008-179
900 lb	59 in	23 1/2 in	Harper Green	10 in	69 1/2 lb	300068-610

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

"MG" Model Trucks, Harper Trucks

- Cylinder securely held
- · Spring-loaded hold chain encased in plastic tube



Height	Width	Color	Wheel Diameter	Weight	Cat. No.
45 1/2"	19 1/2"	Harper Green	8"	30 lbs.	300008-182
45 1/2"	19 1/2"	Harper Green	8"	21 lbs.	300068-680
45 1/2"	19 1/2"	Harper Green	8"	21 lbs.	300068-682

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

Drum Handling Trucks, Harper Trucks

- Design enables one person to quickly, easily and safely move drums weighing up to 1000 or 1200 lbs.
- · Lifting toes create a cradle for easy break-over
- Handles drums from 21 to 43 inches high
- Replaceable chime hook and lifting toes ensure a long product life
- Spring-loaded swing axle keeps truck in upright position when not in use
- · Also available with WH87 and WH89P wheels





Description	Load Capacity	Height	Width	Color	Wheel Diameter	Weight	Cat. No.
Truck with Mold-On Rubber Wheels	1200 lbs.	60"	24½"	Harper Green	10"	48 lbs.	300068-634
Truck with Polyolefin Wheels	1200 lbs.	60"	24½"	Harper Green	10"	38 lbs.	300079-786
Truck with Mold-On Rubber Wheels	1200 lbs.	60"	241/5"	Harper Green	10"	52 lbs.	300079-788

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

Tornado Safe Rooms, SECURALL®

- Multiple sizes available
- Manual close door types
- SMaRT Certified; Built in Accordance with FEMA Standards.



Capacity	Depth	Height	Width	Color	Weight	Cat. No.
1 to 3 People	4'	73"	4"	Gray	1,265 lbs.	89237-662
1 to 4 People	4'	73"	6"	Gray	1,538 lbs.	89237-664
1 to 6 People	4'	73"	8"	Gray	1,821 lbs.	89237-666
1 to 8 People	4'	73"	10"	Gray	2,105 lbs.	89237-668
1 to 14 People	8'	73"	10"	Gray	3,243 lbs.	89237-670
1 to 21 People	8'	73"	14"	Gray	3,997 lbs.	89237-672
1 to 27 People	8'	73"	18"	Gray	4,769 lbs.	89237-674
1 to 39 People	8′	73"	26"	Gray	6,278 lbs.	89237-676
1 to 51 People	8'	73"	34"	Gray	7,776 lbs.	89237-678
1 to 63 People	8'	73"	42"	Gray	9,295 lbs.	89237-680

VWR® Safety Cabinets for Flammables and Corrosives

- Fully welded, 18-gauge double-wall construction for fire protection
- Upper and lower diametrically opposed side vents
- All models fire tested and approved by FM Global





Depth	Height	Width	Color	Door Type	No. of Shelves	Cat. No.
30 Gallor	Flammable S	Storage				
18"	44"	43"	Yellow	Bi-Fold	1	89522-618
18"	44"	43"	Yellow	Manual	1	89522-620
18"	44"	43"	Yellow	Self Close	1	89522-616
45 Gallor	Flammable S	Storage				
18"	65"	43"	Yellow	Bi-Fold	2	89522-624
18"	65"	43"	Yellow	Manual	2	89522-626
18"	65"	43"	Yellow	Self Close	2	89522-622
60 Gallor	Flammable 9	Storage				
34"	65"	34"	Yellow	Bi-Fold	2	89522-630
34"	65"	34"	Yellow	Manual	2	89522-632
34"	65"	34"	Yellow	Self Close	2	89522-628
90 Gallor	Flammable 9	Storage				
34"	65"	43"	Yellow	Bi-Fold	2	89522-636
34"	65"	43"	Yellow	Manual	2	89522-638
34"	65"	43"	Yellow	Self Close	2	89522-634
30 Gallor	Corrosive St	orage				
18"	44"	43"	Blue	Manual	1	89522-642
18"	44"	43"	Blue	Self Close	1	89522-640
45 Gallor	Corrosive St	orage				
18"	65"	43"	Blue	Manual	2	89522-646
18"	65"	43"	Blue	Self Close	2	89522-644
60 Gallor	Corrosive St	orage				
34"	65"	34"	Blue	Manual	2	89522-650
34"	65"	34"	Blue	Self Close	2	89522-648

Outdoor Storage Lockers, Justrite

- Constructed with heavy gauge steel and built-in secondary containment
- Non-combustible lockers are fully compliant, meeting EPA 40 CFR, NFPA 30, and NFPA 1 regulations



Description	Capacity	Cat. No.
Outdoor Safety Locker, 2 Drum	2 Drum	10148-900
Outdoor Safety Locker, 2 Drum/Explosion Relief	2 Drum	10152-422
Outdoor Safety Locker, 4 Drum	4 Drum	10148-902
Outdoor Safety Locker, 4 Drum/Explosion Relief	4 Drum	10152-424
Outdoor Safety Locker, 6 Drum	6 Drum	10148-904
Outdoor Safety Locker, 6 Drum/Explosion Relief	6 Drum	10152-426
Outdoor Safety Locker, 9 Drum	9 Drum	10148-906
Outdoor Safety Locker, 9 Drum/Explosion Relief	9 Drum	10152-428
Outdoor Safety Locker, 12 Drum	12 Drum	10152-418
Outdoor Safety Locker, 12 Drum/Explosion Relief	12 Drum	10152-430
Outdoor Safety Locker, 16 Drum	16 Drum	10152-420
Outdoor Safety Locker, 16 Drum/Explosion Relief	16 Drum	10152-432

MATERIAL HANDLING & STORAGE

EN Fire-Rated Safety Cabinets, Justrite

- · Hybrid-close door action; manual close doors stop in any position, but self-close in the event of a fire to protect contents
- Cabinets are supplied with 3 adjustable shelves



Description	Capacity	Color	Cat. No.
30-Minute, 30-Gallon EN Safety Storage Cabinet	30 gal.	Yellow	10803-740
30-Minute, 45-Gallon EN Safety Storage Cabinet	45 gal.	Yellow	10803-742
90-Minute, 30-Gallon EN Safety Storage Cabinet	30 gal.	Yellow	10803-744
90-Minute, 45-Gallon EN Safety Storage Cabinet	45 gal.	Yellow	10803-746

Sure-Grip[®] EX Drum Storage Cabinets, Justrite[™]

- Exclusive Sure-Grip® EX features include U-Loc™ handles that include two keys and accept padlocks
- Haz-Alert™ reflective exterior labeling for easy identification in fire conditions or power outages
- Galvanized steel SpillSlope™ shelves safely direct all spills to the 5.1cm (2") leakproof sump



Description	Capacity	Depth	Height	Width	Color	Door Type	No. of Drums	Shipping Weight	Cat. No.
Horizontal Cabinets	53 gal.	48"	50"	30"	Yellow	Manual	1	355 lbs.	97001-374
Horizontal Cabinets	53 gal.	48"	50"	30"	Yellow	Self-Close	1	364 lbs.	97001-376
Vertical Cabinets	53 gal.	34"	65"	34"	Yellow	Manual	1	375 lbs.	97001-404
Vertical Cabinets	53 gal.	34"	65"	34"	Yellow	Self-Close	1	375 lbs.	97001-408
Vertical Cabinets	106 gal.	34"	65"	59"	Yellow	Manual	2	591 lbs.	97001-414
Flammable Waste Cabinets	106 gal.	34"	65"	59"	White	Manual	2	615 lbs.	97001-416
Flammable Waste Cabinets	53 gal.	34"	65"	34"	White	Manual	1	405 lbs.	97006-136

Sure-Grip® EX Hazardous Material Safety Cabinets

Ensure full regulatory compliance when storing hazardous materials

Exclusive Benefits

Self-Closing Doors

Required on all Hazardous Material Cabinets, the encased self-close mechanism provides obstruction-free access to top shelf space. Self-indexing doors close in sequence to ensure a tight closure from top to bottom."









Description	Capacity	Door Type	Shipping Weight	Cat. No.
Classic Safety Cabinet				
Hazardous Material Cabinet	30 gal.	Self-close	240 lbs.	10551-242
Hazardous Material Cabinet	45 gal.	Self-close	303 lbs.	10551-244
Hazardous Material Cabinet	60 gal.	Self-close	370 lbs.	10551-250
Hazardous Material Cabinet	90 gal.	Self-close	455.7 lbs.	10551-252
Slimline Safety Cabinets				
Hazardous Material Cabinet	22 gal.	Self-close	211 lbs.	10551-264
Hazardous Material Cabinet	54 gal.	Self-close	319 lbs.	10551-266
Compac Safety Cabinets				
Hazardous Material Cabinet	12 gal.	Self-close	123 lbs.	10551-256
Hazardous Material Cabinet	15 gal.	Self-close	156 lbs.	10551-258

Emergency Preparedness Cabinets, Justrite™

- Fire resistant design with durable powder print "emergency orange" finish for high visibility
- GloAlert™ glow-in-the-dark labels ensure fast location during power outages
- Spacious design includes four adjustable shelves, providing dependable storage for flashlights, radios, respirators, first aid items, and much more



Description	Cat. No.
Emergency Preparedness Cabinet	89209-856
Emergency Preparedness Cabinet with PowerPort™ electrical pass-through connection, external 9 foot power cord and 10	
amp rated, 6-outlet power strip with 38" cord, for charging walkie talkies, flashlights, etc. inside the cabinet	89209-858

Cylinder Lockers, Justrite™

- Sloped roof to shed water and ice
- · Solid top to reinforce stability
- Warning and full/empty cylinder labels
- Extruded framework for extra strength
- Padlock lug for security
- Pre-drilled holes at each corner for anchoring



Description	Capacity	Depth	Height	Width	Shipping Weight	Cat. No.
6 Cylinder Horizontal Locker	20 lbs. or 33 lbs. Cylinders	491/2"	32"	30"	97 lbs.	56609-688
12 Cylinder Horizontal Locker	20 lbs. or 33 lbs. Cylinders	494/10"	32"	60"	178 lbs.	56609-692
5-10 Cylinder Vertical Locker	Up to 10 Compressed Gas Cylinders	65"	32"	30"	102 lbs.	56609-696
10–20 Cylinder Vertical Locker	Up to 20 Compressed Gas Cylinders	32"	65"	60"	187 lbs.	56609-698

Flammable Liquid Storage, Eagle Manufacturing

- 2 in raised leak-proof sill
- 2-2 in vents with baffles
- 3-point key lock
- · Adjustable galvanized shelves
- · Leveling legs
- · Powder coat finish
- · Corrosion resistant
- Reinforced double-wall construction with 1 1/2 in airspace



Material	Capacity	Depth	Height	Width	Color	Door Type	No. of Doors	No. of Shelves	Weight	Cat. No.
Steel	2 gal.	18"	171/4"	171/2"	Yellow	Self-Close, Hinged, Lever Type Handle	1	1	75 lbs.	300078-620
Steel	2 nal	18"	17 ¹ / ₄ "	171/2"	Yellow	Manual Hinged Lever Type Handle	1	1	75 lbs	300078-622

These specific products are not available in Canada. Please contact your VWR Sales Representative to learn about easy access to similar options available in your region.

VWR Helps You Get the Job Done Right and Stay Safe While You Work

VWR now offers enhanced access to over 100,000 Safety & Industrial Supplies. More than ever, we are ready to help you stay safe and productive, both in and outside of the lab.

Go to **vwr.com/safetyandindustrial** and see our complete portfolio.



SIGNS, PRINTERS AND LABELS

VWR® Barrier Tape

- 3 mm non-adhesive polyethylene film
- Yellow or red film with BOLD black print





Description	Length	Width	Cat. No.
Yellow "Caution/Cuidado" Tape	1,000'	3"	10841-228
Red "Danger Do Not Enter/Peligro No Entrar" Tape	1,000'	3"	10841-230

Barrier Tapes, National Marker

- Durable, lightweight polyethylene
- Red-orange barrier tape offers 4X the visibility of other colors
- Reusable, non-adhesive, chemical resistant, weatherproof, fade resistant



Description	WxL	Color	Legend	Cat. No.
Striped Barrier Tapes	1.9 cm x 45.7 m (³ / ₄ " x 50 yds.)	Magenta/Yellow Stripe	_	36434-301
Striped Barrier Tapes	5.1 cm x 91.4 cm (2" x 36')	Black/Yellow Stripe	_	36434-302
Printed Barricade Tapes	7.6 cm x 304.8 m (3" x 1000')	Red	Danger – Danger	36434-321
Printed Barricade Tapes	7.6 cm x 304.8 m (3" x 1000')	Red	Danger Asbestos Hazard	36434-327
Printed Barricade Tapes	7.6 cm x 304.8 m (3" x 1000')	Orange	Caution Biohazard	36434-330
Printed Barricade Tapes	7.6 cm x 304.8 m (3" x 1000')	Yellow	Caution Chemical Spill	36434-332
Printed Barricade Tapes	7.6 cm x 304.8 m (3" x 1000')	Yellow	Caution – Cuidado	36434-334

Drum Labels, Brady Worldwide®

- Pre-printed labels indicate "Triple Rinse" procedure
- Freezerbondz™ II polyester construction



Description	Color	Cat. No.
Triple Rinsed" Drum Labels	Blue on White	12000-886

Biohazard Warning Label, National Marker

• Pressure-sensitive paper rolls can be written on to provide additional information



Height	Width	Cat. No.
7.6 cm (3")	7.6 cm (3")	36434-434

Container Labels, National Marker

- Highly-visible red and white labels are faderesistant and withstand most chemicals, solvents, and vapors
- Labels may be written on to provide further clarification as desired

	SIGNAL WORD, Pulson, Europe, Warring, Control	SYNONYMS	
TARGET ORGANS	DIESEL F	UEL /	
STATEMENT OF HAZARD	- 10000	2000.00	
PRECAUTIONARY MEASURES	Department of		
SYMPTOMS OF EXPOSURE			
INSTRUCTIONS IN CASE OF CONTACT			M. S. D. S. REFERENCE
SPILL RESPONSE PROCEDURES	MANUFACTURE CO. IS NOT THE PARTY OF T	-	WRITE ON INFORMATION

Description	Dimensions	Height	Width	Cat. No.
Acetone	8.3 cm (3 ¹ / ₄ ")		12.7 cm (5")	36434-392
Fuel Oil		16.5 cm (6 ¹ / ₂ ")	25.4 cm (10")	36434-394
Gasoline		8.3 cm (3 ¹ / ₄ ")	12.7 cm (5")	36434-396
Gasoline		16.5 cm (6 ¹ / ₂ ")	25.4 cm (10")	36434-398
Isopropyl Alcohol		8.3 cm (3 ¹ / ₄ ")	12.7 cm (5")	36434-400
Kerosene		8.3 cm (3 ¹ / ₄ ")	12.7 cm (5")	36434-402

Hazardous Warning Labels

- Writable surface
- Self-laminating flap protects label from solvents, acids, and more



Height	Width	Cat. No.
5 cm (2")	9.5 cm (3³/₄")	36433-435
10.2 cm (4")	17.8 cm (7")	36433-437

Hazardous Waste Labels, EPA and DOT, National Marker

- Pressure-sensitive 0.004mm thick vinyl labels
- For use with hazardous materials which are transported off-site
- Comply with EPA and DOT regulations



Description	Height	Width	Cat. No.
Hazardous Waste — Handle With Care (with Accumulation Start Date)	10.2 cm (4")	15.2 cm (6")	56606-701
Notice — This Container Has Been Triple Rinsed	. ,	15.2 cm (6")	
Caution—Contains PCBs Hazardous Waste—Handle With Care (with	15.2 cm (6")	15.2 cm (6")	56606-705
DOT Shipping/Generator Information)	. ,	15.2 cm (6")	
Non-Regulated Waste	15.2 cm (6")	15.2 cm (6")	56607-792

Color

Grn/Wht

Blue/Wht

Blk/Wht

Grn/Wht

Red/Wht

Blk/Wht

Grn/Wht

Blk/Wht

Red/Wht

Blk/Wht

Legend

Accepted

Repaired By

Calibrated

Calibrated

Do Not Use

Certification

Qa Approved

Maintenance

Inspected

Rejected

NMC Write-On Inspection Labels

- · Ideal tag for the toughest, abusive, dirty, and greasy environments
- Tags are pressure sensitive vinyl and are supplied 27/pack

ACC	EPTED
DATE	INITIALS

Cat. No.

94016-074

94016-076

94016-080

94016-082

94016-084

94016-086

94016-088

94016-090

94016-092

94016-094

BBP®30 Printer Series Ribbons, Brady®

- Wide variety of label colors are available
- Designed for use with BBP®31 and BBP®33 printers



Size	For Use With	Color	Cat. No.
4.330" x 200'	BBP®31, BBP®33	Silver	53520-196
4.330" x 200'	BBP®31, BBP®33	Black	53520-200

Write-On Hazard Warning Labels, National Marker

• Pressure-sensitive paper

Size

2.54 x 5.72 cm (1 x 2¹/₄")

2.54 x 5.72 cm (1 x 21/4")

2.54 x 5.72 cm (1 x 21/4") 2.54 x 5.72 cm (1 x 21/4")

2.54 x 5.72 cm (1 x 21/4")

2.54 x 5.72 cm (1 x 2¹/₄")





Description	Height	Width	Cat. No.
Chemical	2.2 cm (⁷ / ₈ ")	7.3 cm (2 ⁷ / ₈ ")	56607-837
Hazard Warning Checklist & Color Bar	2.2 cm (⁷ / ₈ ")	7.3 cm (2 ⁷ / ₈ ")	56607-838
Biohazard	2.2 cm (⁷ / ₈ ")	7.3 cm $(2^7/8'')$	56607-839
Biohazard Infectious Waste	2.2 cm (⁷ / ₈ ")	7.3 cm (2 ⁷ / ₈ ")	56607-840
Biohazard	2.2 cm (⁷ / ₈ ")	7.3 cm (2 ⁷ / ₈ ")	56607-841

Write-On Right-To-Know **HMIG Labels, Brady®**

- · Allow users to identify materials or customize messages
- · Paper labels

● H	CHEMICAL HAME	
●F	COMMON HARES	
OBE	MANUFACTURES	BATE .
OPE		

Height	Width	Cat. No.
3.8 cm (1 ¹ / ₂ ")	9.8 cm (3 ⁷ / ₈ ")	89009-286

BBP®33 Label Printer and Kits, Brady®

- · Hassle-free operation with auto-cutting, automatic label set-up
- · No calibration, no sensor adjustment, no label waste
- · Foolproof "drop-in" ribbon and cartridge labels



Description	Includes	Cat. No.
BBP33 Label Printer with Auto Cutter and LabelMark 6 Software	BRADY BBP® 33 Printer; LABELMARK™ Pro	53519-890
BBP33 Label Printer with Auto Cutter, LabelMark 5 Software and MarkWare Software	BRADY BBP® 33 Printer; LABELMARK™ Pro; MARKWARE™ Tape and Label Software	53519-894
BBP33 Label Printer with Auto Cutter	Cutter Cleaning Tool; Documentation Holder; Drivers CD; Power Cable; Printer; Quick Start Guide; Stylus Cleaning Kit; USB Cable	53519-888
BBP33 Label Printer with Auto Cutter and MarkWare Software	BRADY BBP® 33 Printer; MARKWARE™ Tape and Label Software	53519-892

BBP®33 Series Printer Labels, Brady®

- Cryogenic labels for tubes, vials, and canes
- Chemical- and stain-resistant labels for slides and cassettes
- · General labels for straws, petri dishes, bottles, flasks, microplates, bags, and more



Size	Material	For Use With	Color	Cat. No.
B-461 Ultra-Thin	n Label with Clear Tail for Tu	bes		
0.500" x 1.800"	Polyester	BBP®33	Clear/White	53520-054
0.375" x 1.800"	Polyester	BBP®33	Clear/White	53520-056
1.000" x 2.625"	Polyester	BBP®33	Clear/White	53520-070
0.600" x 1.625"	Polyester	BBP®33	Clear/White	53520-072
B-490 Freezerbo	ondz® Label for Frozen Tube	s		
0.500" x 0.900"	Polyester	BBP®33	White	53520-058
0.500" x 0.900"	Polyester	BBP®33	White	53520-062
0.250" x 2.000"	Polyester	BBP®33	White	53520-102
2" x 1.25"	Polyester	BBP®33	White	53520-112
0.600" x 1.625"	Polyester	BBP®33	White	53520-114
1.000" x 1.900"	Polyester	BBP®33	White	53520-116
B-492 Freezerbo	ondz® Ultra-Thin for Frosted	/Frozen Tubes and	Canes	
0.375" Dia.	Polyester	BBP®33	White	53520-088
1.000" x 1.900"	Polyester	BBP®33	White	53520-118
0.375" x 1.000"	Polyester	BBP®33	White	53520-124
1.000" x 1.000"	Polyester	BBP®33	White	53520-136
1.000" x 0.900"	Polyester	BBP®33	White	53520-138
0.500" x 1.000"	Polyester	BBP®33	White	53520-140
0.500" x 1.000"	Polyester	BBP®33	White	53520-142
0.500" x 1.000"	Polyester	BBP®33	White	53520-164
B-481 Stainerbo	ondz™ Extreme Chemical Re	sistant Slide Label		
0.750" x 0.900"	Polyester	BBP®33	White	53520-146
B-498 Tissue Ca	ssette Label for Re-identific	ation of Processed	Paraffin Blocks	
0.750" x 1.000"	Repositionable Vinyl Cloth	BBP®33 Printers	White	53520-184
B-432 Removab	le Label for All Room Tempo	erature Application	ıs	
0.500" x 0.900"	Nylon Cloth	BBP®33	White	53520-060
1.000" x 2.000"	Nylon Cloth	BBP®33	White	53520-082

SIGNS, PRINTERS AND LABELS

BMP®21 Series Printer Label Cartridges, Brady Worldwide®

- · Cryogenic labels for tubes, vials, and canes
- Chemical- and stain-resistant labels for slides and cassettes
- General labels for straws, petri dishes, bottles, flasks, microplates, bags, and more



Size	Material	For Use With	Color	Style	Cat. No.
B-499 Thick Nylon	Cloth for Easy Handling				
0.375" x 16'	Nylon Cloth	BMP®21-PLUS, BMP®21, ID PAL, LABPAL, BMP®21-LAB	Black on White	Label	89204-986
0.375" x 21'	Vinyl	BMP®21-PLUS, BMP®21, ID PAL, LABPAL, BMP®21-LAB	Black on White	Label	89205-032
0.500" x 16'	Nylon Cloth	BMP®21-PLUS, BMP®21, ID PAL, LABPAL, BMP®21-LAB	Black on White	Label	89204-992
0.500" x 21'	Vinyl	BMP®21-PLUS, BMP®21, ID PAL, LABPAL, BMP®21-LAB	Black on White	Label	89205-012
0.750" x 16'	Nylon Cloth	BMP®21-PLUS, BMP®21, ID PAL, LABPAL, BMP®21-LAB	Black on White	Label	89204-998
0.750" x 21'	Vinyl	BMP®21-PLUS, BMP®21, ID PAL, LABPAL, BMP®21-LAB	Black on White	Label	89205-022
B-430 Clear High P	Performance				
0.375" x 21'	Polyester	BMP®21-PLUS, BMP®21, ID PAL, LABPAL, BMP®21-LAB	Black on Clear	Label	89204-988
0.500" x 21'	Polyester	BMP®21-PLUS, BMP®21, ID PAL, LABPAL, BMP®21-LAB	Black on Clear	Label	89204-994
0.750" x 21'	Polyester	BMP®21-PLUS, BMP®21, ID PAL, LABPAL, BMP®21-LAB	Black on Clear	Label	89205-000
B-423 Permanent	Polyester				
0.375" x 21'	Polyester	BMP®21-PLUS, BMP®21, ID PAL, LABPAL, BMP®21-LAB	Black on White	Label	89204-990
0.500" x 21'	Polyester	BMP®21-PLUS, BMP®21, ID PAL, LABPAL, BMP®21-LAB	Black on White	Label	89204-996
0.750" x 21'	Polyester	BMP®21-PLUS, BMP®21, ID PAL, LABPAL, BMP®21-LAB	Black on White	Label	89205-002

HandiMark® Printer Labels, Brady®

• General Labels for Straws, Petri Dishes, Bottles, Flasks, Microplates, Bags, and more



Handy Cone™ Floor Sign, NMC

- Lightweight and compact
- Collapsible for quick storage
- Includes mountable storage tubes



Size	Material	For Use With	Color	Cat. No.
Other Handil	Mark® Printer Lal	bels		
2" x 75'	_	HandiMark®	Black	12222-672
B-595 Genera	al Purpose Label	for Drawers, Shelves, and Fl	oor	
0.500" x 50'	Vinyl	HandiMark®, BMP®71	Blue	89205-048
Other Handi	Mark® Printer La	bels		
2" x 75'	_	HandiMark®	White	12222-668
B-595 Genera	al Purpose Label	for Drawers, Shelves, and Fl	oor	
0.500" x 50'	Vinyl	HandiMark®, BMP®71	Green	89205-072
0.500" x 50'	Vinyl	HandiMark®, BMP®71	Orange	89205-086
2" x 50'	Vinyl	HandiMark®, BMP®71	Orange	89205-090
0.500" x 50'	Vinvl	HandiMark®	White	89205-104

Size	Legend	Cat. No.
45.72 cm (18")	Wet Floor	94015-626
78.74 cm (31")	People Working	94015-628
78.74 cm (31")	Wet Floor (Bilingual)	94015-630
78.74 cm (31")	Watch Your Step	94015-632
45.72 cm (18")	Caution Watch Your Step	94015-634
45.72 cm (18")	Caution Wet Floor	94015-636
45.72 cm (18")	Warning People Working	94015-640

VWR Technical Product Support

Click-to-Chat Online Support available on select products Monday through Friday, 8:00 a.m. - 8:00 p.m. (EST)



NEED HELP? Click to Chat with a Representative.

With VWR Click-to-Chat, your answer is just a click away!

- Which glove should I be using with this chemical?
- What kind of respirator do I need?
- Which First Aid kits meet ANSI standards?
- Where can I get a Certificate of Analysis?
- Can you provide a data sheet for my gloves?



Folding "Caution Wet Floor" Floor Sign, Rubbermaid®

- · Lightweight and versatile
- Bold graphic warning message
- Folds easily for convenient storage or transport



Cat. No.
89073-790

Walk on Floor Signs, NMC

- Pressure sensitive vinyl polyester
- · Anti-skid laminate



Legend	Cat. No.
Emergency Shower	36434-564
Fire Extinguisher	36434-570
Restricted Area	36434-572
Watch Your Step	94023-516
Caution Radiation Area	94023-528
Do Not Enter	94023-532
Area In Front Of Electrical Panel Must Be Kept Clear For 36 Inches	94023-538

NMC Perforated Tags

- Warn off potential hazards
- Provide information on the job site



Description	Size	Material	Cat. No.
Empty/In Service/Full (Perferated)	12.54 x 8.26 cm (6 x 3.25")	Cardstock	94008-148
Danger Do Not Operate	12.54 x 7.62 cm (6 x 3")	Unrippable Vinyl	94020-464


NMC Accident Prevention Tags


- Warn off potential hazards and provide information on the job site
- Tags sold in packs of 25
- Include self-locking nylon fasteners



Size	Legend	Cat. No.
12.54 x 7.62 cm (6 x 3")	Notice	56606-596
12.54 x 7.62 cm (6 x 3")	Danger Do Not Operate	89186-010
12.54 x 7.62 cm (6 x 3")	Ladder Inspection	89195-014
12.54 x 7.62 cm (6 x 3")	Confined Space Entry Permit	94020-306
12.54 x 7.62 cm (6 x 3")	Confined Space Inspection	94020-308
12.54 x 7.62 cm (6 x 3")	Do Not Operate This Switch	94020-310
12.54 x 7.62 cm (6 x 3")	Do Not Start (Bilingual)	94020-312
12.54 x 7.62 cm (6 x 3")	Do Not Start Men Working (Bilingual)	94020-314
12.54 x 7.62 cm (6 x 3")	Do Not Use	94020-316
12.54 x 7.62 cm (6 x 3")	Eqiupment Needs Repair	94020-318
12.54 x 7.62 cm (6 x 3")	Inspection Record	94020-332
12.54 x 7.62 cm (6 x 3")	Out Of Service	94020-386
12.54 x 7.62 cm (6 x 3")	Temporarily Out Of Service	94020-390
12.54 x 7.62 cm (6 x 3")	Out Of Order	94020-432
12.54 x 7.62 cm (6 x 3")	Fire Extinguisher Recharge And Inspect.	94020-436
12.54 x 7.62 cm (6 x 3")	Empty Cylinder Do Not Use	94020-452
12.54 x 7.62 cm (6 x 3")	Emergency Shower And Eye Wash Test Record	94020-456
12.54 x 7.62 cm (6 x 3")	Hazardous Materials Nfpa	94020-492

Personal Protection (PPE) OSHA Notice Signs, National Marker





• Each sign header reads "Notice"



Size	Material	Legend	Cat. No.
25.4 x 35.56 cm (10 x 14")	.040 Alum	Safety Glasses Required Beyond This Point	94017-800
17.78 x 25.4 cm (7 x 10")	PS Vinyl	Safety Glasses Required Beyond This Point	94017-802
17.78 x 25.4 cm (7 x 10")	PS Vinyl	Protective Clothing Required In This Area	94018-004
17.78 x 25.4 cm (7 x 10")	Rigid Plastic	Protective Clothing Required In This Area	94018-008
25.4 x 35.56 cm (10 x 14")	PS Vinyl	Face Shield Required In This Area	94018-272
25.4 x 35.56 cm (10 x 14")	Rigid Plastic	Hearing Protection Must Be Worn In This Area	94018-352
25.4 x 35.56 cm (10 x 14")	Rigid Plastic	No Eating or Drinking in This Area	94018-490
25.4 x 35.56 cm (10 x 14")	Rigid Plastic	Personal Protection Required In This Area	94018-622
25.4 x 35.56 cm (10 x 14")	PS Vinyl	Safety Glasses With Side Shields Required In This Area	94018-696
25.4 x 35.56 cm (10 x 14")	Rigid Plastic	Safety Shoes Required In This Area	94018-710
17.78 x 25.4 cm (7 x 10")	PS Vinyl	Safety Glasses Required In This Area	94018-920

See Sign™ Graphic Safety Signs and Labels, NMC

• Alert employees to the location of restrooms, emergency devices and areas which may cause bodily harm



Material	Dimensions_	Legend	Cat. No.
PS Vinyl	10.16 x 10.16 cm (4 x 4")	Danger High Voltage	36434-498
PS Vinyl	10.16 x 10.16 cm (4 x 4")	Flammable	36434-500
PS Vinyl	10.16 x 10.16 cm (4 x 4")	Ear Protection Required (Graphic)	36434-502
PS Vinyl	10.16 x 10.16 cm (4 x 4")	Emergency Eye Wash (Graphic)	36434-512
PS Vinyl	10.16 x 10.16 cm (4 x 4")	Biohazard (Graphic)	36434-514
PS Vinyl	17.78 x 17.78 cm (7 x 7")	Emergency Shower (W/Graphic)	56606-717
PS Vinyl	17.78 x 17.78 cm (7 x 7")	Biohazard (W/Graphic)	56606-779
PS Vinyl	17.78 x 17.78 cm (7 x 7")	Emergency Eye (W/Graphic)	56606-788
PS Vinyl	17.78 x 17.78 cm (7 x 7")	Flammable (W/Graphic)	94020-548
Rigid Plastic	17.78 x 17.78 cm (7 x 7")	No Smoking (W/ Graphic)	94020-572
Rigid Plastic	17.78 x 17.78 cm (7 x 7")	In Case Of Fire Do Not Use Elevators Use (W/ Graphic)	94020-596
PS Vinyl	10.16 x 10.16 cm (4 x 4")	Fire Door Please Keep Closed (Graphic)	94020-606
PS Vinyl	17.78 x 17.78 cm (7 x 7")	Exit (W/Graphic)	94020-668
PS Vinyl	17.78 x 17.78 cm (7 x 7")	Hot Surface (W/Graphic)	94020-672
Rigid Plastic	17.78 x 17.78 cm (7 x 7")	Hot Surface (W/ Graphic)	94020-674
Rigid Plastic	17.78 x 17.78 cm (7 x 7")	Electrical Hazard (W/ Graphic)	94020-678
Rigid Plastic	17.78 x 17.78 cm (7 x 7")	Radiation Hazard (W/ Graphic)	94020-696
PS Vinyl	10.16 x 10.16 cm (4 x 4")	Biohazard Sharps (Graphic)	94020-728

Safety Motivation Signs, Safety First, NMC

 Motivate employees to follow safety procedures and avoid costly accidents and injuries on the job



Material	Dimensions	Legend	Header	Cat. No.
Rigid Plasitc	17.78 x 25.4 cm (7 x 10")	Bend Knees While Lifting	Safety First	94020-894
Rigid Plasitc	17.78 x 25.4 cm (7 x 10")	Use Proper Lifting Techniques	Safety First	94020-956
Rigid Plasitc	17.78 x 25.4 cm (7 x 10")	The Safe Way Is The Best Way	Safety First	94021-234
.040 Alum	25.4 x 35.56 cm (10 x 14")	Report All Unsafe Conditions	Safety First	94020-942
Rigid Plasitc	25.4 x 35.56 cm (10 x 14")	Don'T Try To Lift More Than You Are Able	Safety First	94020-990
Rigid Plasitc	25.4 x 35.56 cm (10 x 14")	Is Our Responsibility Each And Every One Of Us	Safety First	94021-050
Rigid Plasitc	25.4 x 35.56 cm (10 x 14")	Safety Is Everybody'S Job	Safety First	94021-104
Rigid Plasitc	25.4 x 35.56 cm (10 x 14")	Be Careful	Safety First	94021-218


Digital Scoreboards, NMC

- Eliminates manual process of erasing and writing in the number of safe days
- Automated system updates every 24hrs, can be set for actual time to change
- Safe days stand out in brightly lit numbers



Material	Dimensions	Legend	Cat. No.
		Safety First This Department Has Worked	
		Xxx Days Without An Osha Recordable	
0.085 Styrene	71.12 x 50.8 cm (28 x 20")	Injury On The Job Safety Begins With You	94012-450

ZING Green Safety Eco Safety Sign, BioHazard No Eating, Smoking or Drinking, ZING Enterprises



ZING Sign BIOHAZARD NO EATING, SMOKING OR DRINKING ZING Sign BIOHAZARD NO EATING, SMOKING OR DRINKING ZING Sign BIOHAZARD NO EATING, SMOKING OR DRINKING

- Made in USA
- High quality

Description



Material	Length	Width	Cat. No.
Plastic	7"	10"	76023-294
Aluminum	7"	10"	76023-296

10"

76025-038

NEW

Self-Adhesive 7"

FOR THE COMPLETE LINE OF PRODUCTS	, VISIT VWR.COM.

ZING Green Safety Eco Safety Tag, Emergency Eyewash and Shower Inspection, ZING Enterprises

- High quality 70% post-consumer recycled plastic with a surface that is easy to write on
- Made in USA
- Exceeds OSHA 50 pound pull test



nd	V	M	1

Description	Material	Length	Width	Cat. No.
ZING Eco Safety Tag, EYE WASH, 10/Pack	Plastic	5.75"	3"	76026-020

ZING Green Safety Eco Corner Sign, Rest Rooms Bilingual, ZING Enterprises

- UL Validated for recycled contentMade in USA
- High quality





Description	Material	Length	Width	Cat. No.
ZING Sign Rest Rooms/Banos	Plastic	10"	10"	76024-736

ZING Green Safety Eco GHS Poster, ZING Enterprises

- Made in USA
- Educational
- · High Quality



2000 a. co	SAFETY DATA SHEETS	
	The state of the s	toe diting i toi diferent imperio de ani ani determinaria ti quiferinte a total
	Months of Montal Miles from State State - Smaller Information in support America - Months Information in State State State - Months Information in State State State - Months Information in State State State - Months Information in State - Mon	monopoliti proprimi normi pitti proprimi monopoliti proprimi mono
And the second of the second o	Comment of the c	The second secon

CLOBALLY HARMONIZED SYSTEM (GUS)

Description	Material	Length	Width	Cat. No.
ZING GHS Poster, Safety Data	Plastic	18"	24"	76025-952
ZING GHS Poster, Intro To GHS	Plastic	18"	24"	76026-044
ZING GHS Poster, Labeling	Plastic	18"	24"	76026-046

ZING Green Safety Eco Safety Projecting Sign, Chemical Storage Area, ZING Enterprises

- UL Validated for recycled content
- Made in USA
- · High quality



Description	Material	Length	Width	Cat. No.
ZING Sign Chemical Storage Area	Plastic	7"	2.5"	76025-180
ZING Sign Chemical Storage Area	Plastic	7"	12"	76025-370
		7"	2.3	

ZING Green Safety Eco Safety Projecting Sign, Exit, ZING Enterprises

- UL Validated for recycled content
- Made in USA
- High quality



Description	Material	Length	Width	Cat. No.
ZING Sign Exit	Plastic	7"	12"	76024-084
ZING Sign Exit	Plastic	7"	2.5"	76024-086

ZING Green Safety Eco Safety Projecting Sign, Emergency Shut Off, ZING Enterprises


- UL Validated for recycled content
- Made in USA
- High quality



NEW

Description	Material	Length	Width	Cat. No.
ZING Sign Emergency Shut-Off	Plastic	7"	12"	76024-080
ZING Sign Emergency Shut-Off	Plastic	7"	2.5"	76024-082

ZING Green Safety Eco Safety Projecting Sign, Eye Wash Bilingual, ZING Enterprises



- Made in USA
- · High quality







Description	Material	Length	Width	Cat. No.
ZING Sign Eye Wash/Lavado De Ojos	Plastic	11"	2.5"	76024-126
ZING Sign Eye Wash/Lavado De Ojos	Plastic	11"	10.6"	76025-390

SIGN, PRINTERS AND LABELS

ZING Green Safety Eco Safety Projecting Sign, First Aid Station, **ZING Enterprises**

• UL Validated for recycled content

Plastic

- Made in USA
- High quality

Description



Width Material Length 76024-030 ZING Sign First Aid Station Plastic 7" 12"

ZING Green Safety Eco Safety Projecting Sign, Safety Shower, **ZING Enterprises**

ZING Sign First Aid Station

- UL Validated for recycled content
- Made in USA
- · High quality



2.5"

Description	Material	Length	Width	Cat. No.
ZING Sign Safety Shower	Plastic	7"	12"	76024-042
ZING Sign Safety Shower	Plastic	7"	2.5"	76024-044
ZING Sign Safety Shower	Plastic	10"	10"	76024-732


ZING Green Safety Eco Safety Projecting Sign, Spill Response **Equipment, ZING Enterprises**

- UL Validated for recycled content
- Made in USA
- · High quality



Description	Material	Length	Width	Cat. No.
ZING Sign Spill Response Equipment	Plastic	7″	12"	76024-550
ZING Sign Spill Response Equipment	Plastic	7"	2.5"	76024-552

ZING Green Safety Eco Safety Projecting Sign, Spill **Station, ZING Enterprises**



- · Made in USA
- · High quality

Cat. No.

76024-032

SPILL STATION



NEW

Description	Material	Length	Width	Cat. No.
ZING Sign Spill Station	Plastic	7"	12"	76024-118
ZING Sign Spill Station	Plastic	7"	2.5"	76024-120

ZING Green Safety Eco Safety Sign, BioHazard, **ZING Enterprises**

- UL Validated for recycled content
- · Made in USA
- · High quality






NEW

Description	Material	Length	Width	Cat. No.
ZING Sign BIOHAZARD	Plastic	7"	10"	76023-264
ZING Sign BIOHAZARD	Aluminum	7″	10"	76023-266
ZING Sign BIOHAZARD	Self-Adhesive	7″	10"	76025-032

ZING Green Safety Eco Binder Holder, Wire Wall Rack, Hardware Included, **ZING Enterprises**



- · High quality
- · Very durable





- Materia Length Width Cat. No.
- Description ZING Binder Wire Wall Rack 76026-280

NEW

ZING Green Safety Eco GHS-SDS Binder, ZING Enterprises

- Manufactured from recycled materials
- High Quality
- Very durable





|--|

Description	Material	Length	Width	Cat. No.
ZING SDS Binder, 1.5" Ring (300 Sheets)	Plastic	12"	1.5"	76025-944
ZING SDS Binder, 2.5" Ring (500 Sheets)	Plastic	12"	2.5"	76025-946
ZING SDS Binder, 3.0" Ring (600 Sheets)	Plastic	12"	3"	76025-948
ZING SDS Binder, 1.5" Ring				
Bilingual (300 Sheets)	Plastic	12"	1.5"	76025-950
ZING SDS Binder, 2.5" Ring				
Bilingual (500 Sheets)	Plastic	12"	2.5"	76026-040
ZING SDS Binder, 3.0" Ring				
Bilingual (600 Sheets)	Plastic	12"	3"	76026-042



DUPONT[™] TYCHEM[®] 2000 SFR PROTECTIVE COVERALLS

Why choose between flame resistance and chemical protection when you can have both?

Tychem® 2000 SFR coveralls provide an effective barrier against a range of inorganic acids and bases as well as industrial cleaning chemicals and particles.

They also provide secondary flame resistance when worn over primary FR garments like those made with DuPont™ Nomex®. In the event that a flash fire occurs, they won't ignite and won't contribute additional burn injury if appropriate flame-resistant personal protective equipment is worn beneath.

They're a dependable choice for keeping workers safe from both chemical and flash-fire threats.





Description	Cat. No.
TYCHEM 2000 SFR COVERALL HOOD SM	76202-702
TYCHEM 2000 SFR COVERALL HOOD MD	76202-704
TYCHEM 2000 SFR COVERALL HOOD LG	76202-706
TYCHEM 2000 SFR COVERALL HOOD XL	76202-708
TYCHEM 2000 SFR COVERALL HOOD 2X	76202-710
TYCHEM 2000 SFR COVERALL HOOD 3X	76202-712
TYCHEM 2000 SFR COVERALL HOOD 4X	76202-714
TYCHEM 2000 SFR COVERALL HOOD 5X	76202-716
TYCHEM 2000 SFR COVERALL HOOD 6X	76202-718
TYCHEM 2000 SFR COVERALL HOOD 7X	76202-720

Fire Threats Have Met Their Match.

DuPont™ Tychem® 6000 FR (formerly ThermoPro) offers the trusted chemical protection of Tychem® and the thermal/arc protection of DuPont™ Nomex® in a single-layer garment. Triple hazard protection from liquid-chemical splash, flash fire, and electric arc. Provides at least eight hours breakthrough protection against 17 of the 21 standard ASTM F1001 chemicals and at least 30 minutes of protection for more than 180 chemical challenges including chemical warfare agents. Typical applications and industries include clandestine lab investigation, industrial chemical processing plants, and laboratories.

Available in a variety of styles, including aprons or coveralls, in both orange and gray.


Color	Cat. No.
Gray	10016-844
Gray	10016-842
Gray	10016-840
Gray	10016-846
Gray	10016-834
Gray	10016-836
Gray	10016-838
Orange	10016-858
Orange	10016-856
Orange	10016-854
Orange	10016-860
Orange	10016-848
Orange	10016-850
Orange	10016-852
	Gray Gray Gray Gray Gray Gray Gray Orange Orange Orange Orange Orange Orange Orange Orange Orange



SAFETY VOLUME 2 ESSENTIALS

VWR Literature Library C/O Archway 20770 Westwood Drive Strongsville, OH 44149

PRST STD POSTAGE & FEES PAID PERMIT #293 Midland, MI



Prices and product details are current when published; subject to change without notice. [Certain products may be limited by federal, state, provincial, or local regulations, [WiR makes no claims or warranties, concerning sustainable/green products, Any claims concerning sustainable/green products, Any claims concerning sustainable/green products are the sole claims of the manufacture and not too of WIR International, LLC, All prices are in US dollars unless otherwise noted, Offers valid in US and Canada, void where prohibited by law or company policy, while supplies Isst, LYWK, the VIRN loga and variations on the foreign are registered (8) or unregistered trademarks and service marks, of WIR International, LLC and its related companies, All determals referenced are registered by their respective ownerfol; (Visit word to view or private policy, trademark owners and additional disclaimers, C2018 VIRR International, LLC, All rights enerved.

0318 38M Lit. No. 930292

ATTN. MAILROOM:

If addressee is no longer with the organization, please deliver to laboratory products buyer. Thank you. ATTN: POST OFFICE: Electronic Service Requested



Your Safety is Our Priority.













































