Printing date 09/22/2017

Reviewed on 09/22/2017

Product iden	tifier		
Trade name:	<u>Sodium Methoxide</u> 0.5 Molar in Methanol		
• Article numb	er: 8697		
Details of the Manufacture Aqua Solution 6913 Highwa DEER PARK USA 800-256-258	ns, Inc. y 225 , TX 77536	SOL	QUA UTIONS
	ordinator son sherman@aquasolutions.org e <b>lephone number:</b> 0-424-9300		
Hazard(s)	identification		
Flam. Liq. 2	IS02 Flame H225 Highly flammable liquid and vapor. IS06 Skull and crossbones		
Flam. Liq. 2	H225 Highly flammable liquid and vapor.		
Flam. Liq. 2 Flam. Liq. 2 GH Acute Tox. 3	H225 Highly flammable liquid and vapor. IS06 Skull and crossbones		
Flam. Liq. 2 Flam. Liq. 2 GH Acute Tox. 3	H225 Highly flammable liquid and vapor. IS06 Skull and crossbones H331 Toxic if inhaled.		
Flam. Liq. 2 Flam. Liq. 2 GH Acute Tox. 3 GH STOT SE 1	H225 Highly flammable liquid and vapor. IS06 Skull and crossbones H331 Toxic if inhaled. IS08 Health hazard		
Flam. Liq. 2 Flam. Liq. 2 GH Acute Tox. 3 GH STOT SE 1 GH	H225 Highly flammable liquid and vapor. IS06 Skull and crossbones H331 Toxic if inhaled. IS08 Health hazard H370 Causes damage to organs.		
Flam. Liq. 2 Flam. Liq. 2 GH Acute Tox. 3 GH STOT SE 1 GH	H225 Highly flammable liquid and vapor. IS06 Skull and crossbones H331 Toxic if inhaled. IS08 Health hazard H370 Causes damage to organs. IS05 Corrosion		
Flam. Liq. 2 Flam. Liq. 2 GH Acute Tox. 3 Corr. 3 Flam. Corr. 1E Eye Dam. 1 Label element	<ul> <li>H225 Highly flammable liquid and vapor.</li> <li>IS06 Skull and crossbones</li> <li>H331 Toxic if inhaled.</li> <li>IS08 Health hazard</li> <li>H370 Causes damage to organs.</li> <li>IS05 Corrosion</li> <li>H314 Causes severe skin burns and eye date of the serious and eye date of the serious and eye dates and the serious and eye dates and the serious and the series and the series and the series and the series are series and the series are series are</li></ul>		onized System (GH
Flam. Liq. 2 Flam. Liq. 2 GH Acute Tox. 3 Content of the second s	<ul> <li>H225 Highly flammable liquid and vapor.</li> <li>IS06 Skull and crossbones</li> <li>H331 Toxic if inhaled.</li> <li>IS08 Health hazard</li> <li>H370 Causes damage to organs.</li> <li>IS05 Corrosion</li> <li>H314 Causes severe skin burns and eye date of the serious and eye date of the serious and eye dates and the serious and eye dates and the serious and the series and the series and the series and the series are series and the series are series are</li></ul>		onized System (GH

Printing date 09/22/2017

Trade name: Sodium Methoxide 0.5 Molar in Methanol Reviewed on 09/22/2017

(Contd. of page 1) · Signal word Danger · Hazard-determining components of labeling: Methanol (Methyl Alcohol) Sodium Methoxide (Sodium Methylate) · Hazard statements Highly flammable liquid and vapor. Toxic if inhaled. Causes severe skin burns and eye damage. Causes damage to organs. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dusts or mists. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Specific treatment (see on this label). Wash contaminated clothing before reuse. In case of fire: Use for extinction: CO2, powder or water spray. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 3Fire = 3*Reactivity* = 2The substance demonstrates unusual reactivity with water.

· HMIS-ratings (scale 0 - 4)

HEALTH2Health = 2FIRE3Fire = 3REACTIVITYReactivity = 0

· Other hazards

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.

(Contd. on page 3)

<sup>-</sup> US

Printing date 09/22/2017

Reviewed on 09/22/2017

Trade name: Sodium Methoxide

0.5 Molar in Methanol

(Contd. of page 2)

86.684%

13.316%

• **vPvB:** Not applicable.

## 3 Composition/information on ingredients

#### · Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 67-56-1 Methanol (Methyl Alcohol)

CAS: 124-41-4 Sodium Methoxide (Sodium Methylate)

### **4** First-aid measures

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

- Remove breathing apparatus only after contaminated clothing have been completely removed.
- In case of irregular breathing or respiratory arrest provide artificial respiration.
- After inhalation:
- Supply fresh air or oxygen; call for doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

## **5** Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

## 6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.

- Dispose contaminated material as waste according to item 13.
- Ensure adequate ventilation.

(Contd. on page 4)

US –

Printing date 09/22/2017

Reviewed on 09/22/2017

# Trade name: Sodium Methoxide

0.5 Molar in Methanol

(Contd. of page 3)

- Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information. • Protective Action Criteria for Chemicals

· I Tolecuve Acia	on Crueria for Chemicais	
· PAC-1:		
CAS: 67-56-1	Methanol (Methyl Alcohol)	530 ppm
CAS: 124-41-4	Sodium Methoxide (Sodium Methylate)	6.1 mg/m3
· PAC-2:		
CAS: 67-56-1	Methanol (Methyl Alcohol)	2,100 ppm
CAS: 124-41-4	Sodium Methoxide (Sodium Methylate)	67 mg/m3
· PAC-3:		
CAS: 67-56-1	Methanol (Methyl Alcohol)	7200* ppm
CAS: 124-41-4	Sodium Methoxide (Sodium Methylate)	400 mg/m3

# 7 Handling and storage

### · Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
   Store in cool, dry conditions in well sealed receptacles.
   Specific end use(s) No further relevant information available.

# 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

### CAS: 67-56-1 Methanol (Methyl Alcohol)

PEL Long-term value: 260 mg/m<sup>3</sup>, 200 ppm

(Contd. on page 5)

US –

Printing date 09/22/2017

Reviewed on 09/22/2017

## Trade name: Sodium Methoxide 0.5 Molar in Methanol

(Contd. of page 4) *REL* Short-term value: 325 mg/m<sup>3</sup>, 250 ppm Long-term value: 260 mg/m<sup>3</sup>, 200 ppm Skin TLVShort-term value: 328 mg/m<sup>3</sup>, 250 ppm Long-term value: 262 mg/m<sup>3</sup>, 200 ppm Skin; BEI · Ingredients with biological limit values: CAS: 67-56-1 Methanol (Methyl Alcohol) BEI 15 mg/L LD50 Intraperitoneal: urine Time: end of shift LD50: Methanol (background, nonspecific) • Additional information: The lists that were valid during the creation were used as basis. · Exposure controls · Personal protective equipment:

· General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes. Avoid contact with the eyes and skin.

#### · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

#### • Protection of hands:



Protective gloves

*The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.* Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· **Body protection:** Protective work clothing

(Contd. on page 6)

Printing date 09/22/2017

Reviewed on 09/22/2017

Trade name: Sodium Methoxide 0.5 Molar in Methanol

(Contd. of page 5)

9 Physical and chemical proper	ties
· Information on basic physical and c	hemical properties
· General Information	nemeur properties
· Appearance:	
Form:	Liquid
Color:	Clear
· Odor:	Methanol
· Odor threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	64 °C (147 °F)
· Flash point:	11 °C (52 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	70 °C (158 °F)
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
• Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
· Explosion limits:	
Lower:	5.5 Vol %
Upper:	44.0 Vol %
· Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)
· Density at 20 °C (68 °F):	0.81138 g/cm <sup>3</sup> (6.771 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/wate	e <b>r):</b> Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	86.7 %
VOC content:	86.7 %
	703.3 g/l / 5.87 lb/gl
Solids content:	13.3 %
• Other information	No further relevant information available.

# **10 Stability and reactivity**

• *Reactivity* No further relevant information available.

(Contd. on page 7)

US

(Contd. of page 6)

## Safety Data Sheet acc. to OSHA HCS

Printing date 09/22/2017

Trade name: Sodium Methoxide 0.5 Molar in Methanol Reviewed on 09/22/2017

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid No further relevant information available.

· Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

## **11 Toxicological information**

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Ad	cute Toxicit	y Estimate)
Onal	1.050	$6000 m \alpha / \alpha \alpha (m \alpha t)$

Orai	LDSU	0008 mg/kg (rai)
Dermal	LD50	15020 mg/kg (rat)
Inhalative	LC50/4 h	3.46 mg/l

### CAS: 67-56-1 Methanol (Methyl Alcohol)

Oral LD50 5628 mg/kg (rat)

Dermal LD50 15800 mg/kg (rabbit)

Inhalative LC50/4 h 3 mg/l (ATE)

#### CAS: 124-41-4 Sodium Methoxide (Sodium Methylate)

 Oral
 LD50
 800 mg/kg (rat)

 Dermal
 LD50
 2000 mg/kg (rat)

### · Primary irritant effect:

• on the skin: Caustic effect on skin and mucous membranes.

• on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

• Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

### · NTP (National Toxicology Program)

None of the ingredients is listed.

## · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

(Contd. on page 8)

Printing date 09/22/2017

Reviewed on 09/22/2017

Trade name: Sodium Methoxide 0.5 Molar in Methanol

(Contd. of page 7)

# **12** Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

## **13 Disposal considerations**

· Waste treatment methods

• *Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.* 

· Recommendation: Disposal must be made according to official regulations.

· UN-Number		
· DOT, IMDG, IATA	UN1120	
· UN proper shipping name		
· DOT	Butanols	
· IMDG, IATA	BUTANOLS	
RUMMARE LOOD		
· Class	3 Flammable liquids	
· Label	3	

<sup>·</sup> Uncleaned packagings:

Printing date 09/22/2017

Reviewed on 09/22/2017

## Trade name: Sodium Methoxide 0.5 Molar in Methanol

	(Contd. of page
IMDG, IATA	
<b>▼</b>	
Class	3 Flammable liquids
Label	3
Packing group	
DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Flammable liquids
Danger code (Kemler):	339
EMS Number:	F- $E$ , $S$ - $D$
Stowage Category	В
Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
~ ·	On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ)	1L
Excepted quantities $(\widetilde{EQ})$	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1120 BUTANOLS, 3, II

# **15 Regulatory information**

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

CAS: 67-56-1 Methanol (Methyl Alcohol)

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

• Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

(Contd. on page 10)

– US

Printing date 09/22/2017

Reviewed on 09/22/2017

Trade name: Sodium Methoxide

0.5 Molar in Methanol

(Contd. of page 9)

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

CAS: 67-56-1 Methanol (Methyl Alcohol)

#### · Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

### · TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

### · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms



· Signal word Danger

· Hazard-determining components of labeling: Methanol (Methyl Alcohol) Sodium Methoxide (Sodium Methylate) · Hazard statements Highly flammable liquid and vapor. Toxic if inhaled. Causes severe skin burns and eye damage. Causes damage to organs. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dusts or mists. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Specific treatment (see on this label). Wash contaminated clothing before reuse. In case of fire: Use for extinction: CO2, powder or water spray. Store in a well-ventilated place. Keep container tightly closed.

(Contd. on page 11)

US

Printing date 09/22/2017

Reviewed on 09/22/2017

Trade name: Sodium Methoxide 0.5 Molar in Methanol

(Contd. of page 10)

Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. • Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

· Date of preparation / last revision 09-22-2017: review SDS for accuracy. STN Revision 0.0 02-10-2016: Creation date for SDS. STN 09/22/2017 / -· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flam. Liq. 2: Flammable liquids - Category 2 Acute Tox. 3: Acute toxicity – Category 3 Skin Corr. 1B: Skin corrosion/irritation - Category 1B Eye Dam. 1: Serious eye damage/eye irritation - Category 1 STOT SE 1: Specific target organ toxicity (single exposure) - Category 1