

Safety Data Sheet

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

SECTION 1: Identification

Product identifier

Trade name/designation:

Product No.:

Sugar Clarifier

N935-EMD

Synonymes:

no data available

CAS No.:

not applicable

Other means of identification:

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use: For Further Manufacturing Use Only
Uses advised against: Not for Human or Animal Drug Use

Details of the supplier of the safety data sheet

Supplier

VWR International LLC

Street 100 Matsonford Road Radnor Corporate Center,

Building One, Suite 200 P. O. Box 6660

Postal code/city Radnor, PA 19087

Telephone +1-800-932-5000 toll-free within US/Canada

+1-610-386-1700

Telefax: +1-610-728-2103



Manufacturer

VWR Chemicals, LLC

Street 28600 Fountain Parkway Postal code/city Solon, OH 44139

Emergency telephone

Telephone +1-800-424-9300 (Chemtrec, 24 hrs/day, 7 days/week, USA)

Preparation Information

VWR International - Data Compliance

E-mail sds@vwr.com

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910.1200 (OSHA HCS)

Hazard classes and hazard categories	Hazard statements
Acute toxicity, category 4, oral	H302
Skin corrosion, category 1B	H314
Specific target organ toxicity (single exposure), category 3, vascular	H335

2.2 Label elements

Labelling in accordance with 29 CFR 1910.1200 (OSHA HCS)

Hazard pictograms



Signal word: Danger

Hazard statements	
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H335	May cause respiratory irritation.



Precautionary	
statements	
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P302+P352	IF ON SKIN: Wash with plenty of water/
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
	Continue rinsing.
P308+P310	IF exposed or concerned: Immediately call a POISON CENTER/doctor.

Hazards not otherwise classified (HNOC)

none/none

SECTION 3: Composition / information on ingredients

3.1 Substances

not applicable

3.2 Mixtures

Hazardous ingredients Classification according to the OSHA Hazard Communication Standard 29 CFR 1910.1200

Substance name	Concentration	Product identifier	Hazard classes and hazard categories
Calcium hydroxide	15 - 20%	CAS No.: 1305-62-0	Eye Dam. 1 - H318 Skin Irrit. 2 - H315 STOT SE 3 - H335
Zinc chloride	60 - 70%	CAS No.: 7646-85-7	Acute Tox. 4 - H302 Skin Corr. 1B - H314 STOT SE 3 - H335

SECTION 4: First aid measures

4.1 General information

IF exposed: Immediately call a POISON CENTER/doctor. If unconscious place in recovery position and seek medical advice. Never give anything by mouth to an unconscious person or a person with cramps. Change contaminated, saturated clothing. Do not leave affected person unattended.

After inhalation

Immediately call a POISON CENTER/doctor. Remove casualty to fresh air and keep warm and at rest. If breathing is irregular or stopped, administer artificial respiration.

In case of skin contact

After contact with skin, wash immediately with plenty of water and soap. Remove contaminated, saturated clothing immediately. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye. Remove contact lenses, if present and easy to do. Continue rinsing.



In case of ingestion

Immediately call a POISON CENTER/doctor. Do NOT induce vomiting. Rinse mouth thoroughly with water. Give nothing to eat or drink.

4.2 Most important symptoms/effects, acute and delayed

no data available

4.3 Indication of any immediate medical attention and special treatment needed

no data available

4.4 Self-protection of the first aider

First aider: Pay attention to self-protection!

4.5 Information to physician

no data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

The product itself does not burn.

Co-ordinate fire-fighting measures to the fire surroundings.

Extinguishing media which must not be used for safety reasons

no restriction

5.2 Specific hazards arising from the chemical

In case of fire may be liberated:

Pyrolysis products, toxic

5.3 Advice for firefighters

DO NOT fight fire when fire reaches explosives.

Protective equipment and precautions for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information

Do not allow run-off from fire-fighting to enter drains or water courses.

Do not inhale explosion and combustion gases.

Use water spray/stream to protect personnel and to cool endangered containers.

In case of fire: Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation.

6.2 Environmental precautions

Do not allow to enter into surface water or drains.

6.3 Methods and material for containment and cleaning up

Spilled product must never be returned to the original container for recycling. Clean contaminated articles and floor according to the environmental legislation. Collect in closed and suitable containers for disposal.



6.4 Additional information

Clear spills immediately.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

All work processes must always be designed so that the following is as low as possible: Inhalation skin contact Eye contact Use extractor hood (laboratory). If handled uncovered, arrangements with local exhaust ventilation have to be used. If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means.

7.2 Conditions for safe storage, including any incompatibilities

Recommended storage temperature: no data available

Keep container tightly closed and in a well-ventilated place. Keep/Store only in original container.

7.3 Specific end use(s)

no data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Does not contain substances above concentration limits fixing an occupational exposure limit.

8.2 Engineering controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment. If handled uncovered, arrangements with local exhaust ventilation have to be used.

Personal protection equipment (PPE)

Wear suitable protective clothing. When handling with chemical substances, protective clothing must be worn.

Eye/face protection

Eye glasses with side protection

Skin protection

Wear suitable gloves. When handling with chemical substances, protective gloves must be worn. In the case of wanting to use the gloves again, clean them before taking off and air them well. Check leak tightness/impermeability prior to use.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation If exposure limits are exceeded or irritation is experienced, NIOSH approved respiratory protection should be worn.

Additional information

Wash hands before breaks and after work. Avoid contact with skin and eyes. When using do not eat, drink or smoke. Provide eye shower and label its location conspicuously.

Environmental exposure controls

no data available



SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

(a) Appearance

Physical state: solid
Color: off white

(b) Odour: no data available (c) Odour threshold: no data available

Safety relevant basic data

(d) pH: no data available

(e) Melting point/freezing point: no data available

(f) Initial boiling point and boiling range: no data available

(g) Flash point: no data available

(h) Evaporation rate: no data available

(i) Flammability (solid, gas): not applicable

(j) Flammability or explosive limits

Lower explosion limit: no data available
Upper explosion limit: no data available
(k) Vapour pressure: no data available
(l) Vapour density: no data available
(m) Relative density: no data available

(n) Solubility(ies)

Water solubility (g/L):
Soluble (g/L) in Ethanol:
no data available
p) Auto-ignition temperature:
no data available
no data available
no data available

(r) Viscosity

Kinematic viscosity: no data available
Dynamic viscosity: no data available
(s) Explosive properties: not applicable
(t) Oxidising properties: not applicable

9.2 Other information

Bulk density: no data available
Refraction index: no data available
Dissociation constant: no data available
Surface tension: no data available
Henry constant: no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

no data available



10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

no data available

10.4 Conditions to avoid

no data available

10.5 Incompatible materials

no data available

10.6 Hazardous decomposition products

no data available

10.7 Additional information

no data available

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute effects

Acute oral toxicity:

Calcium hydroxide - LD50: > 7340 mg/kg - Rat - (IUCLID)

Zinc chloride - LD50: > 350 mg/kg - Rat - (RTECS)

Acute dermal toxicity:

no data available

Acute inhalation toxicity:

Zinc chloride - LCLo: > 2 mg/l (10min) - Rat - (IUCLID)

Irritant and corrosive effects

Primary irritation to the skin:

Causes severe skin burns and eye damage.

Irritation to eyes:

Causes serious eye damage.

Irritation to respiratory tract:

May cause respiratory irritation.



Respiratory or skin sensitization

In case of skin contact: not sensitising After inhalation: not sensitising

STOT-single exposure

May cause respiratory irritation.

STOT-repeated exposure

not applicable

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

no data available	ACGIH	IARC	NTP	OSHA

Germ cell mutagenicity

No indications of human germ cell mutagenicity exist.

Reproductive toxicity

No indications of human reproductive toxicity exist.

Aspiration hazard

not applicable

Other adverse effects

no data available

Additional information

no data available

SECTION 12: Ecological information

12.1 Ecotoxicity

Fish toxicity:

Zinc chloride - LC50: 3.36 mg/l (96 h)

Daphnia toxicity:

Zinc chloride - LC50: 1.24 mg/l (48 h)

Zinc chloride - EC50: 1.97 mg/l (48 h)

Algae toxicity:

Zinc chloride - EC50: 0.03 mg/l (72 h)

Bacteria toxicity:

no data available



12.2 Persistence and degradability

no data available

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water: no data available

12.4 Mobility in soil:

no data available

12.5 Results of PBT/vPvB assessment

no data available

12.6 Other adverse effects

no data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Appropriate disposal / Product

Dispose according to legislation. Consult the appropriate local waste disposal expert about waste disposal.

Waste code product: no data available

Appropriate disposal / Package

Dispose according to legislation. Handle contaminated packages in the same way as the substance itself.

Additional information

no data available

SECTION 14: Transport information

Land transport (DOT)

UN-No.: 1759

Proper Shipping Name: CORROSIVE SOLID, N.O.S. (ZINC CHLORIDE MIXTURE)

Class(es): 8
Classification code: C10
Hazard label(s): 8
Packing group: III
Environmental hazards: No

Marine pollutant: no data available

Special precautions for user:

Sea transport (IMDG)

UN-No.: 1759

Proper Shipping Name: CORROSIVE SOLID, N.O.S. (ZINC CHLORIDE MIXTURE)

Class(es):

Classification code:



Hazard label(s): 8
Packing group: III
Environmental hazards: No
MARINE POLLUTANT: No

Special precautions for user:

Segregation group: 1
EmS-No. F-A S-B

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not relevant

Air transport (ICAO-TI / IATA-DGR)

UN-No.: 1759

Proper Shipping Name: CORROSIVE SOLID, N.O.S. (ZINC CHLORIDE MIXTURE)

Class(es):

Classification code:

Hazard label(s): 8
Packing group: III

Special precautions for user:

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA 313 Components

Does not contain listed substances.

Massachusetts Right To Know Components

Calcium hydroxide - CAS No.: 1305-62-0
Calcium sulphate - CAS No.: 7778-18-9
Zinc chloride - CAS No.: 7646-85-7

Pennsylvania Right To Know Components

Calcium hydroxide - CAS No.: 1305-62-0
Calcium sulphate - CAS No.: 7778-18-9
Zinc chloride - CAS No.: 7646-85-7

New Jersey Right To Know Components

Calcium hydroxide - CAS No.: 1305-62-0Calcium sulphate - CAS No.: 7778-18-9Zinc chloride - CAS No.: 7646-85-7

California Prop. 65 Components

Does not contain listed substances.



SECTION 16: Other information

Abbreviations and acronyms

ACGIH - American Conference of Governmental Industrial Hygiensts

DOT - Department of Transportation

IARC - International Agency for Research on Cancer

IATA-DGR - International Air Transport Association-Dangerous Goods Regulations

ICAO-TI - International Civil Aviation Organization-Technical Instructions

IMDG - International Maritime Code for Dangerous Goods

LTV - Long Term Value

NIOSH - National Institute for Occupational Safety and Health

NTP - National Toxicology Program

OSHA - Occupational Safety & Health Administration

PBT - Persistent, Bioaccumulative and Toxic

PEL - Permissible Exposure Limit

STV - Short Term Value

SVHC - Substances of Very High Concern

TDG - Transport of Dangerous Goods

TLV - Threshold Limit Value

vPvB - very Persistent, very Bioaccumulative

Additional information

Indication of changes: general update

The above information is believed to be correct but does not purport to be all-inclusive and shall be used only as a guidance. The information in this document is based on the present state knowledge and is applicable to the product with regard to appropriate safty precautions. It does not represent any guarantee of the properties of the product. VWR International and his Affiliates shall not be held liable for any damage resulting from handling.